



Paolo Nesi, paolo.nesi@unifi.it Dipartimento di Ingegneria dell'Informazione, DISIT Lab https://www.disit.dinfo.unifi.it Https://www.snap4city.org

Martedì 7 Ottobre 2025 | ore 15.00

































# Agenda

- Data Modeling, formats
- Public/private data, real time data, Structured and non structured data
- Data Privacy, GDPR, Data Spaces
- Data Selection and caratterization: value type, value unit, data type
- Smart Industrial Applications of data
- Data Visualization, Visual Analytics, Business Intelligence, Dashboards
- Esercitazione on defining data models vs data representation
- Test















# Agenda

- Data Modeling, formats
- Public/private data, real time data, Structured and non structured data
- Data Privacy, GDPR, Data Spaces
- Data Selection and caratterization: value type, value unit, data type
- Smart Industrial Applications of data
- Data Visualization, Visual Analytics, Business Intelligence, Dashboards
- Esercitazione on defining data models vs data representation
- Test


















# **Data Driven Decision Support**

- **Decision Support system**
- Assessment / Strategies
- Data Rendering, visual analytics
  - Business Intelligence
- Data Processing
- Data aggregation, Storage, indexing
- Data Ingestion





















# Avoiding to have a collection of verticals


















Simplifying the development and integration of verticals









# **Integrated Data Platform**

#### Produce value from data

- Stimulate virtuous behavior, influence Users!
- put in action Strategies

### Data Exploitation performing

- predictions, reasoning, business intelligence, ..
- users behavior analysis, decision support system,
- Control Room, Real Time Monitoring tools, ....

### Aggregate & integrate data

- Multiple protocols from operators, ....
- open data, IOT, sensors, internet of everything, cloud, mobile devices, Wi-Fi, social media, ...















TV cameras





#### **Private and static**

- Fiscal Code, SSN
- Non shared pictures
- Level aspects
- Patient health record
- Commercial aspects

#### **Static Public (open data)**

statistics: accidents, census, votations

- # Accesses to RTZ ZTL Data from Public GOV
- Position of commercial activities, POI
- Museums
- City services data, almost
- Active services

Personal movements Relationships amone · Gestraces, ... Trading, sales people

Consumption of energy, gas User Behaviour social media Contributions banking

- - Personal traffic
  - Position of cars
  - Position of taxi
  - Position of CarSharing ...

- Info traffico
- video camere Info weather
- Info environment
- Status of the queue at Museums earthquake data
- parking

Stato accessialla 271 Stato dei servizi

Real time private

Real time public (open data)
















# **High Level Types**

- POI, IOT Devices, shapes,...
  - FIWARE Smart Data Models,
  - IoT Device Models
- GIS, maps, orthomaps, WFS/WMS, GeoTiff, calibrated heatmaps, ..
- Satellite data, ..
- traffic flow, typical trends, ...
- trajectories, events, Workflow, ...
- 3D Models, BIM, Digital Twins, ...
- OD Matrices of several kinds, ...
- Dynamic icons/pins, ...
- Synoptics, animations, ..
- KPI, personal KPI,...
- social media data, TV Stream,
- routing, multimodal, constraints, ...
- decision scenarios, ....
- User profiles, sales, paiments, ....
- etc.



















# Standards and Interoperability (10/2024)

#### **Compliant with:**

- IoT: NGSI V2/LD, LoRa, LoRaWan, MQTT, AMQP, COAP, OneM2M, TheThingsNetwork, SigFOX, Libelium, IBIMET/IBE, Enocean, Zigbee, DALI, ISEMC, Alexa, Sonoff, HUE Philips, Tplink, BACnet, TALQ, Protocol Buffer, KNX, OBD2, Proximus, ...
- **IoT model:** FIWARE Smart Data Model, Snap4City IoT Device Models
- General: HTTP, HTTPS, TLS, Rest Call, SNMP, TCP, UDP, SOAP, WSDL, FTP, FTPS, WebSocket, WebSocket Secure, GML, WFS, WMS, RTSP, ONVIF, AXIS TVCam, CISCO Meraki, OSM, Copernicus, The Weather Channel, Open Weather, OLAP, VMS Milestone, TIM, HERE, ....
- Formats: JSON, GeoJSON, XML, CSV, GeoTIFF, OWL, WKT, KML, SHP, db, XLS, XLSX, TXT, HTML, CSS, SVG, IFC, XPDL, OSM, Enfuser FMI, Lidar, glTF, GLB, DTM, GDAL, Satellite, D3 JSON, ...
- Database: Open Search, MySQL, Mongo, HBASE, SOLR, SPARQL, ODBC, JDBC, Elastic Search, Phoenix, PostGres, MS Azure, ...
- Industry: OPC/OPC-UA, OLAP, ModBUS, RS485, RS232,...
- **Mobility**: DATEX, GTFS, Transmodel, ETSI, NeTEx, ...
- **Social**:Twitter, FaceBook, Telegram, ...
- Events: SMS, EMAIL, CAP, RSS Feed, ...
- **OS**: Linux, Windows, Android, Raspberry Pi, Local File System, AXIS, ESP32, etc.

https://www.snap4city.org/65














































#### **IOT** Device



### What About a Time Series

**Entity: IOT** Device

Sends a message

Message ( timestamp: 02-04-2020 at

10:30,


Temperature: 29.34,

Humidity: 35

- A set of data coming from an Entity (may be a device, an action, etc.) with multiple values become a time series of values for the Entity.
  - For example: taking a new measure every 10 minutes (Red Lines)
  - Non regular rates can be valid data as well.
- Each new measure in Snap4City is conventionally time located in «dateObserved», which has to be Unique.

Only one message per dateObserved is allowed

dateObserved	Temp	Humidity
02-04-2020 10:30	34.5	23
02-04-2020 10:40	36.5	24
02-04-2020 10:50	36.0	22.5














Day by day traffic flow, on the week data from 3 sensors
















# Time Series: they are data streams

- As soon as you have a variable changing over time 

  time series
  - You are ready to get Future data, may be arriving in PUSH
  - Recall and store historical data as well, but they have to be
    - recalled in PULL with some process taking from API, database,...

















Color for missed

### A time series

The messages posted on Entity Instances
/ IoT Devices can produce different
effects on time series.

**Omitting** the message would allow the broker to reuse the last data to fill it, as for V5, which appear


- valid in all messages on graphs
- With holes in tables

**Putting null** values (as in V3) would produce a missing data and thus would lead to create:

- interpolate line on graphs: dashed are actually continuous lines in Dashboards
- Empty values in the tables

#### device42 Entity Messages over time

12-12-2022	13-12-22	14-12-22	15-12-22	16-12-22	17-12-22	18-12-22
V1: 5	5	6	8	9	9	9
V2: 10	10	12	4 /	15	18	24
V3: 16	15	16	nulí	18	30	null
V4: 20	20	21	23	null	null	29
V5: 25	25	25	25	25	25	25

















# Data Indexing & Semantic Data Indexing

- Structured: JSON, XML, database, CSV, excel, etc.
- Non structural Textual, multilingual, NLP (Natural Language Processing)
  - For social media data, but also for metadata, descriptions
- With:
  - Temporal → Historical data, real time data, predictions
  - Semantic: relationships among entities.
  - Spatial, geographical, geo-reversing → Knowledge Base
    - Around a point, along a line/path, near a path, into a polyline, etc.
  - Data Values different data type (Data Lake/normalization), data unit, etc.
    - → the so called IOT shadowing of Azure, AWS
      - Relating to Knowledge Base reciprocally















- Data
  - Open and private: Open Data: CKAN
    - licensing, private, GDPR
  - Static vs Real time
  - Any protocol, any standard: Push and Pull
  - Any format
- From observations and milestones:
  - sensors, database, KPI, etc.
- From legacy services of in-place operators, API, WS, FaaS, ...
  - External Services: call of any kind
  - MicroServices, MicroApplications
  - Local databases
- From users, customers, ...:
  - participated processes, feedback, Apps, etc.
  - Crawling web pages, etc.







**IOT Device** 
























# **Data processing: ETL/ELT**

#### Data analytics

- Periodic or event driven
  - On demand
- Data transformation
  - ETL: extract transform load
  - ELT: extract load transform
- Control Flow, data transform
  - Node-RED: Node.JS

#### • For example:

- Assessment/monitoring
- Predictions
- Anomaly detection
- Simulations
- Etc.



# **Km4City: Knowledge Base**





**Big Data Tools** 

LOD and

reasoners

### Multiple DOMAINS

- Geospatial reasoning
- Temporal reasoning
- Metadata
- Statistics
- Risk and Resilience
- Licensing
- Open and Private Data
- Static and Real time
- IOT/IOE


#### **Ontology Documentation:**

http://www.disit.org/6506

http://www.disit.org/6507

http://www.disit.org/5606

http://www.disit.org/6461







Schema: <a href="http://www.disit.org/km4city/schema">http://www.disit.org/km4city/schema</a>
RDF version: <a href="http://www.disit.org/km4city.rdf">http://www.disit.org/km4city.rdf</a>













# RDF stores as NoSQL database

- All in terms of Triples
  - <Subject><Predicate><Object>
  - «cat» «is a specialization of» «animal» // generic definition for the ontology
  - // instances of the knowledge base
    - «micu» «is an instance of» «cat»
    - «leg1» «is part of the» «table»
    - «carl» «is belong to class» «5c»
    - «carl» «is child of» «frank»
    - «frank» «is father of» «carl»
  - Etc....















# **Km4City Ontology elements 1.6.8**

- DCTERMS: for metadata Dublin Core Metadata Initiative
- FOAF: friends of a friends
- Good Relation: entities relationships
- iot-lite: IOT Vocabuary
- OTN: Ontology of Transportation Networks
- OWL-Time: time reasoning
- SAREF Smart Appliances REFerence extension for building devices available at <a href="https://saref.etsi.org/saref4bldg/">https://saref.etsi.org/saref4bldg/</a>
- Schema.org for people and organizations
- SSN: Semantic Sensor Network Ontology (see <a href="https://www.w3.org/TR/vocab-ssn/">https://www.w3.org/TR/vocab-ssn/</a>
- WGS84 Datum of Geo-Objects
- GTFS, General Transit Feed Specification, and Transmodel, for public transport infrastructures: lines/rides time schedules, real-time records, paths, etc.;
- BOT: Building Topology Ontology. <a href="https://w3c-lbd-cg.github.io/bot/">https://w3c-lbd-cg.github.io/bot/</a>
- S4CITY: SAREF extension for Smart City. https://saref.etsi.org/saref4city/v1.1.2/ Firenze, 07 Ottobre 2025, DISIT lab
































### Non structured data

### Textual Data coming from:

- Social media posts
- Dialogue with users, posts, blob, complains, emails
- Documents, manuals, slides, web pages
- Media: images, video, audio, drawings, etc.
- Non structured can be processed by
  - Al NLP solutions, BERT, LLM, LLM RAG, etc.
    - See webinar of the 14 October 2025, 15:00









Search and

Query

Facet,

cluster



# Datawarehouse

Data Sources Static Data

**Scheduling** and preproc

Data Sources Data Driven

Broker, **Stream** processing

Stream

**Unified** aggregation and regularizati on

Batch

Storage **Big Data Indexing** Cluster SOLR, Elastic HDFS, noSQL search

Data

**Transformati** 


on

ETL, NIFI

**Data Analytics** R, TF, ...

Visual **Analytics** Spec dash Rendering acting

User interface, Dashboard Drill down



Optionally













Tempora

ry data

storage

Storage

Storage

Storage



## Batch

# **Data Lake**

Data
Sources
Static
Data

Data

Sources

Data

Driven

Schedulin g and preproc

Broker, Stream processing Big Data
Cluster
With
some
raw
index
noSQL
Storage

Search and Query

Data
Transfor
mation

Data Analytics

Visual Analytics Rendering acting

User interface, Dashboard

Stream


















# **Combined Solutions: DWH/DL**



Firenze, 07 Ottobre 2025, DISIT lab










### Big Data Pipelines on AWS, Microsoft Azure, and GCP

scgupta.link/big-data-pipeline



Ingestion

Data Lake

**Preparation & Computation** 

**Data Warehouse** 


Presentation


























## The data cubes



- Using Dashboard Wizard with Widgets all the different transformations may be possible with different representations.
- The IoT App allows to make them Dynamic



















# **Data Rendering vs Control Room Dashboards**

- Business intelligence mainly focused on making statistics from tabular: no layer, hard relationships, ... Exploit Data Analytic, ETL
- Visual Analytics, data understanding
  - Rendering and drill down/up, slicing
  - Faceting/grouping (Elastic Search/SOLR)
    - Cross filtering
  - Interactive, Cross Widgeting
- **Control Room Dashboards:** 
  - Need: Visual Analytics, Data Analytic, geospatial reasoning, data driven processing
  - H24, alerting, Flexible rendering, custom widgets, interactive dashboards




















#### **Control Room**

- Not only a collection of verticals
- **Exploiting analytics**: prediction, simulations, anomaly detection. ..
  - Big data approach to Data Analytics
- Connecting Heterogeneous data to defined strategies and alerting
- Connected interactive dashboards for different kind of decision makers: operators and majors
- What-if Analysis taking into account multiple data sources, scenarios for hyp., KPI!!!!
  - simulation is needed


From strategies to Actions



# **Technical Architecture**





















# **Agenda**

- Data Modeling, formats
- Public/private data, real time data, Structured and non structured data
- Data Privacy, GDPR, Data Spaces
- Data Selection and caratterization: value type, value unit, data type
- Smart Industrial Applications of data
- Data Visualization, Visual Analytics, Business Intelligence, Dashboards
- Esercitazione on defining data models vs data representation
- Test















# **GDPR: General Data Protection Regulation**

### **Users may** decide to:

- provide access to who, for do what, until when consented
- accept terms of use by signed consent for data management service

### From each service, the user is capable to:

- See what we collect in terms of Data Type: traces, logs, paths, profiles, accesses, IOT devices, sensors, maps, etc.
- Download, delete, inspect Data
- Auditing and Revoke access or grant access right to each single Data
- Delete all Data in single shot or singularly (forget all about me)

- Correctness
- Transparency
- Security
- Integrity
- Privacy
- Auditing
- ...





## **General Data Protection Regulation (2)**

- It Substitutes
  - Europe → Directive 95/46/CE
  - Italy → d. lgs. n. 196/2003 (codice per la protezione dei dati personali)
- The following cases are not covered by the regulation:
  - Lawful interception, national security, military, police, justice
  - Public interest statistical and scientific analysis
  - Deceased persons (national legislation, consent)
  - Employer-employee (dedicated law, human dignity)
  - Purely personal nature or household activity









# **Main concepts**

### The six main principles

- 1. Lawfulness, fairness and transparency
- 2. Purpose limitation
- 3. Data minimisation
- 4. Accuracy
- 5. Storage limitation
- 6. Integrity and confidentiality





## Scope (1)

- The regulation applies if the data controller (an organization that collects data from EU residents), or processor (an organization that processes data on behalf of a data controller – cloud provides), or the data subject (person) is based in the EU.
- The regulation also applies to organizations based outside the EU if they collect or process personal data of individuals located inside the EU.
- Data Protection Officer (DPO) employed in the organization, has responsibilities for advising on GDPR regulation





## Scope (2)

- DPO appointment is mandatory for
  - Public bodies (excepts courts) and
  - Data controllers and data processors that, as a core activity, monitor individuals systematically and on a large scale, or that process sensitive data on large scale
- Appointment, position and tasks of DPO are set out in GDPR
  - Expert knowledge of data protection law and practice
  - Be involved in all data protection issues
  - Report directly to highest level of management
  - Operational independence, no conflicts of interest, confidentiality
  - Inform and advice; monitor compliance; point of contact for individuals









## Lawful basis for processing (1)

- **Unless** a data subject has provided informed consent to data processing for one or more purposes, personal data may not be processed unless there is at least one legal basis to do so. According to Article 6, the lawful purposes are:
  - If the data subject has given consent to the processing of his or her personal data
    - Consent by default is not valid anymore (EXPLICIT consent)
    - Can be removed and controller cannot refuse
  - To fulfill contractual obligations with a data subject;
  - To comply with a data controller's legal obligations;
  - To protect the vital interests of a data subject or another individual;
  - To perform a task in the public interest or in official authority;
  - For the legitimate interests of a data controller or a third party, unless these interests are overridden by interests of the data subject or her or his rights according to the Charter of Fundamental Rights (especially in the case of children 16years old).









## Lawful basis for processing (2)

- Public Task: you can process personal data, without consent, to carry out your official functions or a task in the public interest - and where you have a legal basic for the processing
- Legitimate Interest: you can process personal data, without consent, if you have a genuine and legitimate reason to do so
  - Legitimate interest can be for commercial benefit
  - GDPR recitals direct marketing could be a legitimate interest
  - BUT exception if your interests are outweighed by harm to the individual's right and interest (balance it against the individual's interests, rights and freedoms)









## Lawful basis for processing (3)

- Consent may be required if you are:
  - Marketing
  - Selling information
  - Transferring data outside EU/EEA
- Consent will NOT be appropriate:
  - Consent is a pre-condition of using the service
  - You would still process personal data using different basis even if consent was withdrawn
- GDPR sets a higher standard for obtaining consent









## Responsibility and accountability

- Compliance with the GDPR: the data controller must implement measures
  which meet the principles of data protection by design and by default.
- Data protection by design and by default (Article 25) require data protection measures to be designed for products and services.
  - i.e. pseudonymizing personal data, by the controller, as soon as possible (Recital 78).
  - responsibility of the data controller to implement effective measures and be able to demonstrate the compliance of processing activities even if the processing is carried out by a data processor on behalf of the controller (Recital 74)
  - inform the user about collection
  - data protection impact assessments (DPIA, Article 35)
    - identify and minimize the data protection risks of a project









## Data protection by design and by default

- (Article 25) requires data protection to be designed into the development of business processes for products and services (At the beginning, for the root -> easy task for new process, but what about old process?)
- by default: Privacy settings at a highest level
- implement mechanisms to ensure that personal data is not processed unless necessary for each specific purpose (touch lesser is better)
- encryption and decryption operations must be carried out locally, not by remote service (because of keys) and data must remain in the power of the data owner if any privacy is to be achieved.
- outsourced data storage on remote clouds is practical and relatively safe if only the data owner, not the cloud service, holds the decryption keys.









## **DPIA:** data protection impact assessments

#### Struttura DPIA:

- Executive Summary
- Obiettivo del Documento e dell'Azione (scambio/accesso/uso dati)
  - Obiettivi, motivazioni
- Definizioni
- Contesto Normativo, Normative e Standard di riferimento
- Perimetro di Applicazione
- Ruoli e Responsabilità: Conduttore, DPO
- Durata del trattamento e detenzione dei dati
- ....vedi next slide....-→









## **DPIA: aspetti tecnici**

- Segue struttura (aspetti tecnici), draft e non completa
  - Trattamento dati: Misure di Protezione
  - Trattamento dati relativi a Minori e/o categorie protette
  - Trattamento e Piattaforma dati: descrizione tecnologica
  - Dati Trattati: descrizione
  - Obiettivi perseguiti da chi usa i dati, resa per il fornitore dei dati
  - Modalità di trasmissione dati, da fornitore a utilizzatore
  - Modalità di Utilizzo dei dati
    - Chi accede e come, eventuali liste di accesso, concessioni autorizzazioni, etc.
  - Backup e Continuità del servizio (da ambo le parti, se necessario)
    - Su eventuali ritorni dalle elaborazioni, sui servizi correlati se richiesti dal fornitore, etc..
  - Sicurezza: PENtest, vulnerability, TLS, certification, DB encryption, ...
  - Impatto e Rischi: perdita dei dati
  - Accesso e Proporzionalità
  - Firme: DPIA resp, DPO, DPIA reviewer















## **GDPR** verification

GDPR Compliance Verification Feature, partial	Verif.
Signed consent	UI
User profile management and control	UI
Data Type private as default	UI
Rights to access per element	UI
Rights to transfer per element	UI
Rights to erase per element and total	UI
Rights to revoke/change per Data Type	UI
An interface for Right management for Data Type	UI
Clear Terms of Use and Privacy Policy	UI
Auditing Tools for Data Type	UI
Publish as Anonymous	UI
Encrypt personal users' data	Code
Secure Authentication and Authorization	Code
Data protection by Design	Code
Secure connection	Code
Security Control, data breach control, anonymization, etc.	PEN Test















## Agenda

- Data Modeling, formats
- Public/private data, real time data, Structured and non structured data
- Data Privacy, GDPR, Data Spaces
- Data Selection and caratterization: value type, value unit, data type
- Smart Industrial Applications of data
- Data Visualization, Visual Analytics, Business Intelligence, Dashboards
- Esercitazione on defining data models vs data representation
- Test
















## **Entities Models and Instances, WoT**





#### **Entity Instance**

Name: CM23

Model: Lavazza

Position: ......

#### **Entity Variables**

- dateObserved: .....
- ID: CM23
- Status: ready
- Temperature: 70°
- WaterLevel: 35%
- UsedCapsBox: 30%
- Power: OK
- .....

- Conceptually are entities, IN/IN-OUT
- For Searching and showing on maps and dashboards
   HLT of Entities can be:
  - Entity Models, for example: «personal coffee machine»
  - Entity name, for example: «mycoffemachine1», «CM23»
  - Entity Variable, for example: «Temperature»





## **Using the Entity Model notes!!!**

 Once performed the Entity Model, a number of Entity Isntances can be produce using the model as a Template

- NOTE: the produced Entities are not going to change if the Entity Model is modified.
- Your biscuit is not changing if the template is modified after the printout






















#### **Mobile Entity Instance**

Name: BMWJD7356HD

Model: BMW 318

Spec:...

#### **Mobile Entity Variables**

ID: BMWJD7356HD

dateObserved: .....

Status: ready

Temperature: 70%

Gasoline: 35%

Velocity: 231,3 Km/h

• Position: 44.3223, 11.3432

• .....

- They are a special case of devices/entities
  - they are managed as Entities in the system
- For Searching and showing on maps and dashboards, they are different **HLT of Mobile Entities** can be:
  - Mobile Entity Model, for example: «sedan»
  - Mobile Entity Instance name, for example: «BMW JD7356HD», «Ford KO786KK»
  - Mobile Entity Variable, for example: «velocity»















## Sensor/Sensor-Actuator









#### **Entity Instance**

Name: CM23

Model: Lavazza

Position: ......

#### data

- dateObserved: .....
- ID: CM23
- Status: ready
- Temperature: 60°
- WaterLevel: 35%
- UsedCapsBox: 30%
- Power: OK
- .....
- For Searching and showing on maps and dashboards **HLT of Sensors/Sensor-Actuator** can be:
  - Sensor Entity name, for example: «mycoffemachine1», «CM23»
  - Sensor/sensor-actuator is a variable of a Sensor Entity, for example: «Temperature»
- They do not have a model, while, in KB, have a reference process from which their real time data are collected from the field, from gateways, etc..















## **KPIs, Key Performance Indicators**

- Typically associated with
  - City or infrastructure, so that the GPS can be city center
  - Some date: 2019, march 2019, etc.
- For example:
  - Number of Arrivals from France in March 2019
  - Average price for \*\*\*\* hotels in 2019, downtown
  - Net income of the region
  - CO2 saved in the April 2020
  - Total number of vehicles sold in 2020
  - Stock option value of Airport
- Note that in most cases:
  - They are time series, change over time, by year
  - they can be managed as Virtual IoT Devices

#### Data from INSETE

Basic Sizes of Incoming Tourisn

		Basic Size	es of Incoming To	urism of the Regio	n of Western Greece 201	9	
Regions	Countries Origin	Visits (in thousands)	Receipts (in € million)	Nights (in thousands)	Expenditure / Visit (in €)	Cost / Night (in €)	Average Length of Stay
	Albania	132.9	26.5	225.8	199.7	117.5	1.7
11/	United Kingdom	47.7	17.9	345.8	375.2	51.8	7.2
West Hellas	Germany	70.3	36.4	672.4	517.9	54.1	9.6
ricilas	France	55.4	16.5	321.6	298.1	51.4	5.8
	Other	510.7	160.0	2,964.9	313.3	54.0	5.8
	Total	817.0	257.4	4,530.4	315.0	56.8	5.5
	% of the total	2.2%	1.5%	1.9%			

Source: BoG Border Research, INSETE Intelligence Editing

	Basic Sizes of Incoming Tourism of the Region of Western Greece 2018						
Regions	Countries of Origin	Visits (in thousands)	Receipts (in € million)	Nights (in thousands)	Expenditure / Visit (in €)	Cost / Night (in €)	Average Length of Stay
	Albania	138.7	29.0	222.9	209.2	130.1	1.6
	United Kingdom	42.6	13.5	180.6	317.6	74.9	4.2
West Greece	Germany	71.3	26.0	466.5	365.1	55.8	6.5
	France	44.2	13.5	262.9	304.7	51.2	6.0
	Other	402.5	129.8	2,050.7	322.4	63.3	5.1
	Total	699.2	211.8	3,183.5	302.9	66.5	4.6
	% of the total	2.0%	1.4%	1.4%			









## **Unified Data and Services Model/Classification**

Semantic



SubNature SubNature

- Exists a Dictionary for the 4 categories
- They are related each other and not all values are possible
- Right setting leads to right rendering on graphs / dash
- automated combinations and processing
- The Dictionary is used by many tools

**Technical meaning** 

Value Type

Value Unit

**Value Unit** 

Firenze, 07 Ottobre 2025, DISIT lab











**Power** Value Type

## Value Unit Value Unit

mW

KW

**Data Type** 

Integer

**Data Type** 

Float

Link to Friend Sensor as ServiceURI: Value Type

URL

Value Unit Value Unit

**KW** 

String, URL Firenze, 07 Ottobre 2025, DISIT lab

Data Type Data Type

Float















## Please note on: Data Type

- Value Types have only a few number of **Data Types** because they represent how the data area treated into the system
- Therefore: main Data Types are:
  - Float: numbers with decimals large as you like, etc.
  - Integer: numbers, booleans (0/1), etc.
  - String: url, links, names, id, descriptions, status code, etc.
  - Json: structured data, vector, matrices, etc.
  - **–** .....









## IoT Device Model and Devices Data Dictionary: updated at 11/2022

#### https://www.snap4city.org/818

#### IoT Device Model and Devices Data Dictionary: updated at 11/2022

View Edit Track Access control

Any update and addtion to the dictionary of snap4city.org has to be requested to snap4city@disit.org

Convert

if you have your own instance of the platform you can define your own dictionary and request a copy of the snap4city.org dictionary

The dictionary is used into the IoT Device Model definition, in mapping smart data models, and in creating full custom devices.

https://www.snap4city.org/drupal/sites/default/files/image\_from\_word/fil...

value type	Description	possible value Units	Possible Data Types
actuator_canceller	Actuator Canceller		string
actuator_deleted	Actuator Deleted		integer
actuator_deletion_date	Actuator Deletion Date	timestamp	string
air_quality_index	Air quality index		float
altitude	Altitude	m	float,integer
angle	angle	deg	float
annual_C6H6_average	annual_C6H6_average	ppm, mg/m3, µg/m³	float
annual_C6H6_exceedance_count	annual_C6H6_exceedance_count	#	integer,float
annual_CO_average	annual_CO_average	ppm, mg/m3, µg/m³	float
annual_CO_exceedance_count	annual_CO_exceedance_count	#	integer, float
annual_NO2_average	annual_NO2_average	ppm, mg/m3, µg/m³	float
annual_NO2_exceedance_count	annual_NO2_exceedance_count	#	integer,float
annual_O3_average	annual_O3_average	ppm, mg/m3, µg/m³	float









# Design: from Data Modelling to Data Ingestion







### The Data Models can be simply instantiated from

- a)FIWARE Smart Data Models, versioning, and harvesting the standard repository
- b)Entity Model / IoT Device Model which are accessible into the Snap4City environment
- c) Excel files by using Data Table tool, which extracts the model from the excel table and automatically creates Entity Model / IoT Device Model, Entity Instances / IoT Devices and data attached to them
- d)Creating a custom Entity Model / IoT Device Model in standard Snap4City format via Entity Directory / IoT Directory







## **Connections among Entities**

Where	Entity Model (IOT Device Model)	Entity Instance (IOT Device)	Entity Message at 23-12-2019T20:15:00	Entity Message at 23-12-2019T20:30:12
Broker	Broker: OrionUNIFI			
Broker	Protocol: NGSI			
Info	ID: string	ID: "park45"	park45	park45
Position	GPS: lat, long	GSP: 43.12, 11.34	GSP: 44.1256, 11.1234	GSP: 44.1259, 11.1233
Static attribute	Description: string	Description: "parking massaia"		
Static attribute	MyAddInfoSURI: string	MyAddInfoSURI: "http:///InfoPersonal"		
Values	dateObserved: Timestamp		23-12-2019T20:15:00	23-12-2019T20:30:12
Values	FreeSlots: Integer, #		FreeSlots: 345	FreeSlots: 234
Values	TodayCarSURI: string		TodayCarSURI: "http:///CarNF126GD"	TodayCarSURI: "http:///CarGF789KK"
Values	Temperature: float, celsius		34	34





## **Model meaning**





#### Static Attributes:

- Are typically associated with instances of the IOT Device.
   E.g.:, You have a set of parking areas, each of them is located in a specific street, and has its one name, etc.
- Different kinds of attributes can be set for each SubNature. Their definition has to be prepared into the Knowledge Base © for automated indexing.
- Values: they are time varying variables (temporal values/instances)
  - They change over time, the timestamp of the time series is conventionally «dateObserved» in Snap4City
  - In new SensorMobile HLT, also GPS can be changing over time as in the MyKPI

#### NOTE for:

- names/IDs: Spaces or strange characters are not allowed in the. Please use simple alfphanumeric strings, it is a limitation of many solutions including Orion Broker and increase interoperability of your data.
- Values of attributes and variables: can be UTF8, but similarly, they do not accept: () <> " '; = into values
- https://fiware-orion.readthedocs.io/en/master/user/forbidden\_characters/index.html












## **Entity / Device Model (1)**


#### **IOT Broker**

- Name of the Brokers: among those registered
- Protocol: NGSI, AMQP, MQTT, etc..
- Format: CSV, JSON, XML.
- Service/Tenant:.....
- ServicePath:.....



#### Info

- Name (Identifier)
- Model: Custom or Model ID
- DeviceType: ..a string..
- MAC address: ...optional...
- Edge-GW: Raspberry, Android, ...
- Edge-GW: URI
- Producer
- Owner
- Freq: .... Sec
- Keys: K1, K2








#### **Entity/IoT Directory**





Entity / Device Data Model (2)



	Edit Model - Ch	arging Station Mode	
General Info	loT Broker	Static Attributes	Valu
chargingStateValue	charging_state (Chargin	✓ some coded status (staty)	string
Value Name Ok	Value Type	Value Unit 🖺	Data Type
Refresh rate	<b>y</b> 900	Remove Value	
Healthiness Criteria	Healthiness Value		
stationStateValue	charging_station_state	▼ some coded status (stat ▼	string
Value Name Ok	<b>Value Type (≧)</b> ○k	Value Unit ○k	Data Type
Refresh rate	<b>∨</b> 900	Remove Value	
Healthiness Criteria	Healthiness Value		
dateObserved	timestamp (Timestamp	timestamp in millisecor	string
<b>Value Name</b> Ok	Value Type	Value Unit 🖺	Data Type
Refresh rate	<b>∨</b> 900	Remove Value	
Healthiness Criteria	Healthiness Value		
chargingState	charging_state (Chargin	✓ some coded status (staty)	string
Value Name Ok	Value Type	Value Unit	Data Type
Refresh rate	<b>∨</b> 900	Remove Value	
Healthiness Criteria	Healthiness Value		
stationState	charging_station_state	▼ some coded status (stat ▼	string
Value Name Ok	Value Type	Value Unit	Data Type
Refresh rate	<b>y</b> 900	Remove Value	
Healthiness Criteria	Healthiness Value		
















## **Agenda**

- Data Modeling, formats
- Public/private data, real time data, Structured and non structured data
- Data Privacy, GDPR, Data Spaces
- Data Selection and caratterization: value type, value unit, data type
- Smart Industrial Applications of data
- Data Visualization, Visual Analytics, Business Intelligence, Dashboards
- Esercitazione on defining data models vs data representation
- Test



#### Some Real Cases from DISIT Lab

- Smart Manufacturing: PINN per la fluidodinamica, etc.
- Smart Retail: raccomandazioni, suggerimenti per il retail,
- **User Behavior:** People Counting and Trajectories, termiche per la sicurezza, il conteggio e la stima di traiettorie, etc.
- **Predictive maintenance**: predizione della manutenzione in impianti a produzione continua
- Predictions on Time Series: traffic, pollution, presenze, parcheggi, consumi, costi, etc.; ALSO for early warning: accidents, maintenance, e
- Routing Optimization: reduction of costs, waste collection optimization, pooling, delivering optimization, optimisation of resources, etc.
- Traffic Light Optimization: semafori con RL, infrastrutture (generative A
- What-if-Analysis and Infrastructure Optimization.
- Virtual Assistant: text analysis e classificazione, predizione della probabilità di mediazione, richieste in linguaggio naturale su testi forniti c LLM
- Digital Twin: 3D production and optimized rendering, Virtual Reality, Augmented Reality, etc.

















## Industry production Domain (2025/5)

- Goals:
  - Cost reduction, increase control on production
  - Production optimisation
  - Quality Level
- Solutions for Operation (monitoring, managing, mobile apps, digital signages, control rooms)
  - Monitoring KPI: admin., production, commercial, faults, etc.
  - Early detection/warning, alarm, of critical conditions.

    Multichannel Event reporting: email, Telegram, mob apps, etc.
  - Managing maintenance operation, predictive maintenance
  - Simulation of Fluid dynamic on Autoclaves (the 9<sup>th</sup> October)
  - Recommendations for sales (the 9<sup>th</sup> October)
  - LLM RAG Generative AI assistant (the 9<sup>th</sup> October)
- Solutions for Planning (optimization and what-if analysis)
  - Generative AI and predictive AI for production plan optimisation
  - Reduction maintenance costs, reduction of critical SLA conditions, improving quality level
- Algorithms and computational solutions















#### The Power of Artificial Intelligence at the Service of Your Operation and Plan













ANY: DATA, BROKER, NETWORK AND VERTICAL









**VISUAL PROGRAMMING, ADAPTERS DATA FLOWS, WORKFLOWS** PARALLEL DISTRIBUTED PROCESSING **DATA DRIVEN** 



**METHODOLOGIES** LIVING LABS **COURSES AND COMMUNITY DEVELOPMENT TOOLS** 




















# ITALFERR: Application to support decision-making processes to allocate human resources in the work plan








## ICT Assets Control: CUNEO Municipality








## Car Sharing and Polling, Fleet Management









# Snap4Altair Decision Support supervision and control, Industry 4.0







Multiple Domain Data

• Distributed Control System: energy, flows, storage,

chemical data, settings, ...

- · Cost of energy, Orders,
- Production Parameters
- Maintenance data
- Multiple Levels & Decision Makers
  - Optimized planning on chemical model
  - Business Intelligence on Maintenance data
- Historical and Real Time data
  - Billions of Data
- Services Exploited on:
  - Multiple Levels, Mobile Apps, API
- Since 2020



## Industry Plant Supervision and Maintenance






#### Aims


- **Control Room**: Higher level supervision and monitoring (since 2020)
  - Management of Production Plan Optimization
  - Control of Perimeter with drone and sensors

## Maintenance ticketing (since 2017)


- predictive (in development)
- 3D Digital Twin (in development)

## MicroService Architecture





Management, Auth./Autoriz.



Builder

Dashboard


Snap4City

**SNAP4**CITY










Firenze, 07 Ottobre 2025, DISIT lab








# **Snap4Industry IOT Architecture**












# **Business Logic**






Firenze, 07 Ottobre 2025, DISIT lab

### **Snap4City/Industry IoT Apps**

- Integration
  - Connection with Brokers,
     GWs, External services
- Data Driven Processing
- Data Analytics Manag.
- Smart City API
  - Search, discovering
  - Routing, Picking
- Dashboard Business logic
- Workflow, Digital Twin
- Management
- Scheduling
- ...etc...














# **Some Flows**














# **Snap4City Maintenance Solution**

- **OpenMaint** open source solution for property & facility management which is a BPM;
  - Inventory of industry assets (movable, logistics, equipment, etc.)
  - Tickets management for corrective maintenance
  - User management with different levels of access
  - BIM Server integrated with OpenMaint
- Snap4City OpenMaint Extension
  - Extended API developed by Snap4City
    - Create new tickets
    - Manage steps, workflow
    - Collecting feedbacks and results from teams
    - Manage all phases of the workflow on the fields via IOT Apps and logics
    - The integration if via API and MicroServices into IOT App.
  - MicroServices integrated with Snap4City via IOT Applications
- Business Intelligence which is the Snap4City tool based on Elastic Search: which work on top of the database of tickets collected on OpenMaint
- BIMServer integration with Snap4City Dashboards;













# DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LA EXAMPLE TECHNOLOGIES




Consumptions/productions






IOT App, Data event firing, event detection and firing Critical event

management












# **Integration with Ticketing Systems Workflow**

- Snap4City is integrated with OpenMaint Ticketing system. An Open Source solution for ticketing and workflow management, incident management.
- Any ticketing systems can be integrated with Snap4City, by means of IOT Applications and Dashboards
- https://www.snap4city.org/597








# Solution for Asset Management and Maintenance


- Inventory of industry assets (movable, logistics, equipments, etc.)
- Tickets management for corrective maintenance
- Reports and Dashboards
- Predictive maintenance and Early Warning support via analytics
- Business Intelligence support
- User management with different levels of access



## **Predictive Maintenance**








Map and 3D BIM modelling to:

- -- represent the details
- -- associate physical elements

with data

Historical and Real Time Data

Synoptics for real time monitoring



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzA1NA==










università degli studi FIRENZE

Valve 786 with trend



DISTRIBUTED SYSTEMS AND
INTERNET TECHNOLOGIES LAB
DISTRIBUTED DATA INTELLIGENCE
AND TECHNOLOGIES LAB



Explainable AI to map critical values of devices and detection to physical elements in the plant





# Complex cause-effect relationships

#### Elements:


- Machines: A...C
- Storage: silos...
- Flows:...


#### Dependencies

Cascade effects

#### Early warning

- Reduction of costs
- Recovering from failure is more expensive than correcting in advance
- Possible advanced replan and reschedule: secondary solutions










# Workflow












# Solution














# **Preditive capabilities**

- Deep Learning: LSTM, CNN-LSTM approached
- Explainable AI: Identification of possible causes of fault

	Precision %	Recall %	F <sub>1</sub> score %
weighted avg	0.90	0.92	0.90













# **Classification model CNN-LSTM**



Layer (type)	Output Shape	Param #
conv1d (Conv1D)	(None, 20, 64)	8320
average_pooling1d (Av	reragePo (None, 10,	64) 0
lstm (LSTM)	(None, 10, 200)	212000
lstm_1 (LSTM)	(None, 10, 200)	320800
lstm_2 (LSTM)	(None, 10, 200)	320800
lstm_3 (LSTM)	(None, 10, 200)	320800
lstm_4 (LSTM)	(None, 100)	120400
dropout (Dropout)	(None, 100)	0
dense (Dense)	(None, 1)	101

Total params: 1,303,221 Trainable params: 1,303,221 Non-trainable params: 0




Predicted Class Actual Class	Normality	Fault
Normality	45811	903
Fault	3306	1376

	Precision %	Recall %	F <sub>1</sub> score %
weighted avg	0.90	0.92	0.90

# **GENOTILAB: Smart production process control**









# EN.TE.R.PR.I.S.E.

(**EN**hanced **TE**chnological **R**&D of new **PR**oducts and Processes for Innovation, Smart factory and green **E**conomy)






Administrative Data from AS400

Real Time Data, Historical, Events from DCS PC UA

Unique National Energy Costs (PUN)











# Analytical Data from the product quality Lab (LIMS/SAM)



	8 W
in the physical matrix	822442
	Desire of Segment
and the same of	
	A SANT SECTION OF
DINN SAID	147 Fabru 19 81
BANK CAPAC	E-2-1000 F-3-20
BANKS ARREST	100 M of 100 M
Co. V. Mall. Com. In Str. 49, 54	
CENTROLE BOX WAY	The Control of the Control
WALLEY OF BUILDING	V. Sec. 100 (1) (4) (6)
TOTAL OF THE RE	14 (6.14) (1.75) (6.15)
COMMON ASSESSMENT	the fact that the fact the
BARON A R. W. A.	\$15,50 MENT OF W
SCHOOL SERVICE	COLUMN TO SECULIAR SEC.
TORROR WITH WITH	TO A CART ARMS THE TWO
	Frank African John St.
SCHOOL STATE	145M1 141 W 151 M 151
	44 W. A.W. R. P.
ADMINISTRATION OF THE PROPERTY	ENDOTORNAL NEW C
	PSATE ARE LET THE RE.
	NT YORKS KIRC
	TOP SHOULD BE
BRANCY TATE	MR NO N / B / P -
	A SUN CONTRACT OF MICE
42000 0 X 3 W	Page Call Call Call Call Call Call Call Cal
	NOTE OF THE PARTY


POR CIPCO BISONALE





Regione Toscana







# **GeNotiLab Architecture for ALTAIR**





# Analytical Data from the product quality Lab(LIMS/SAM)

**AS400** 

**IOT App** 



UNIVERSITY.		
or 100 car 100	$(a,b) = (a,b) \in B(0,b)$	B22445
in Comm	in	
THE PLAN SHEET LA	MIT WORK IN	
STATE STATE OF THE PARTY OF	WHITE IS NOT BE	\$ 66.00 M CS / 6 MC
Comment and comment	DINN SAIL	MACCINE STATE
THE R. P. LEWIS CO., LANS.	BANKSEFE	TO COMPANY OF THE PARTY.
PRETATION	WHITE E B T I	1975 (817) 1870
THE ROLL OF STREET WAS A PARTY OF THE PARTY		
Procedure procedure		340 de 460 de 600
BOTT WITHOUT PLYCH		YAR WILLIAM W.
AND THE RESTREET AND ADDRESS.	TOTAL IS T. 4 10	0495-0405-050
The second distribution of the second		and with the second second
THE RECORDS TO SELECT	65505 A R T A	10-50 NEST IN 15
MARCH MATERIAL PROPERTY.		160 S S 17 S S
Mark Print Land Laborator	TORRING STATE	Control of the Contro
THE RESERVE OF THE PARTY OF THE	ECHA FRANC	F 545 W. H. J. K.
SECURIORISMO	SCHOOL STATE	1985/1980/1983
men I Albert Her Wilder		400 ANTER:
THE RESERVE OF THE PERSON OF T	STREET STREET	BOOKS WILLIAM CO.
SECTION AND ADDRESS.	BANGE KREE	750 CW (F) (F) (K)
CONTRACTOR OF THE PARTY OF THE		
	DATE STATE	57 CONT. W.
CONTRACTOR OF THE PARTY OF THE		U.S. (BOX 9) (B)
	BOOKERS	168 M 16 W 17 W
Plant of the last of		A STATE OF S

Users

Analysis

Notifications



IOT App Analytics





IOT App Management



Tools:

- -- List of Chemical Analyses
- -- List of Notifications
- -- Define notifications
- -- Program, send notifications
- -- see notification status





Telegram Bot



Firenze, 07 Ottobre 2025, DISIT lab








# **Sinottico Impianto**

# Sinottico Impianto Presse - Autoclave



Mon 4 Oct 15:34:59











# Jewel Alarms AMPERE













Click on Jewel







Called: Longo Longo

Called: 118









Logged in as: edoardo tester



Your Profile

Logout

SnapAssistant model:

Llama3.3 V

New Chat

EdoChat1

EdoChat2

EdoChat3

EdoChat4

prova

chatNuova

chatTest1LLAMA

chatTest2LLAMA

testGianniLLAMA

testTastoInvioPreChanges

ChatTestPostPSWINVIO

#### SnapAdvisor

Current chat: debug0

Visualize references





Come creo una dashboard?

Per creare una dashboard, puoi utilizzare la piattaforma Snap4City. La dashboard si compone di un insieme di widget grafici che possono essere impostati separatamente assegnando una serie di parametri, come origine dati, dimensioni, colori, forma, font, allarmi, relazioni con altri, ecc. (SOURCE: Snap4 City per la creazione di Smart City Control Room, SCCR). Inoltre, la piattaforma offre la possibilità di creare vere e proprie applicazioni interattive, multipagina/multidashboard, e non semplici storie monopagina da scrollare. Puoi anche condividere la dashboard con altri utenti anche fuori dalla Smart City Control Room tramite canali autenticati e protetti in HTTPS, in accordo al GDPR (SOURCE: Snap4 City per la creazione di Smart City Control Room, SCCR). Per vedere alcuni esempi di dashboard, puoi visitare il sito [https://www.snap4city.org/dashboardSmartCity/view/index.php? iddasboard=MjU0Mg==](https://www.snap4city.org/dashboardSmartCity/view/index.php? iddasboard=MjU0Mg==) (SOURCE: Snap4 City 1st Overview v4 8 annot). Tuttavia, non ho trovato informazioni dettagliate sulla procedura di creazione di una dashboard. Se hai bisogno di ulteriore assistenza, ti consiglio di contattare direttamente il team di supporto di Snap4City. Non so dirti altro in merito.











# SnapAdvisor: Al based Assistants, DSS

#### Sna4CityAdvisor:

• for developers and promoters knowing all Snap4City and DISIT Lab literature, articles, manuals, slides, codes, etc. The SnapAdvisor with this skill is accessible only for selected Snap4City users. It allows users of saving a lot of time by providing answers to facilitate the development of smart solutions, to the exploitation of Snap4City tools, and recently on data and services accessible on the platform, producing offers, etc.

#### Legal Advisor

 expert on specific disputes at service of the Legal department of Careggi Hospital of Florence. It allows to save time in recovering precise information from complex legal documents, ordering of events, understanding causes and effects, producing reports, etc.

#### · Expert of industrial machines, user manuals, technical manuals, rules,

Answering on technical manuals

#### Complains and Questionnaire analysis

- Answering on trends, via questionnaires collected via QR, blobs, emails, etc.

#### Commercial Advisor:

- processing orders understanding them and preparing the offer, thus reducing the time to process them.

#### Generative Designs:

Multimodal Generative Al supporting designers in producing innovations

etc.















# **Agenda**

- Data Modeling, formats
- Public/private data, real time data, Structured and non structured data
- Data Privacy, GDPR, Data Spaces
- Data Selection and caratterization: value type, value unit, data type
- Smart Industrial Applications of data
- Data Visualization, Visual Analytics, Business Intelligence, Dashboards
- Esercitazione on defining data models vs data representation
- Test














# **Architettura della BI**

- Data Warehouse: Cos'è e come funziona (archiviazione centralizzata dei dati storici).
- ETL (Extract, Transform, Load): Processo per estrarre, trasformare e caricare i dati.
- OLAP (Online Analytical Processing): Strumenti per l'analisi multidimensionale dei dati.
- Strumenti di BI: Esempi (Power BI, Tableau, Qlik, etc.)



Firenze, 07 Ottobre 2025, DISIT lab













# Perche' Business Intelligence

- Miglioramento del processo decisionale: Come la BI supporta le decisioni basate sui dati.
- Aumento dell'efficienza operativa: Identificazione di aree di miglioramento.
- Competitività: la BI aiuta a stare al passo con la concorrenza.
- Riduzione Costi e tempi: identificazione dei punti critici, riduzione dei costi e tempi per comprendere i problemi e prendere decisioni









# From Data to Visualization











# **Visual Representations**








# DISIT DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB CUSTOM Widgets















**Special Custom Widgets** 

**Smart parking** 

**Smart Energy** 

**Smart Light** 

Smart ....

Begin

Finish


**Energy View** 

**Custom Controls** 

Total clicks

17:00

4:00










# **High Level Types**

- POI, IOT Devices, shapes,...
  - FIWARE Smart Data Models,
  - IoT Device Models
- GIS, maps, orthomaps, WFS/WMS, GeoTiff, calibrated heatmaps, ..
- Satellite data, ..
- traffic flow, typical trends, ...
- trajectories, events, Workflow, ...
- 3D Models, BIM, Digital Twins, ...
- OD Matrices of several kinds, ...
- Dynamic icons/pins, ...
- Synoptics, animations, ...
- KPI, personal KPI,...
- social media data, TV Stream,
- routing, multimodal, constraints, ..
- decision scenarios, ....
- User profiles, sales, paiments, ....
- etc.








#### DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB DISTRIBUTED DATA INTELLIGENCE AND TECHNOLOGIES LAB







New Data Inspector/Wizard



Filtering/Searching for individual fields (even for some fields not displayed as geographic coordinates)

Geographic Filtering

#### **Text Search on all fields**

Menu for choosing the fields to display in the table

View on Map(via PREVIEW)

Data and Trend visualization

**Opening Digital Twin** 

Pass to Synoptic mode

> Select the graph representation









# **Main Concepts**

#### Time Series

- Data sources (sensors / actuators) which provide changes of time. E.g., a sensor of some kind.
- Geolocated Data on maps (PINs) can be:
  - Structural info.: roads, building, etc.
  - Maps, orthomaps, Heatmaps (HM)
  - Elements and their positions as
    - Points of Interest
    - Shapes: garden, building, cycling paths, etc.
    - Entities/Devices as Time Series: which may move over time, e.g., tracking a Car
  - Origin Destination Maps, ODM
  - Trajectories, people and traffic flows, etc.
  - etc.
- Static non GeoLocated Data:
  - almost nothing since......

# A single Data Kind may have multiple representations:


e.g.: the position of the car at 15:30, the trjaectory of yesterday, the ODM with set of travels performed in the last year, the most freq.

Visited places as HM

# Solutions: reliable, secure and fast to realize

C'SNAP4CITY
KM4CITY

- Via Snap4City tools
  - Dashboard Wizard
  - Dashboard Builder
  - Data/Visual Analytic
- Smart Solutions results to be
  - Real time data drive
  - Secure end-to-end
  - GDPR compliant
  - Reliable, interoperable
  - Auditable, marketable











# **Example: From Map to Graphs (spatial drill down)**

- 1) Select the area of interest on map
- 2) Select the sensors kind of interest
- 3) Drill down on map
- 4) The JavaScript
  CSBL on Map will send data to the programmed
  Widgets. In this case, arrowed in RED












## **Sinottico Impianto**

## Sinottico Impianto Presse - Autoclave



Mon 4 Oct 15:34:59


























# How the Dashboards / Apps Exchange data (2024/8)



## **Technical Architecture**





















# Agenda

- Data Modeling, formats
- Public/private data, real time data, Structured and non structured data
- Data Privacy, GDPR, Data Spaces
- Data Selection and caratterization: value type, value unit, data type
- Smart Industrial Applications of data
- Data Visualization, Visual Analytics, Business Intelligence, Dashboards
- Esercitazione on defining data models vs data representation
- Test






- Let us now to suppose that we have to develop a solution for monitoring Industrial Vehicles and Drivers.
  - Each Vehicle has a profile description and can be driven by a number of Drivers over time.
     Each Vehicle can experience some maintenance and performs trips.
  - A trip has an official start/end and over time is described by its velocity, acceleration, brakes, charging level, or thank level, etc.
  - Each Driver has a profile and can use a number of Vehicles to perform trips.
- During the trip also the Driver is monitored for its healthiness, attention, etc., and before, during and after the driving, periodically or sporadically may experience some Analysis to certify its capability to drive in that moment and for the next days. The Driver may experience some warning cases for healthiness, some tickets from policeman, some warning for high-speed velocity or generically bad driving, some problems from the vehicle's status, etc.





### legenda





**Entity Messages** with dateObserved Register to instantiate -

### Data Model of the Driver

Name: string

Surname: string

Age: number

Weight: number

Phone: string

Email: string

DriverAnalysisID: ServiceURI

Register to instantiate

### **Driver: user45**

Name: David

Surname: Smith

Age: 45

Weight: 78 Kg

Phone: +49345096103

Email: david89@gmail.com

NikName: Carl

DriverAnalysis:

http://.../user45driveranalysis

Write SUR to create cross references

## **DriverAnalysis: user45driveranalysis**

DriverID: http://.../user45

New Hoods dateObserved: 12-03-2022T12:00:00

Status: "none"

Location: null

Doctor: null

Tools: null

**DriverAnalysis: user45driveranalysis** DriverID: http://.../user45

dateObserved: 25-04-2022T12:00:00

Status: "bad"

Location: truck

Doctor: null

Tools: Eyetrack

New update on user45driveranalysis by sending almessage

### **DriverAnalysis: user45driveranalysis**

DriverID: http://.../user45

dateObserved: 22-03-2022T12:00:00

Status: "good"

Location: room45

Doctor: https://....

Tools: null

users of the solution of the s

Firenze, 07 Ottobre 2025, DISIT lab










# **Example of Data Model Diagram**







# **Agenda**

- Data Modeling, formats
- Public/private data, real time data, Structured and non structured data
- Data Privacy, GDPR, Data Spaces
- Data Selection and caratterization: value type, value unit, data type
- Smart Industrial Applications of data
- Data Visualization, Visual Analytics, Business Intelligence, Dashboards
- Esercitazione on defining data models vs data representation
- Test





## **Test**

 https://docs.google.com/forms/d/e/1FAIpQLSe0JZ-Im3GTPnHYvMjczg9wmY8ePvtRY3grnXOHncHzWUhd w/viewfor m


## https://www.snap4city.org/944

## On Line Training Material (free of charge)





1st part	2nd part	3rd part	4th part	5th part	6th part	7th part	8th
Overview	Dashboards	IOT App, IOT Network	Data Analytics	Data Ingestion processes	System and Deploy Install	Smart City API: Web & Mob. App	Design and Develo Smart Solutions
COMMAND COMMAN	CSNADAGY S	Charter S	CENANON E	C'SNASA (m) See of the SNASA (	CONANTON DE SONO DE SO	C SNAM or E or SNA	CENANAGE SAN
CENANAGE STATE OF THE STATE OF	CENADAGY  COMMANDAGY  COMMANDA	COMAN-COME STATE OF THE PARTY O	COMMAND COMMAN	CERNAMENT SERVICES OF THE PROPERTY OF THE PROP	CONANGO DE SOAP	CEMANAGES COMMENT OF THE PROPERTY OF THE PROPE	CEDIADATOR DE COMPANION DE COMP



## booklets

Smart City





https://www.snap4city.org /download/video/DPL SN AP4CITY.pdf Industry





https://www.snap4city.org/download/video/DPL SNAP4INDUSTRY.pdf







https://www.snap4city.o rg/download/video/DPL SNAP4SOLU.pdf





















### **Technical Overview**

From: DINFO dept of University of Florence, with its

DISIT Lab, Https://www.disit.org with its Snap4City solution

#### Snap4City:

- · Web page: Https://www.snap4city.org
- https://twitter.com/snap4city
- https://www.facebook.com/snap4city

#### Contact Person: Paolo Nesi, Paolo.nesi@unifi.it

- o Phone: +39-335-5668674
- o Linkedin: https://www.linkedin.com/in/paolo-nesi-849ba51/
- Twitter: <a href="https://twitter.com/paolonesi">https://twitter.com/paolonesi</a>
- o FaceBook: https://www.facebook.com/paolo.nesi2



# Tech. Overview

https://www.snap4city.
 org/drupal/sites/default
/files/files/Snap4CityPlatformOverview.pdf











# Development

https://www.snap4city.org/d ownload/video/Snap4Tech-**Development-Life-Cycle.pdf** 









## **Development Life-Cycle**

https://www.snap4city.org/download/video/Snap4Tech-Development-Life-Cycle-v1-1.pdf

### From Snap4City:

- We suggest you to read the TECHNICAL OVERVIEW:
  - https://www.snap4city.org/download/video/Snap4City-
- https://www.snap4city.org
- https://www.snap4industrv.org
- https://twitter.com/snap4city
- https://www.facebook.com/snap4city
- https://www.youtube.com/channel/UC3tAO09EbNba8f2-u4vandg

Coordinator: Paolo Nesi, Paolo.nesi@unifi.it

DISIT Lab, https://www.disit.org DINFO dept of University of Florence, Via S. Marta 3, 50139, Firenze, Italy

Phone: +39-335-5668674



























### **Client-Side Business Logic Widget Manual**

#### From Snap4City:

- We suggest you read <a href="https://www.snap4city.org/download/video/Snap4Tech-">https://www.snap4city.org/download/video/Snap4Tech-</a> Development-Life-Cycle.pdf
- We suggest you read the TECHNICAL OVERVIEW
  - https://www.snap4city.org/download/video/Snap4City-

Coordinator: Paolo Nesi, Paolo.nesi@unifi.it

DISIT Lab, https://www.disit.org DINFO dept of University of Florence, Via S. Marta 3, 50139, Firenze, Italy







https://www.snap4city.org/do wnload/video/ClientSideBusin essLogic-WidgetManual.pdf







? Q&A!





















# CONTATTI

Paolo Nesi, paolo.nesi@unifi.it

DISIT, Dipartimento di Ingegneria dell'Informazione

Cell: 335-5668674, Lab <a href="https://www.disit.dinfo.unifi.it">https://www.disit.dinfo.unifi.it</a>

<a href="https://www.snap4city.org">https://www.snap4city.org</a>

<a href="https://www.snap4industry.org">https://www.snap4industry.org</a>















