



www.snap4city.org

www.snap4solutions.org



UNIVERSITÀ
DEGLI STUDI
FIRENZE

DINFO
DIPARTIMENTO DI
INGEGNERIA
DELL'INFORMAZIONE

DISIT
DISTRIBUTED SYSTEMS
AND INTERNET
TECHNOLOGIES LAB

L'intelligenza artificiale e la città

Overview of AI City Applications

*AI Digital Twin Platform
to set-up Sustainable
Decision Support Systems
& Business Intelligence*

#snap4city
#km4city
#disitlab
@snap4city



Public Spaces as Critical Infrastructures

- The City is a system of systems for city users
 - Cascading effects
- **Transport** networks
 - Main means for rescue teams, food, water, etc.
- **Communication**, ICT infrastructure
 - TV cam, switches, cyber,
- **Energy** networks
 - power supply for health, cyber systems, etc.
- **Hospitals** networks
- Aggregation areas









https://www.snap4city.org/download/video/DPL_SNAP4SOLU.pdf

High Level Types

Snap4City (C), 24 Gennaio 2024


- POI, IOT Devices, shapes,..
 - FIWARE Smart Data Models,
 - IoT Device Models
- GIS, maps, orthomaps, WFS/WMS, GeoTiff, calibrated heatmaps, ..
- Satellite data, any kind..
- traffic flow, typical trends, ..
- trajectories, events, Workflow, ..
- 3D Models, BIM, Digital Twins, ..
- OD Matrices of several kinds, ..
- Dynamic icons/pins, ..
- Synoptics, animations, ..
- KPI, personal KPI,..
- social media data, TV Stream,
- routing, multimodal, constraints, ..
- decision scenarios,
- etc.



SNAP4CITY

Digital Twin Global - Fire


demonstrator








UNIVERSITÀ
DEGLI STUDI
FIRENZE

DINFO
DIPARTIMENTO DI
INGEGNERIA
DELL'INFORMAZIONE

DISIT
DISTRIBUTED SYSTEMS
AND INTERNET
TECHNOLOGIES LAB



Different Themes



New styles/themes can be developed by specializing a few files from open source

<https://www.snap4city.org/793>



UNIVERSITÀ DEGLI STUDI
FIRENZE

DINFO
DIPARTIMENTO DELL'INFORMAZIONE


DISIT
DIPARTIMENTO SISTEMI
TECNOLOGICI LAB

SNAP4CITY




Smart Solutions and Decision Support Systems

CONTROL ROOMS - DECISION SUPPORT SYSTEMS - WHAT-IF ANALYSIS - BUSINESS INTELLIGENCE - SIMULATIONS - SMART APPLICATIONS



DASHBOARDS - VISUAL ANALYTICS - SYNOPTICS - DIGITAL TWIN - GRAPHICAL WIDGETS - ANALYTICS - GUI CUSTOM STYLES - VISUAL PROGRAMMING



DASHBOARDS, WIDGETS
TEMPLATES

PREDICTION - ANOMALY DETECTION - CLUSTERING - ROUTING - SENTIMENT NLP - TRAFFIC FLOW
PEOPLE FLOWS - SDG - 15 MIN CITY INDEX - KPI - HEATMAPS - ORIGIN DESTINATION - ETC...

API - MICROSERVICES - GIS - BPM
VIDEO - REPORTS - MAPS - 3D ...

ANY: DATA, BROKER, NETWORK AND VERTICAL

EXPERT SYSTEM, KNOWLEDGE BASE
SEMANTIC REASONING
SMART DATA MODEL
IOT DEVICE MODELS, STORAGE

BIG DATA ANALYTICS, ARTIFICIAL INTELLIGENCE
EXPLAINABLE AI, MACHINE LEARNING
OPERATIVE RESEARCH, STATISTICS

VISUAL PROGRAMMING, ADAPTERS
DATA FLOWS, WORKFLOWS
PARALLEL DISTRIBUTED PROCESSING
EVENT DRIVEN

Native and External
Smart Applications

Mobility & Transport

Light & Energy

Waste

Environment

Building

Tourism

Asset Management

Security and Safety


Social Media



Development Life Cycle - Smart Solutions



METHODOLOGIES
LIVING LABS
COURSES AND COMMUNITY
DEVELOPMENT TOOLS



Powered by
FIWARE

FREE
TRIAL

PEN Test
Passed

EU GDPR
COMPLIANT

SNAP4
Appliances and Dockers
Installations

EUROPEAN OPEN
SCIENCE CLOUD

Node-RED

JS Foundation

E015
digital ecosystem


NVIDIA

TOP

Monitoring and control

FROM CITY DASHBOARD TO APPLICATIONS

DATA GATHERING AND CITY DATA KNOWLEDGE MANAGEMENT



TWITTER VIGILANCE: SOCIAL MEDIA ANALYSIS



SNAP4CITY AND KM4CITY PROJECTS

HOW TO ADOPT SNAP4CITY, AND OUR ROADMAP

SNAP4CITY THE VIEW OF THE ADMINISTRATORS



- **Controlling Status:** management, and operational
 - Monitoring via KPI
 - Computing predictions and KPI
 - Anomaly detection, Early warning
 - Control Rooms, situation rooms
- **Reacting: Computing in real time**
 - Changing semaphore maps
 - Changing Dynamic signage
 - Real time Info Mobility
 - User engagement via Mobile Apps
 - What-if analysis
 - etc.,



Key Performance Indicators, KPI



Air Quality Directive				WHO guidelines	
Pollutant	Averaging period	Objective and legal nature and concentration	Comments	Concentration	Comments
PM _{2.5}	One day			25 µg/m ³ (*)	99 th percentile (3 days/year)
PM _{2.5}	Calendar year	Target value, 25 µg/m ³	The target value has become a limit value since 1 January 2015	10 µg/m ³	
PM ₁₀	One day	Limit value, 50 µg/m ³	Not to be exceeded on more than 35 days per year.	50 µg/m ³ (*)	99 th percentile (3 days/year)
PM ₁₀	Calendar year	Limit value, 40 µg/m ³ (*)		20 µg/m ³	
O ₃	Maximum daily 8-hour mean	Target value, 120 µg/m ³	Not to be exceeded on more than 25 days per year, averaged over three years	100 µg/m ³	
NO ₂	One hour	Limit value, 200 µg/m ³ (*)	Not to be exceeded more than 18 times a calendar year	200 µg/m ³ (*)	
NO ₂	Calendar year	Limit value, 40 µg/m ³		40 µg/m ³	

- **United Nations Sustainable Development Goals, SDGs** (for which cities can do more to achieve some of the 17 SDGs, <https://sdgs.un.org/goals>);
- **15 minutes cities** (where primary services must be accessible within 15 minutes on foot);
- **objectives of the European Commission** in terms of pollutant emissions for: NO₂, PM₁₀, PM_{2.5} (https://environment.ec.europa.eu/topics/air_en);
- **SUMI: mobility and transport vs env**
 - <https://www.snap4city.org/951>
- **SUMP/PUMS: mobility and transport vs env.**
- **ISO indicators:** city smartness, digitization, tech level.
- **Low Level/Real Time:** global traffic, quality of service, betweenness, centrality, queue, time to travel, etc.

Global
&
Local

Periodic
&
Realtime

15MinCityIndex

What would support my neighborhood to become a 15-Minute City?


Using the Open Data:

We developed a data analytic tool based on municipal and national open data to assess services adequacy for people living in each 15 minutes areas of the city.


Good public transport services: bus, new tram line, train stations, cycle paths.



Careggi/Rifredi is a relevant district in Florence because of hosting the main Florence/Tuscany hospitals Careggi and Meyer, but also university headquarters and many other workplaces.



The tool supports the becoming of a 15-Minute city evaluating the service level in various domains.



<https://www.snap4city.org/dashboardSmartCity/view/index.php?iddashboard=MjkzOA==>

15MinCityIndex on Bologna

enel x




Ciao roottooladmin!

Tue 3 May 20:14:59

15 MINUTI INDEX BOLOGNA CITTÀ METROPOLITANA - NEWGUI

enel x

SELECTOR - MAP



Inhabitants Density
of inhabitants per area

Density Range
0 - 10
10 - 50
50 - 100
100 - 200
200 - 350
350 - 500
500 - 650
650 - 800
800 - 950
>950

THE PICKED POINT


9m

City: Argelato
Address: Via Casadio N. 1
lat,lon: 44.61882,11.35437

KIVIAT



BAR SERIES



1 NO POVERTY



2 ZERO HUNGER



3 GOOD HEALTH AND WELL-BEING



4 QUALITY EDUCATION



7 AFFORDABLE AND CLEAN ENERGY



9 INDUSTRY, INNOVATION AND INFRASTRUCTURE



11 SUSTAINABLE CITIES AND COMMUNITIES



12 RESPONSIBLE CONSUMPTION AND PRODUCTION



13 CLIMATE ACTION



15 LIFE ON LAND





• 15 Minute City Index:

- 13 subindexes: energy, slow mobility, fast mobility, housing, economy education, culture and cults, health, entertainment, gov, food, security...



- Monitoring and Prediction of energy consumption
- Stimulating: Bike sharing, e-bikes, car charge, etc.



- Smart City infrastructure: monitoring and resilience, long terms predictions
- Effective and Low cost smart solutions
- What-if analysis, Simulations
- Origin Destination matrices computation



- Monitoring and Predicting: NO₂, NO_x, CO₂, Traffic flow, pollutant, landslide, waste, etc
- Traffic flow reconstruction
- Demand vs Offer of Mobility analysis



- Industry 4.0 integrated solutions
- Decisions Support Systems
- Process optimization, control
- Predictive maintenance



- business intelligence tools for decision makers
- Reduction production costs
- Monitoring resource consumption
- Optimization of Waste Collection



- Shortening justice time
- Anonymization and indexing legal docs.
- Prediction of mediation proneness
- Ethical Explainable Artificial Intelligence




Control Room



Monitoring and Control

FROM CITY
DASHBOARD TO
APPLICATIONS

DATA C
AND C
KNOW
MANA



SNAP4CITY
AND KM4CITY
PROJECTS

HOW TO ADOPT
SNAP4CITY, AND
OUR ROADMAP

SNAP4CITY THE
VIEW OF THE
ADMINISTRATORS

Available AI Solutions on Snap4City

- **Mobility and Transport**
- **Environment, Weather, Waste, Water**
- **City Users Behaviour and Social analysis**
- **Energy and Control, Security,**
- **Tourism and People**
- **Security and Safety**
- **High Level Decision Support Solutions**
 - Asset management
 - Resilience and Risks Analysis
- **Low level Techniques**

<https://www.snap4city.org/download/video/course/p4/>





https://www.snap4city.org/download/video/DPL_SNAP4SOLU.pdf

Traffic Flow Tools

Spire and Virtual Spires (cameras), Bluetooth, ...

Specifically located: along, around, on gates, on x...






Firenze - Trafair - AirQuality Heatmaps



This dashboard contains data derived from actual sensors and predictive values under validation

Mon 6 Apr 15:12:27

- ▲ Air Quality Sensors
- ▲ Weather Sensors
- ▲ PM10 Heatmap
- ▲ PM2.5 Heatmap
- ▲ CO Heatmap
- ▲ CO2 Heatmap
- ▲ O3 Heatmap
- ▲ NO2 Heatmap
- ▲ Europ. AQI Heatmap
- ▲ Air Humidity Heatmap
- ▲ Air Temp. Heatmap
- ▲ Wind Speed Heatmap
- ▲ Gral Pred. HM NOX (3m)
- ▲ Gral Pred. HM NOX (6m)
- ▲ Traffic Sensors
- ▲ Traffic Flow
- ▲ Cycling Paths
- ▲ Accident Heatmap
- ▲ Accident Heatmap 2
- ▲ Only HRes Anym. Gral
- ▲ Green Areas
- ▲ Schools



Air quality trends

Privacy Policy

Cookies Policy

Terms and Conditions

Contact us

<https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTUzMg==>





Traffic Flow Monitoring - Firenze - Cloned2


Wed 11 Nov 15:01:32

IN FLOW 9m

Firenze IN Traffic Flow (number of vehicles)

9m

10549 #ofvehicles




OUT FLOW 9m

Firenze OUT Traffic Flow (number of vehicles)

9m

13720 #ofvehicles




ZTL in 9m

ZTL in Traffic Flow daily trend, entering in ZTL

9m

2468 #ofvehicles




Inc Daily Inp... 9m

Daily Inputs (monthly) (last value is incremental, real time)

9m

97137 #ofvehicles




Inc Daily Out... 9m


Daily Outputs (monthly) (last value is incremental real time)

9m


97457 #ofvehicles



QoS as perc. of measures taken 9m



QoS as perc. of measures in ZTL 9m




11/11/2020

15:01:33


inflow total of the day, yearly

9m




outflow total over the day Yearly

9m



in ZTL yearly compare

9m






COVID-19
1° phase




Monitoring Cross Road Venaria - (AXIS Camera)

Wed 10 Nov 18:50:53



Venaria Street Cross - Synoptic



<https://www.snap4city.org/dashboardSmartCity/view/index.php?iddashboard=MzI5Ng==>

TOP

Decision Support System: Immediate response and Tactic and Strategic Plans, via What-if Analysis

FROM CITY
DASHBOARD TO
APPLICATIONS

DATA GATHERING
AND CITY DATA
KNOWLEDGE
MANAGEMENT

IOT/IOE DEVICES
AND NETWORKS

IOT APPLICATIONS
VS IOT EDGE
DEVICES

IoT APPLICATIONS
VS IOT EDGE
DEVICES

ADVANCED
SMART CITY API,
MICROSERVICES,
SNAP4CITY

SNAP4CITY
LIVING LAB FOR
COLLABORATIVE
WORK

DATA ANALYTICS,
BUSINESS
INTELLIGENCE
THREATS AND
SECURITY

SNAP4CITY
ARCHITECTURE AND
ECOSYSTEM. OPENED
TO DEVELOPERS
AND STAKEHOLDERS

TWITTER
VIGILANCE: SOCIAL
MEDIA ANALYSIS

HOW TO ADOPT
SNAP4CITY, AND
OUR ROADMAP

SNAP4CITY
AND KM4CITY
PROJECTS

SNAP4CITY THE
VIEW OF THE
ADMINISTRATORS





100%
OPEN
SOURCE

 **SNAP4**
Appliances and Dockers
Installations

Digital Twin

Digital Twin

- **Connected** with real systems
- **Modelling** aspects: structural, visual, informative, real time data sensors (context), POI, functional, resources, etc.
- **Analytics:** AI/XAI techniques, simulations, users' needs, etc.
- **Easier to understand the context, review from multiple points of view**
- **Useful to perform**
 - Discussion with city users
 - Support decision makers
 - By Case Experiments for analysing
 - New solutions, impact of disaster (natural and provoked)
 - Reduction of costs in the analysis, in reduction of mistakes





Ciao roottooladmin!

Fri 2 Sep 19:13:07


3D MAP GLOBAL DIGITAL TWIN - NEWGUI




3D MAP



DISIT:ORIONUNIFI:TUSC_WEATHER_SENSOR_OW_3176959 - AIRTEMPERATURE





Ciao

Fri 13 Oct 18:29:18

FLORENCE SCDT

SELECT...

DOUBLE MAP



<https://www.youtube.com/watch?v=le2XNF8Ftxo>

Snap4City (C), October 2023

© OpenStreetMap contributors

TOP

Data Analytic Artificial Intelligence, XAI, Machine and Deep Learning

FROM CITY
DASHBOARD TO
APPLICATIONS

DATA GATHERING
AND CITY DATA
KNOWLEDGE
MANAGEMENT

FORGING &
MANAGING OPEN
AND FLEXIBLE WEB
AND MOBILE APPS

IoT APPLICATIONS
VS IoT EDGE
DEVICES

DEVICES
AND NETWORKS

APPLICATIONS
LOGIC AND
PARTNERS

ADVANCED
SMART CITY A
MICROSERVICE
SNAP4CITY A

SNAP4CITY
LIVING LAB FOR
COLLABORATIVE
WORK

DATA ANALYTICS
INTELLIGENCE,
WHAT-IF AND
SIMULATION

SNAP4CITY
ARCHITECTURE AND
ECOSYSTEM. OPENED
TO DEVELOPERS
AND STAKEHOLDERS

TWITTER
VIGILANCE: SOCIAL
MEDIA ANALYSIS

HOW TO ADOPT
SNAP4CITY, AND
OUR ROADMAP

DECISION SUPPORT
SYSTEM AND CITY
RESILIENCE


SNAP4CITY
AND KM4CITY
PROJECTS

SNAP4CITY THE
VIEW OF THE
ADMINISTRATORS

100%
OPEN
SOURCE

 **SNAP4**
Appliances and Dockers
Installations

Short-Term Prediction of City Traffic Flow via Convolutional Deep Learning



Urban data:

- Date-time
- Traffic
- Temporal
- Seasonality
- Pollution
- Weather

RF

XGBOOST

DNN

LSTM


BI-LSTM

Autoencoder BI-LSTM

Attention CONV-LSTM

CONV-BI-LSTM


CONV-BI-LSTM



Dense Traffic Flow Reconstruction ?

- Making decision on mobility and transport solutions → what if analysis
- Controlling pollution
- Dynamic Routing for Firebrigade, Ambulances, general public
- Planning Public Transportation routing

Mobility and Transport



Decision Support Systems, What-if

○ Event planning, via what-if analysis


- Change in the graph structure of the city
- Impact on the flow of people and vehicles
- Adaptation: public transport, traffic, pedestrian management, etc.

○ Immediate reaction to natural events or not


- Everything is ready and updated in real time
- Each view is contextualized in terms of data: descriptive and prescriptive

○ Digital Twin

- More detail in the context integrated data
- Greater realism in deductions and representations
- Less fragmentation and non-uniformity in the views to support decisions




LongTerm




ShortTerm

Mobility and Transport

Deep Learning AI to surely Park!





Snap4ISPRA Parking: ISPRA JRC





Deep Learning for Short-Term Prediction of Available Bikes on Bike-Sharing Stations






E. Collini, P. Nesi and G. Pantaleo, "Deep Learning for Short-Term Prediction of Available Bikes on Bike-Sharing Stations," in *IEEE Access*, vol. 9, pp. 124337-124347, 2021, doi: 10.1109/ACCESS.2021.3110794.

<https://ieeexplore.ieee.org/abstract/document/9530580>

What-if Analysis on Pub Transport

- Definition of scenarios impact on
 - Traffic, Pollutant, parking, public transport, private flows, etc.
- KPI analysis





Public Services




- **Prediction**
 - **NOX Pollutant** diffusion on the basis of Traffic Flow (prediction), weather and 3D structure
 - **NO2 progressive average** (Long term)
- **Project:**
 - **Trafair CEF EC**
 - **Mixed solutions of Fluidinamics modeling and AI**




Predicting Land slides



Estimating City Local CO2 from Traffic Flow Data



Computing Traffic Flow
into CO2 sensor area



Traffic Flow data

- Traffic Flow is one the main source of CO2
 - K1: Fluid Flow
 - K2: Stop and Go
- **Dense estimation of CO2 into the city** is very useful to know to target EC's KPIs

Computing CO2 on the basis of
traffic flow data






CO2 estimation



S. Bilotta, P. Nesi, "Estimating CO2 Emissions from IoT Traffic Flow Sensors and Reconstruction", Sensors, MDPI, 2022. <https://www.mdpi.com/1424-8220/22/9/3382/>

Predicting EC's KPI on NO2 months in advance



Deep Learning Long Terms Predictions of NO2 mean values, From 30 to 180 days in advance



Pollutant	Averaging period	Air Quality Directive		WHO guidelines	
		Objective and legal nature and concentration	Comments	Concentration	Comments
PM _{2.5}	One day			25 µg/m ³ (*)	99 th percentile (3 days/year)
PM _{2.5}	Calendar year	Target value, 25 µg/m ³	The target value has become a limit value since 1 January 2015	10 µg/m ³	
PM ₁₀	One day	Limit value, 50 µg/m ³	Not to be exceeded on more than 35 days per year.	50 µg/m ³ (*)	99 th percentile (3 days/year)
PM ₁₀	Calendar year	Limit value, 40 µg/m ³ (*)		20 µg/m ³	
O ₃	Maximum daily 8-hour mean	Target value, 120 µg/m ³	Not to be exceeded on more than 25 days per year, averaged over three years	100 µg/m ³	
NO ₂	One hour	Limit value, 200 µg/m ³ (*)	Not to be exceeded more than 18 times a calendar year	200 µg/m ³ (*)	
NO ₂	Calendar year	Limit value, 40 µg/m ³		40 µg/m ³	

- **Prediction of people flows** on the basis of Wi-Fi data
- **Anomaly detection**
- **Resolute H2020**
- **Classification of city areas**

Behaviour





A view and data from the Thermal Camera Behaviour

Detection BOX Snap4Thermal PV Firenze Tue 15 Mar 13:30:41



11 SUSTAINABLE CITIES
AND COMMUNITIES





People Counting and Tracking




11 SUSTAINABLE CITIES
AND COMMUNITIES




3X





Floor Details



Smart Buildings

Capelon Cabinet (iot-search)


Ac... 9m

12


ActualState0Count - St... 9m



Radars Series



Selector - Map



:CCabinet_9ee9e983-E4fb-33c9-9562-2d99cb48a4fa - Burni... 9m



Time Trend



● CAPELON:iorionCAPELON-UNIFI:CCabinet_9ee9e983-e4fb-33c9-9562-2d99cb48a4fa - phase...
● CAPELON:iorionCAPELON-UNIFI:CCabinet_9ee9e983-e4fb-33c9-9562-2d99cb48a4fa - phase...
● CAPELON:iorionCAPELON-UNIFI:CCabinet_9ee9e983-e4fb-33c9-9562-2d99cb48a4fa - phase...

Tin

Maps Google Gmail YouTube Nuova scheda





Elenco lampade

Visualizzazione dati

Log eventi

Grafici

Impostazioni



Non Attivo
Stato Linea verso Sinigo


Non Attivo
Stato Linea verso Merano Centro

N. Punto Luce	11307
DevEui	7083D5BF100085D7
Via	RomSträße
Regolazione	
Ore di servizio	
Conta energia	
Potenza attuale	
Stato	Inattivo
Nome errore	null
RSSI	
SNR	
Data	01/11/2023 12:01:18
Regolazione	Invia
ON	
OFF	
DALUTCMISSING	
INF_AULTTRIGGER	
DAL_BAISTIME_DISABLE	
ERR_DAL_BAISTIME_NOT_CONFIG	
ERR_DAL_THERMAL_SHUTDOWN	
ERR_DAL_THERMAL_DERATING	
ERR_DAL_POWER_LIM	
ERR_DAL_OVERALL	
INF_POWER_FAIL	
INF_BUS_POWERED_BY_FREE	
INF_DAL_BAIVERR	

Smart Light Management

Smart Energy

- **Field-tested energy community: the self-consumer condominium**
- The Self User project creates in the pilot condominium, through the collection and analysis of data, a model for calculating and enhancing the impact of an energy community on a community of people, with a view to actions to combat energy poverty



BI-CSBL

<https://www.selfuser.it>

<https://www.snap4city.org/dashboardSmartCity/view/Baloon.php?iddashboard=MzczNg==>

Ciao roottooladmin!

Sat 11 Nov 17:26:28


ONLINE PHOTOVOLTAIC SYSTEM SIMULATOR

User Manual

Italian Version


TOTAL COSTS OVER THE INVESTMENT YEARS

599m




TOTAL COSTS OVER YEARS DECOMPOSED IN COSTS AND INCOMES

599m



BREAK EVEN TREND FOR THE DIFFERENT KIND OF PLANTS

599m



PARAMETERS OF YOUR PV PLANT

We suggest you PV plus battery of 2.4 kWh

Annual Consumption

Price of energy sold (€/kWh)

Price of Energy Acquired (€/kWh)

Years of Investment

Months for typical trends

Compute



Engaging via Mobile Apps

FROM CITY
DASHBOARD TO
APPLICATIONS

DATA
AND
KNOW
MAN



SNAP4CITY
AND KM4CITY
PROJECTS

TO ADOPT
4CITY, AND
ROADMAP

SNAP4CITY THE
VIEW OF THE
ADMINISTRATORS

100%
OPEN
SOURCE



Citizen Engagement via Mobile Apps

- GPS Positions
- Selections on menus
- Views of POI
- Access to Dashboards
- searched information
- Routing
- Ranks, votes
- Comments
- Images
- Subscriptions to notifications
-

Produced information

- Viewed ?
- Accepted ?
- Performed ?
- ...

Users

Snap4City (C), 24 Gennaio 2024



Derived information

- Trajectories
- Hot Places by click and by move
- Origin destination matrices
- Most interested topics
- Most interested POI
- Delegation and relationships
- Accesses to Dashboards
- **Cumulated Scores from Actions**
- Requested information
- Routing performed
-

Produced information

- Suggestions
- Engagements
- Notifications
- ...

















System

To propose suggestions and Engage city user we need to know how they are moving



<https://www.snap4city.org/944>

Developing on Snap4City

1st part	2nd part	3rd part	4th part	5th part	6th part	7th part	8th
Overview	Dashboards	IOT App, IOT Network	Data Analytics	Data Ingestion processes	System and Deploy Install	Smart City API: Web & Mob. App	Design and Develop Smart Solutions
							
							



2023 booklets



- Smart City



https://www.snap4city.org/download/video/DPL_SNAP4CITY.pdf

- Industry



https://www.snap4city.org/download/video/DPL_SNAP4INDUSTRY.pdf

- Artificial Intelligence



https://www.snap4city.org/download/video/DPL_SNAP4SOLU.pdf

TOP



Be smart in a SNAP!



SMARTCITY
EXPO WORLD CONGRESS

7-9 November 2023, Barcelona, Spain

Visit Snap4City in Hall 1

CONTACT

DISIT Lab, DINFO: Department of Information Engineering
Università degli Studi di Firenze - School of Engineering

Via S. Marta, 3 - 50139 Firenze, ITALY
<https://www.disit.org>

www.snap4city.org



Appliances and Dockers
Installations

Email: snap4city@disit.org

Office: +39-055-2758-515 / 517
Cell: +39-335-566-86-74
Fax.: +39-055-2758570



UNIVERSITÀ
DEGLI STUDI
FIRENZE

DINFO
DIPARTIMENTO DI
INGEGNERIA
DELL'INFORMAZIONE

DISIT
DISTRIBUTED SYSTEMS
AND INTERNET
TECHNOLOGIES LAB