


www.snap4city.org www.snap4solutions.org

A multidomain digital twin platform **Prof. Paolo Nesi**





#snap4city #km4city #disitlab @snap4city

DIGITAL TWIN SOLUTIONS TO SETUP SUSTAINABLE DECISON SUPPORT SYSTEMS AND BUSINESS INTELLIGENCE





























Digital Twin Solutions for Sustainability

OPERATION AND PLAN - CONTROL ROOMS - DECISION SUPPORT SYSTEMS - WHAT-IF ANALYSIS - OPTIMIZATION - APPLICATIONS















API - MICROSERVICES - GIS - BPM
VIDEO - REPORTS - MAPS - 3D ...



TEMPLATES













VISUAL PROGRAMMING, ADAPTERS DATA FLOWS, WORKFLOWS PARALLEL DISTRIBUTED PROCESSING DATA DRIVEN



DEVELOMENT ENVIRONMENT

VISUAL PROGRAMMING, ML, AI, HPC

AND METHODOLOGY

• TRAINING COURSES



Domains (2024/8)

- Smart City, control room
- **Mobility and transport**
- Energy, light, recharge
- **Buildings and Assets**
- Tourism and People
- **Environment, pollutant**
- Waste Optimisation
- Security and Safety
- **Risk and Resilience**
- Social Media
- Big Data, AI/XAI
- **Public and private data**


















Smart City Digital Twin



City Digital Model with...

- Intuitive platform
- Any Data TYPE, any data source, any protocol
- Data storage seamless
- Data analytics

 artificial intelligence, AI/XAI
- Data Ethics, AI Ethics, GDPR
- Interactive Data Representation, any kind
- Key Performance Indicators, any kind
- What-IF analysis Simulation, prediction, 2D/3D
- Micro, Meso e macro scales
- Operation, planning tactic and strategic / optimization
- Collaborative and shared representation
- Sustainable, shared, open source 100%

Complex and heterogeneous information, interoperability

- o GIS, ITS, AVM, IoT, BIM, CKAN, etc.
- Satellite services
- MaaS, last-mile delivery HUBs
- etc.












Main tasks



- Controlling Status: management, and operational
 - Monitoring via KPI
 - Predictions vs KPI
 - Anomaly detection
 - Neuro-Symbolic analysis
 - Risk assessment
 - Early warning on critical conditions
 - Fast What-if analysis
- Making plan: tactic and strategic, medium and long range, micro/macro
 - Simulation & optimization
 - Generative Al Prescriptions, scenarios
 - Resilience to Unexpected unknows
 - What-if analysis wrt scenarios
 - Collaboration with stakeholders











Horizontal Al Platform/Control

Goals:

- Increasing quality of Life, quality of services,
- Decongestion, Decarbonization, Sustainability
- increase efficiency and production optimization
- Improve accessibility to services: citizens, Tourists, commuters, etc.
- Improve security/Safety of city users, risk reduction
- Costs reduction of services, energy consumption reduction
- Reduction of emissions and EC taxations

Horizontal homogeneous platform Uniform Technology for

- Any Vertical operation/plan: mobility, energy, environment, security, tourism, infrastructure and assets control, buildings, etc.
- Al Solutions: early warning, predictions, simulations, what-if, optimization; Deep Learning, ML, BERT, LLM, XAI (Shap/Lime),
- Development Environment for any vertical, Digital Twin: City Global and Local, IoT, VR, Visual Programming, business intelligence, CSBL, SSBL, etc.
- Interoperability: any format, any protocol, any video management system, any sensor, any device, etc.
- KPI: multidomain KPI, general management, early warning, early detection of critical conditions, 15 Min City Index, SDG
- Mobile App: modular applications, operators' modules, multiple cities, etc.
- Participatory: problem reporting, ticketing, etc.
- Integration of any kind
















Digital Twin Development Platform



Standards and Interoperability (10/2024)

SNAP4city

Compliant with:

- IoT: NGSI V2/LD, LoRa, LoRaWan, MQTT, AMQP, COAP, OneM2M, TheThingsNetwork, SigFOX, Libelium, IBIMET/IBE, Enocean, Zigbee, DALI, ISEMC, Alexa, Sonoff, HUE Philips, Tplink, BACnet, TALQ, Protocol Buffer, KNX, OBD2, Proximus, ..
- IoT model: FIWARE Smart Data Model, Snap4City IoT Device Models
- **General**: HTTP, HTTPS, TLS, Rest Call, SNMP, TCP, UDP, SOAP, WSDL, FTP, FTPS, WebSocket, WebSocket Secure, GML, WFS, WMS, RTSP, ONVIF, AXIS TVCam, CISCO Meraki, OSM, Copernicus, The Weather Channel, Open Weather, OLAP, VMS Milestone, TIM, HERE,
- Formats: JSON, GeoJSON, XML, CSV, GeoTIFF, OWL, WKT, KML, SHP, db, XLS, XLSX, TXT, HTML, CSS, SVG, IFC, XPDL, OSM, Enfuser FMI, Lidar, glTF, GLB, DTM, GDAL, Satellite, D3 JSON, ...
- Database: Open Search, MySQL, Mongo, HBASE, SOLR, SPARQL, ODBC, JDBC, Elastic Search, Phoenix, PostGres, MS Azure, ...
- Industry: OPC/OPC-UA, OLAP, ModBUS, RS485, RS232,...
- Mobility: DATEX, GTFS, Transmodel, ETSI, NeTEx, ...
- **Social**:Twitter, FaceBook, Telegram, ...
- Events: SMS, EMAIL, CAP, RSS Feed, ...
- OS: Linux, Windows, Android, Raspberry Pi, Local File System, AXIS, ESP32, etc.


























https://www.snap4city.org/65







High Level Types


Snap4City (C)_November 2024

- POI, IOT Devices, shapes,...
 - FIWARE Smart Data Models,
 - IoT Device Models
- •/GIS, maps, orthomaps, WFS/WMS, GeoTiff, calibrated heatmaps, ...
- Satellite data, ...
- traffic flow, typical trends, ...
- trajectories, events, Workflow, ...
- 3D Models, BIM, Digital Twins, ...
- OD Matrices of several kinds, ..
- Dynamic icons/pins, ...
- Synoptics, animations,
- KPI, personal KPI,...
- social media data, TV Stream,
- routing, multimodal, constraints,
- City area scenarios,
- etc. 2024/8










Expert System semantic queries





 Smart City API for Apps and third party

MicroServices
 data driven
 develop via visual
 language
 Node-RED



Snap4City (C), November 2024

Ingestion, aggreg. > exploitation











- IoT App Visual Programming, no coding
 - Data transformation
 - Integration, Interoperab.
 - Scripting Data Analytics
 - Data ingestion
 - Business logic
- Edge and Cloud
- MicroServices data driven develop via visual language Node-RED













> 60.000 downloads

Open Data CKAN Ticket Management, workflow **BIM Servers** Social Networks Video Management system Gateways

Data Analytics Statistic, Optimization Simulation **Artificial Intelligence** What-if Analysis Support Geo Utilities Support **Routing & Traffic Flow MLOps** support Python support R Studio Support MicroServices SNAP4city **Areas**

Entities Managemen. Visualitation Serile to de distin **Snap4City** Microservices M_{ana}gement Analytic Services Platform Proc.Logic **SSBL** other Node-RED Third pari

Data Load / Search / Retrieval KPI, POI, GIS Data, Scenarios Time Series, Public transport High Level Types: heatmaps, ODM,... IoT / Entity Discovery **Delegation Management Data Mapping**


> **Dashboards** Widgets: Graphic Libraries **Interactive Widgets** Maps, 3D representations Synoptics, External Content Micro Web App


IoTApp Management Data Logs, A&A, Security Ownership Management **VPN** remote access


Solutions: reliable, secure and fast to realize


SNAP4CITY


- Via Snap4City tools
 - Dashboard Wizard
 - Dashboard Builder
 - Data/Visual Analytic
- Smart Solutions results to be
 - · Real time data drive
 - Secure end-to-end
 - GDPR compliant
 - Reliable, interoperable
 - Auditable, marketable




























Snap4City (C), November 2024


Technical Architecture





KM 4 CITY



Visual Development Tools
















- Register on <u>WWW.snap4city.org</u>
 - Subscribe on **DISIT Organization**
- You can:
 - Access on basic Tools
 - Access to a large volume of Data
 - Create Dashboards
 - Create IOT Applications
 - Connect your IOT Devices
 - Exploit Tutorials and Demonstrations



License Free Installation scripts for: Pub cloud & on premises


https://www.snap4city.org/944

On Line Training Material (free of charge)





1st part	2nd part	3rd part	4th part	5th part	6th part	7th part	8th
Overview	Dashboards	IOT App, IOT Network	Data Analytics	Data Ingestion processes	System and Deploy Install	Smart City API: Web & Mob. App	Design and Develo Smart Solutions
COMANDON STATE OF STA	CSNAPACY PARTY OF THE PARTY OF	Charter S	CENAMON E	C SHAP4mm - search or BMAF	CINAMEN STATE OF THE PARTY OF T	C SNAMATOR E	CENASAGE SAGE
SHAMON STANDARD SAME	C SNAM dorr	COMMANDER DE MANDE DE	CERLAN-COT CONTROL OF STATE OF	C'SHAPAcri Committee Blade	C'SHAPACIV CONTROL OF SHAPE SH	C'SHAMORY STATE OF THE BOARD STA	CERTANATOR CONTROL OF THE PROPERTY OF THE PROP











Development

https://www.snap4city.org/d ownload/video/Snap4Tech-**Development-Life-Cycle.pdf**









Development Life-Cycle

https://www.snap4citv.org/download/video/Snap4Tech-Development-Life-Cycle-v1-1.pd

From Snap4City:

- We suggest you to read the TECHNICAL OVERVIEW:
 - https://www.snap4citv.org/download/video/Snap4Citv-
- https://www.snap4citv.org

- https://twitter.com/snap4city
- https://www.facebook.com/snap4city
- https://www.voutube.com/channel/UC3tAO09EbNba8f2-u4vando

Coordinator: Paolo Nesi, Paolo,nesi@unifi.it

DISIT Lab, https://www.disit.org DINFO dept of University of Florence, Via S. Marta 3, 50139, Firenze, Italy Phone: +39-335-5668674










In [14]: N

DISIT DISTRIBUTED SYSTEMS AND INTERIENT ECHNOLOGIES LAB DISTRIBUTED DATA INTELLIGENCE CHOOLOGIES LAB AND TECHNOLOGIES LAB AND TECH





https://www.Snap4City.org













12 running installations in Europe

- Snap4.city.org, Greece, Merano, Cuneo, .:.
- Toscana, Pisa, Sweden, ISPRA, Snap4.eu,
- Altair, Italmatic, Romania, Rhodes,
- 16 projects, 12 pilots on 10 Countries:
 - >40 cities/area


Update: 29-10-2024

Widest MULTI-tenant deploy has

- 24 Organizations / tenant
- > 8850 users on
- > 1800 Dashboards
- > 17 mobile Apps
- > 2.2 Million of structured data per day
- > 580 IoT Applications/node-RED
- > 750 web pages with training
- > 75 videos, training videos


Main Organizations/areas

- Antwerp area (Be)
- <u>Bari (I)</u>
- Bisevo, Croatia
 Bologna (I)
- Brasov (Ro), by ICEBERG
- Capelon (Sweden: Västerås, Eskilstuna, Karlstad)
- Cuneo (I)
- DISIT demo (multiple)
- Dubrovnik, Croatia
- Firenze area (I)
- Garda Lake area (I)
- Greece (Gr)
- Helsinki area (Fin)
- Limassol (Cy)
- Livorno area (I)
- Lonato del Garda (I)
- Malta (Malta)
- Merano (I)
- Modena (I)
- Mostar, Bosnia-Herzegovina
- Oslo & Padova (Impetus)
- Pisa area (I)
- Pistoia (I)
- Pont du Gard, Occitanie (Fr)
- Prato (I)
- Rhodes (Gr)
- Roma (I)
- Santiago de Compostela (S)
- Sardegna Region (I)
- Siena (I)
- SmartBed (multiple)
- Toscana Region (I), SM
- Valencia (S)
- Varna (Bulgaria)
- Venezia area (I)
- WestGreece area (Gr)



+ Israel, Colombia, Brasile, Australia, India, China, etc.












Main tasks



- Controlling Status: management, and operational
 - Monitoring via KPI
 - Predictions vs KPI
 - Anomaly detection
 - Neuro-Symbolic analysis
 - Risk assessment
 - Early warning on critical conditions
 - Fast What-if analysis
- Making plan: tactic and strategic, medium and long range, micro/macro
 - Simulation & optimization
 - Generative Al Prescriptions, scenarios
 - Resilience to Unexpected unknows
 - What-if analysis wrt scenarios
 - Collaboration with stakeholders



SCALABLE SMART ANALYTIC APPLICATION BUILDER FOR SENTIENT CITIES







Monitoring






- Monitoring via KPI
- Computing predictions and KPI
- Anomaly detection, Early warning
- Control Rooms, situation rooms
- Early warning on critical conditions

Reacting: Computing in real time

- Changing semaphore maps
- Changing Dynamic signage
- Real time Info Mobility
- User engagement via Mobile Apps
- What-if analysis
- o etc.,




















City Resilience CSNAP4city





Early Warning, Detection

Issue:

- Detection of critical condition
- Not easily detected with other means

Impact:

- Early warning, faster reaction
- Increased resilience

Prepare

Absorb


Recover

Adapt



Several metrics related to:

- Volume of retweets
- Sentiment analysis













ERMG: European Resilience Management Guide









CRAMSS Collaborative Resilience Assessment and Management MONITORING Support System





- · European Resilience Management Guidelines
- Game Based Training



KM 4 CITY



- Big Data Platform
- · IoT/IoE/Open Data · Real Time Dashboard
- · Resilience Control Room
- Data Analytics
- · Early Warnings
- · Urban Traffic Manager Data Exchenge





- ·Smart Decision Support Systems (DSS)
- · Evacuation Decision Support
- ·Smart Intelligent Transport Systems
- · Emergency Support Smart App · Resilience DSS







- · Human Behavior Analysis
- Predictive Analytics
- Urban Transport System Dynamic
- · Resilience Quantification
- · Network Analysis







Smart City Control Room Florence Metropolitan City



- Thousands of Open/Private data, POI, IOT, etc.
- mobility and transport: accidents, public transport, parking, traffic flow, Traffic Reconstruction, KPI, ...
- **AND**: environment, civil protection, gov KPI, covid-19, social & social media, people flow, tourism, energy, culture, ...

Multiple dash/tool Levels & Decision Makers

• Real Time monitoring, Alerting, quality assess.

• Predictions, KPI, DSS, what-if analysis

Historical and Real Time data

- Billions of Data
- Services Exploited on:
 - Multiple Levels, Mobile Apps, API
- Since 2017




























Key Performance Indicators, KPI








		WHOguidelines			
Pollutant	Averaging period	Objective and legal nature concentration	and Comments	Concentration	Comments
PM _{2.5}	One day			25 μg/m³ (*)	99 th percentile (3 days/year)
PM _{2.5}	Calendar year	Target value, 25 μg/m³	The target value has become a limit value since 1 January 2015	10 μg/m³	
PM ₁₀	One day	Limit value, 50 μg/m³	Not to be exceeded on more than 35 days per year.	50 μg/m³ (*)	99 th percentile (3 days/year)
PM ₁₀	Calendar year	Limit value, 40 µg/m³ (*)		20 μg/m³	
03	Maximum daily 8-hour mean	Target value, 120 µg/m³	Not to be exceeded on more than 25 days per year, averaged over three years	100 μg/m³	
NO _z	One hour	Limit value, 200 µg/m³ (*)	Not to be exceeded more than 18 times a calendar year	200 µg/m³ (*)	
NO ₂	Calendar year	Limit value, 40 µg/m³		40 μg/m³	


• United Nations Sustainable Development Goals, **SDGs** (for which cities can do more to achieve some of the 17 SDGs, https://sdgs.un.org/goals);



• objectives of the European Commission in terms of pollutant emissions for: NO2, PM10, PM2.5 (https://environment.ec.europa.eu/topics/air en);

- SUMI: mobility and transport vs env
 - https://www.snap4city.org/951
- SUMP/PUMS: mobility and transport vs env.
- ISO indicators: city smartness, digitization, tech level.
- Low Level/Real Time: global traffic, quality of service, betweenness, centrality, queue, time to travel, etc.










15MinCityIndex on Bologna









800 - 950

>950

Address: Via Casadio N. 1

Decision Support System:

managing open response and Tacties in Classicates

DASHROARD TO APPLICATIONS

Plansis, Via What-if Analysis stakeholders






From What-If to Decision Support System

SNAP4city

- Controlling Status: management, and operational
 - Monitoring via KPI
 - Predictions vs KPI
 - Anomaly detection
 - Neuro-Symbolic analysis
 - Risk assessment
 - Early warning on critical conditions
 - Fast What-if analysis
- Making plan: tactic and strategic, medium and long range, micro/macro
 - Simulation & optimization
 - Generative Al Prescriptions, scenarios
 - Resilience to Unexpected unknows
 - What-if analysis wrt scenarios
 - Collaboration with stakeholders




































Local Digital Twin vs BIM





SCALABLE SMART ANALYTIC APPLICATION BUILDER FOR SENTIENT CITIES





Available AI Solutions on Snap4City

SNAP4city

KM 4 CITY

https://www.snap4city.org/997

More than 80 Available Solutions & 300 Al applic.

- Mobility and Transport
- Environment, Weather, Waste, Water
- City Users Behaviour and Social analysis
- Energy and Control
- Tourism and People
- Security and Safety
- High Level Decision Support Solutions
 - Asset management
 - Resilience and Risks Analysis
- Low level Techniques

https://www.snap4city.org/download/video/course/p4/





https://www.snap4city.o rg/download/video/DPL SNAP4SOLU.pdf









Predictions and Heatmaps in Real Time

















• 15 Minute City Index:

 13 subindexes: energy, slow mobility, fast mobility, housing, economy education, culture and cults, health, entertainment, gov, food, security...



- Optimization of car sharing/pooling
- Monitoring and Prediction of energy consumption
- Stimulating: Bike sharing, e-bikes, car charge, etc.
- Sizing energy plants



- Reduction of emission, reduction of congestion
- Smart City infrastructure: monitoring and resilience, long terms predictions
- Effective and Low cost smart solutions
- What-if analysis, Simulations
- Origin Destination matrices computation





Reduction of emission, reduction of congestion Monitoring and Predicting: NO2, NOX, CO2, Traffic flow, pollutant, landslide, waste, etc.

Traffic flow reconstruction

Demand vs Offer of Mobility analysis



- Predictive maintenance
- **Decisions Support Systems**
- Process optimization, control
- Industry 4.0 integrated solutions



- Optimization of Waste Collection
- business intelligence tools for decision makers
- Reduction production costs
- Monitoring resource consumption



- Shortening justice time
- Prediction of mediation proneness
- Assisting institution is taking legal decisions
- Anonymization and indexing legal docs.
- Ethical Explainable Artificial Intelligence


Snap4City (C), November 2024 (10/2024)






The difference is on computational models

- Simulation models,
- statistics and operations research techniques
- Machine Learning and Artificial Intelligence techniques
 - o exploitation of heterogeneous data, **BIG DATA**
 - o Predictions, Early Warning, Anomaly Detection, ...
 - What-If Analysis integrating predictive models and simulations
 - o Explainable AI, XAI, providing to the decision-maker
 - o **detailed explanations** on the motivations behind the suggestions provided, so that the decision maker can understand the process and the motivations
 - evidence of compliance with ethical aspects with confidence
 - To be able to use the systems as a trusted expert system.





SCALABLE SMART ANALYTIC APPLICATION BUILDER FOR SENTIENT CITIES


















Goals:

- Decongestion, Decarbonization, costs reductions
- Improve Accessibility to services
- Improve Security/Safety of city users

Operation and Plan:

- Traffic monitoring, prediction, reconstruction, identification of critical conditions (early warning), fleet management, dynamic routing, multimodal routing, city user behaviour analysis
- Optimization and what-if analysis traffic light, infrastructure
 - Reduction: travel time, waiting time, stops, CO2 emissions, consume fuel, travel time for tramways
- Public Transport: analysis of Mobility Demand vs Offer of Transportation
- Parking Management: monitoring, prediction, any payments, on/off-road
- Sharing / Pooling Management: eShare and mobile app, bikesharing, smart bike, fleet management
- KPI: SUMI/SUMP, travel time, emissions, traffic status, accessibility, ...
- Mobile App: final users and operators
 - Info Mobility, traffic reconstruction, charging, participation,
 - Parking, payments, overparking, fine reporting, ...
- Participatory: problem reporting, ticketing, etc.
- Data Integration of any kind: env, weather. Tickets, presences, POI, sat, etc.













Mobility and Transport Domain (2024/8)

- Goals:
 - Decongestion
 - Decarbonization
 - Accessibility to services
 - Security/Safety of city users
- Solutions for Operation (monitoring, managing, mobile apps, digital signages, control rooms)
 - Monitoring traffic, parking, people flow, services, boats, ports, beaches, etc.
 - Early detection/warning of critical conditions: traffic, congestion, security/safety
 - Managing Smart Parking, transportation services, fines, etc.
 - Managing fleets: personal, sharing, waste collection, maintenance, etc.
 - Managing E-sharing, pooling services, MaaS, etc.
 - Managing entrances in city areas: restricted areas, touristic busses, etc.
 - Production of suggestions, recommendations, nudging
 - Computing predictions of any kind
- Solutions for Planning (optimization and what-if analysis)
 - Reduction of traffic congestion, via optimization: traffic light plans, viability, routing
 - Reduction of Pollutant Emissions, via optimization: traffic light plans, viability
 - Optimization of transportation offers wrt multimodal mobility demand
- Algorithms and computational solutions, see next slide











Why Dense Traffic Flow Reconstruction?

- Controlling pollution
- Dynamic Routing for Firebrigade, Ambulances, general public
- Planning Public
 Transportation routing



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTc5NQ==











Decision Support Systems, What-if

Snap4City (C), November

Event planning, via what-if analysis


- Change in the graph structure of the city
- Impact on the flow of people and vehicles
- Adaptation: public transport, traffic, pedestrian management, etc.

Immediate reaction to natural events or not

- Everything is ready and updated in real time
- Each view is contextualized in terms of data: descriptive and prescriptive

Digital Twin

- More detail in the context integrated data
- Greater realism in deductions and representations
- Less fragmentation and non-uniformity in the views to support decisions














Select map 700m



New Scenario

Editing Drag & drop Split & Join Delete Do and Undo




università degli studi FIRENZE



DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB

What-if on TFR














Traffic Light Plan Optimisation, Digital Twin

- Match Multiple Objectives and Synchronization:
 - public and private traffic, tramway priority
 - Micro and Macro Scales
 - AI: Genetic Algorithms, Reinforced Learning
 - Fixed and Actuated Cycles
 - Adjusted on Demand
- Validation/integ. with SUMO simulation
 - Travel Time, waiting time, waiting count
 - Specific travel time on directions
 - CO2 emissions, etc.
- Reductions from 5% to 15%














Optimization of Traffic Light Plan





















-6%

Mean Travel Time

	Traffic Load	MTTall	MTT dir_N	MTT dir_M	MTT dir_A	MTT TW Careggi	MTT TW Costanza	
4TW-NTNS-MWD-P	1.5	3542.50	198.90	242.14	197.64	436.00	427.00	
4TW-NTNS-MWD-A	1.5	3242.71	178.33	243.28	195.79	436.00	427.00	
4TW-NTNS-MWD-P-A	1.5	3242.71	178.33	243.28	195.79	436.00	427.00	
2TW-NTNS-MWD-P	1.5	4538.02	207.40	456.14	615.00	436.00	427.00	
2TW-NTNS-MWD-A	1.5	3940.07	179.30	428.67	481.53	436.00	429.75	
2TW-NTNS-MWD-P-A	1.5	4380.63	182.05	456.59	654.21	436.00	427.00	
SUMO Actuated	1.5	3409.13	280.09	515.34	200.66	497.54	499.81	
Webster	1.5	6474.95	465.45	441.93	210.50	1379.25	493.87	
WebsterAdjusted	1.5	4035.08	195.82	441.09	205.66	463.87	447.06	
		E 0/						

Reductions of Travel time of 3-45% and elimination of the #stops for the tramways

-5% -8% (**-45%**) **-3%**


4TWD-NTNS-MWD-P-A: optimization by prioritizing traffic **directions**, the normalized number of **vehicles stops**, *NTNS*, **the mean waiting delay** *MWD*, for all traffic lights, and post synchronization, with Penalty and Adjust dynamically performed





Traffic Infrastructure Optimisation, Digital Twin

- Identification of Scenario
 (Scenario Editor), any changes
 - Definition of traffic loads by flows
- What-if or Automated Optimisation
- Automated Optimisation:
 - Stochastic Relaxation, Simulated Annealing, Traffic Flow Reconstruction
 - Multiple objectives targeting
 - Travel time, emissions, fuel consumption, traffic status
 - Limiting the number of changes














Traffic Infrastructure Optimization







DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB DISTRIBUTED DATA INTELLIGENCE AND TECHNOLOGIES LAB








Optimization Results



Case max 4 changes	KPI estimation on the best solution							
Optimization Target	Traffic State	Fuel	CO2					
Optim 4 Traffic State	91.341-21%	17.964	128536					
Optim 5 Fuel	91.514	16.633 -35	% 128227					
Optim 6 CO2	92.859	19.192	127876 -23 9					
Original	115.475	25.680	165822					



Travel Time [s]	Path A	Path B	Path C	Path D	Total Time
Original Scenario	183.2	59.6	80.9	132.5	456.4
Optim 4 Traffic State	93.2	60.0	63.7	96.0	313.1
Optim 5 Fuel	89.6	51.2	59.7	96.4	296.9
Optim 6 CO2	89.5	53.2	58.4	100.1	301.3

-28%












ODM, Traffic Flow



https://www.snap4city.org/dashboardSmartCity/view/Gea-Night.php?iddasboard=Mzk3Nw==











What-if Analysis on Pub Transport













- Definition of scenarious impact on
 - Traffic, Pollutant, parking, public transport, private flows, etc.

KPI analysis

Public Services











Road Parking





Parking Conditions Monitoring

Wed 23 Oct 16:24:41











Fined Slots: 1/4
















Deep Learning AI to surely Park!












Snap4ISPRA Parking: ISPRA JRC





FROM CITY DASHBOARD TO

APPLICATIONS

DINFO INGEGNERIA DELL'INFORMAZIONE


DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB DISTRIBUTED DATA INTELLIGENCE AND TECHNOLOGIES LAB



SNAP4CITY AND KM4CITY PROJECTS

SNAP4CITY THE VIEW OF THE **ADMINISTRATORS**

Application: esharing and Powering



eShare in a Snap, by Snap4





Sun 16 Jun 23-17-54

Gestione

Prenotazioni







Gestione

Utenti

Gestione

Veicoli

Gestione

Corse

Integrated car sharing and pooling Multiple drivers on the same means Dynamic pooling and e-sharing



Snap4City (C), November 2024







AND KM4CITY

ARCHITECTURE AND

Humang Behavior analysis & securior and president of the securior of the secur

FROM CITY DASHBOARD TO APPLICATIONS










List and Safety

City User Behaviour/services, Tourism and Safety

- Goals
 - Improve Quality of Life and quality of services,
 - Over tourism mitigation, sustainability
 - Costs reduction of services
 - Improve accessibility to services: citizens, Tourists, commuters, etc.
 - Improve Security/Safety of city users
- People Flow Analysis / Management: in/out-door, retail, attractions
 - Counting, tracking, Flows, ODM, sentiment, etc.,
 - multiple sources: thermal & TV cameras, radar sensors, PAX sniffers, mobile data, ...
 - Data and/or OD matrices from: Wi-Fi, traffic data, mobile phone data
 - Suggestions: info Tourism, digital signages, engagement, ...
- Tourists Flows & Retail Management: predictions of presences, services' reputations, suggestions on second offer, over-tourism, notifications, early warning,
- KPI: 15 MinCityIndex, energy vs people, over-tourism, accepted suggetions, precision
- Mobile App: final users services/informing and operators
 - Info Tourism, people flows, info mobility, sharing, ...
 - Participation, engagement, ..
- **Participatory**: problem reporting, ticketing, etc.
- Integration of any kind: env/weather, mobility, ticketing, presences, POI, ...














• Goals:

City User Behaviour/services, Tourism and Safety (2024/8)

- Quality of Life, quality of services, over tourism mitigation, sustainability
- Costs reduction of services
- Accessibility to services: citizens. Tourists, commuters, etc.
- Security/Safety of city users
- Solutions for Operation (monitoring, managing, mobile apps, digital signages, control rooms)
 - Monitoring services: tickets, reputation, usages, areas, etc.
 - Monitoring user behaviour (counting, trajectories): indoor/outdoor, hot places/services, ports, beaches,
 - Computing: origin destination, trajectories, travel means, etc.
 - Early detection/warning of critical conditions, connection with Video Management Systems
 - Managing entrances in city areas: restricted areas, touristic busses, etc.
 - Production of info-toursim, recommendations, nudging to city users and operators, second offer promotion
 - Providing Virtual Assistants for City Services, Tourist Offices, etc.
 - Monitoring reputation of services via: social media, blogs, etc.
 - Collecting complains, requests, participations from City users via mobile apps
 - Computing predictions of any kind
- Solutions for Planning (optimization and what-if analysis)
 - Reduction of Pollutant Emissions, via optimization
 - Optimization plan to distribution of workload on multiple touristic offers/services, area cleaning, etc.
 - Predicting reputation of services, touristic and operative
- Algorithms and computational solutions, see next slide

















- Prediction of people flows on the basis of Wi-Fi data
- Anomaly detection
- Resolute H2020
- Classification of city areas



Origin Destination Matrix Estimation




















A view and data from the Thermal Camera



















People Counting and Tracking











Tourism management, over-tourism

• Operation:

- Monitoring: counting, tracking, flows, ODM, etc.
 - Differentiating: tourists, commuters, resident, students, etc.
 - Differentiating on Restricted zone: permissions
- Early warning detection, predictions, etc.
- Collecting participation, complains, etc.
- Producing suggestions towards second offers, diversification
- Informing of crowed conditions

Management


- Promoting best moments for visiting, pushing event organizers
- Simulation and plan, improve services: transportation, sharing
- Assessing and predicting reputation







- Prediction/estimation of Average Score of Trip Advisor as a function of Twitter Vigilance Metrics + other information
- Prediction/estimation of
 Negative Scores on specific
 Museum or service as a
 function of Twitter Vigilance
 Metrics + other information











rovnik: Data Analytics & HERIT-DATA

 Assessing impact of advertising

- Prediction of presences on the basis of
 - Social Media Twitter Vigilance
 - weather conditions
 - Historical data



SCALABLE SMART ANALYTIC APPLICATION BUILDER FOR SENTIENT CITIES
















Event Managements

- **Bidirectional events**: from VMS to Snap4City and viceversa
 - From/to Snap4City to any service...
- Snap4City collects and manages events from:
 - Video Management System
 - Mobile Apps, city user complaints, operators, etc.
 - Web Apps, city users and operators
 - Early warning detected from Snap4City, etc.
 - Maintenance management tools, ...
 - Other channels, ...














Event Management













VMS vs Snap4City: sending and getting events, AI solutions







SCALABLE SMART ANALYTIC APPLICATION BUILDER FOR SENTIENT CITIES















• Goals:

Assets Control Domain (2024/8)

- Costs reduction, increase service availability, risk reduction
- Quality Level
- Solutions for Operation (monitoring, managing, mobile apps, digital signages, control rooms)
 - Monitoring:
 - Assets: switches, Wi-Fi, servers, UPS, sensors, building, TV Cams, etc.
 - Energy: consumption, operative conditions, UPS continuity, etc.
 - **Production**: continuous serviceability analysis
 - Ftc.
 - Early detection/warning, alarm, of critical conditions
 - **Multichannel** Event reporting, notifications: email, Telegram, mobile apps, SMS, etc.
 - Managing maintenance operation, predictive maintenance
 - Computing predictions of any kind
- Solutions for Planning (optimization and what-if analysis)
 - Reduction maintenance costs, reduction of critical SLA conditions, improve service level
- Algorithms and computational solutions, see next slide





Cuneo Assets' Monitoring, Safety





More than400 devices




Privacy Policy Cookies Policy Terms and Conditions

TV Cams: color, Thermal

49

- Traffic Gates
- Switches
- UPS

My Profile





DINFO DIPARTIMENTO DI INGEGNERIA DELL'INFORMAZIONE DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB DISTRIBUTED DATA INTELLIGENCE AND TECHNOLOGIES LAB



FROM CITY DASHBOARD TO APPLICATIONS

> DATA GATHERING AND CITY DATA KNOWLEDGE MANAGEMENT

SNAP4CITY ARCHITECTURE AND Dat mnd repoty OW TO ADOPT armact on Chrick Smart endoction NAP4CITY, AND Reporting issuse UR ROADMAP white ovstlr Clinwing Sampreimitadon,



SNAP4CITY THE VIEW OF THE


ADMINISTRATORS

SNAP4CITY AND KM4CITY PROJECTS














UNIVERSITÀ DEGLI STUDI FIRENZE DEGLI STUDI FIRENZE DEGLI STUDI DI GOMENA DI DISTRIBUTE SYSTEMS AND INTERNET DI STERBUTE DI STERBUTE







DINFO
DIPARTIMENTO DI
INGEGNERIA
DELL'INFORMAZIONE

DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB DISTRIBUTED DATA INTELLIGENCE AND TECHNOLOGIES LAB













Environment and Waste

- Goals:
 - Reduction of emissions and EC taxations
 - Cost reduction for waste collection,
 - reduction of waste collection impact on mobility
- Environment Management producing predictions/prescriptions:
 - Monitoring and long and short-term predictions, warning for:
 - GHG, emissions, pollutants, aerosol, chemical plants analysis
 - land slide, coastal erosion (blue economy)
 - Traffic Flow impact emissions, predictions
 - What-if analysis, optimisation tools
- Waste Management and Optimisation:
 - costs reduction, optimal routing production, pay as you throw,
 - avoiding out of bins, predictions of waste production on bins, alarms
- KPI: SDG, 15MinCityIndex, QOS, costs, Km, colleting time, EC KPI, emissions
- Mobile App: final users services/informing and operators
 - Info Waste for operators, participation, optimal routing, RAEE Collection, ...
- Participatory: problem reporting, ticketing, etc.
- Integration of any kind: env/weather, mobility, ticketing, presences, POI, ...











Environment, waste, land, etc., domain (2024/8)

- Goals:
 - Reduction of emissions and EC taxations
 - Cost Reduction for waste collection, reduction of waste collection impact on mobility
- Solutions for Operation (monitoring, managing, mobile apps, digital signages, control rooms)
 - Monitoring emissions, weather, waste, water, etc.: sensors, traffic, flows,
 - Early detection/warning of critical conditions on *emissions, weather, waste, water, fire, animals, ...*
 - Early detection/warning of critical conditions for landslides, water flooding, beach
 - Smart Waste Management: bins/lockers, waste collection daily plan, pay as you throw, PAYT, etc.
 - Short terms prediction of emissions: CO2, NO2, etc.
 - Production of suggestions, nudging
 - Computing and predicting of long terms KPI indicators of the European Commission
- Solutions for Planning (optimization and what-if analysis)
 - Identification of main CO2/NO2 emissions locations in the city, total production from traffic
 - Reduction of Pollutant Emissions, via optimization: semaphore cycles, viability
- Algorithms and computational solutions, see next slide





Environment and Quality of Life

Air Quality Predictions

Multiple Domain Data

- Traffic Flow data, Pollutant: NOX, CO2, PM10, PM2.5, O3,
- 3D City structure, weather, ...

Multiple Decision Makers


- Pollutant Predictions: NOX, NO2, ...
- City officers, energy industries
- Dashboards, What-IF analysis
- Traffic Flow Reconstruction

Historical and Real Time data

- Billions of Data
- Services Exploited on:
 - Dashboards, Mobile App
- Since 2020

Cities of:

Firenze, Pisa, Livorno













Prediction

- NOX Pollutant diffusion on the basis of Traffic Flow (prediction), weather and 3D structure
- NO2 progressive average (Long term)

Project:

- Trafair CEF EC
- Mixed solutions of Fluidinamics modeling and Al



















(a)

Predicting Land slides





Dashboards and

Mobile Apps

E. Collini, L. A. I. Palesi, P. Nesi, G. Pantaleo, N. Nocentini and A. Rosi, "Predicting and Understanding Landslide Events with Explainable AI," in IEEE Access, doi: 10.1109/ACCESS.2022.3158328










Estimating City Local CO2 from Traffic Flow Data



Traffic Flow is one the main source of CO2 (ton of CO2 x Km x Vehicle)





K1: Fluid Flow

K2: Stop and Go

Dense estimation of CO2 into the city is very useful to know to target EC's KPIs

Computing CO2 on the basis of traffic flow data



CO₂ estimation

Traffic Flow data

S. Bilotta, P. Nesi, "Estimating CO2 Emissions from IoT Traffic Flow Sensors and Reconstruction", Sensors, MDPI, 2022. https://www.mdpi.com/1424-8220/22/9/3382/










Predicting EC's KPI on NO2 months in advance


Deep Learning Long Terms Predictions of NO2 mean values, From 30 to 180 days in advance

- The features used as input for the predictive models are:
- Month
- dayOfTheYear
- NO2
- Tmean
- Humidity
- windMean
- **NoxDomestic**
- numberOfVehicles
- NO2cumulated
- NO2progresseveMean
- numberOfVehiclesCumulated









	Air Quality Directive			WHOguidelines	
Pollutant	Averaging period	Objective and legal nature a concentration	and Comments	Concentration	Comments
PM _{2.5}	One day			25 μg/m³ (*)	99 th percentile (3 days/year)
PM _{2.5}	Calendar year	Target value 25 ug/m³	The target value has become a mit value since 1 January 2015	10 μg/m³	
PM ₁₀	One day	Limit value, 50 μg/m³	Not to be exceeded on more than 35 days per year.	50 μg/m³ (*)	99 th percentile (3 days/year)
PM ₁₀	Calendar year	Limit value, 40 µg/m³ (*)		20 μg/m³	
O ₃	Maximum daily 8–hour mean	Target value, 120 μg/m³ th	Not to be exceeded on more nan 25 days per year, averaged over three years	100 µg/m³	
NO ₂	One hour	Limit value, 200 µg/m³ (*)	Not to be exceeded more than 18 times a calendar year	200 µg/m³ (*)	
NO ₂	Calendar year	Limit value, 40 μg/m³		40 μg/m³	


Waste Collection Optimization







100



Smart Energy

TWITTER
VIGILANCE SOCIAL
MEDIA ANALYSIS



DAT ANI KNO MAI

















SNAP4city WALLEY


• Goals:


City Energy and Buildings

- Energy consumption reduction, increment of efficiency,
- Areas and building sustainability
- Improve accessibility to services, security and safety
- Energy Monitoring: Building, floors, rooms, recharging poles, cabinets, Community of Energy, Data centers, Energy for Hot / cold, air condition, energy vs temperature and usage, etc.
- **Energy Management:** Predictions, early warning, identification of critical conditions
- Smart Light Management: LED/mixt, cabinets, lights vs traffic, lights vs security, energy saving, luminaries profiling, group management.
- Smart Building Management: consumption, number of people, etc.
 - Communities of Energy, Photovoltaic plants, sustainability
 - What-if analysis, optimisation tools
- KPI: Energy consumption, efficiency, pros/cons
 - Light profiling and adaptation
 - Autoclave industrial plants simulation, Photovoltaic plant simulation
 - consumption / usage, energy vs temperature
- Mobile App: monitoring, info-recharge, eSharing, booking, ...
- Participatory: problem reporting, ticketing, etc.
- Integration of any kind









Snap4City (C), November 2024



Smart Light Control of CAPELON






- Energy Domain
 - Smart Light, MQTT,
 - IoT Orion Broker FIWARE
- Dashboards
 - Map coverage on Sweden
 - Monitoring and real time control
 - Energy control, analytics
 - Direct control
- Historical and Real Time data
- Services Exploited on:
 - Multiple Levels, API
 - Dashboards
- Since 2020







Snap4City (C), November 2024

SCALABLE SMART ANALYTIC APPLICATION BUILDER FOR SENTIENT CITIES




























DISIT DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB DISTRIBUTED DATA INTELLIGENCE AND TECHNOLOGIES LAB Smart Building SNAP4city AND TECHNOLOGIES LAB
















Buildiings Floors, etc.


Ispra Floor, Zone And Room Details





SCALABLE SMART ANALYTIC APPLICATION BUILDER FOR SENTIENT CITIES





booklets

Smart City





https://www.snap4city.org /download/video/DPL_SN AP4CITY.pdf Industry





https://www.snap4city.org/download/video/DPL SNAP4INDUSTRY.pdf

Artificial Intelligence





https://www.snap4city.o rg/download/video/DPL SNAP4SOLU.pdf











INDUSTRY







European Union NextGenerationFU













CAI4DSA



TOURISMO



CITY



























CAPELON



E ARDD



uni systems







FREE

TRIAL



Passed

























AP4CITY THE W OF THE

MINISTRATORS



