

www.snap4city.org www.snap4solutions.org











Al Digital Twin Platform to set-up Sustainable Decision Support Systems Business Intelligence


> #snap4city #km4city #disitlab @snap4city

Context and Life Cycle



Accelerating










Main Activities of Design



- Data Discovery: Ingestion, gathering, interoperability, discovery, modeling, aggregation, mapping → digital twin modeling
- **Data Processing**: transformation, interoperability; computing Indexes, KPIs and benchmarks, ...
- **Data Analytic**: statistic, predictions, classification, anomaly detection, simulations, optimization, routing, ML, Al, XAl, HPC, ...
- **User Interface:** dashboards, web pages, business intelligence, visual analytics, what-if analysis, business logic, mobile applications.









Phases' Coverage

Data Data Data Data Data Data Visual Data Identifica Gatherin Visualizat Storage, search Aggreg. Analysis **Analytics** Process. Retrieval tion semantic ion g

what	Identi ficati on	Gatheri ng	Comple x data types	Aggrega tion	Storage (seman tic)	Efficient Retrieval	Semantic Modeling, query	Data Analytics (micro, marco)	Scenarios context	Artificial Intelligen ce	Data renderin g	Real Time Dashboar d	Event Driven data rendering
GeoServer					(x)						(x)	(x)	
GIS			(x)					(micro)			Х		
PowerBI						Х		(x)			Х	X	
Tableau					X	X		(x)			X	x	
Snap4City	X	X	X	X	X	Х	х	Х	X	X	X	X	X

SCALABLE SMART ANALYTIC APPLICATION BUILDER FOR SENTIENT CITIES













Public Spaces as Critical Infrastructures

- The City is a system of systems for city users
 - Cascading effects
- Transport networks
 - Main means for rescue teams, food, water, etc.
- Communication, ICT infrastructure
 - TV cam, switches, cyber,
- Energy networks
 - power supply for health, cyber systems, etc.
- Hospitals networks
- Aggregation areas



https://www.snap4city.org/download/video/DPL SNAP4SOLU.pdf





Main Tasks





- Monitoring via KPI
- Computing predictions data from the field and KPI
- Anomaly detection
- Early warning on critical conditions

Making plan: tactic and strategic, medium and long range

Optimisation: Prescriptions, suggestions

Risk assessment

What-if analysis on scenarios

Simulation and predictions

- Resilience
- Be ready for Unexpected Unknows



Tactical

Big picture and Long-term focused (2 to 5+ years)

Vision, Mission, Why, Policies and Direction

Executive-management

What is the right direction for the company?

- Short-term focused (3 months to 2 years)
 - Focused on specific business department
 - Middle-management
 - What activities to be planned in strategic alignment?



- Focused on day-to-day running
- Detail level processes for specific outcomes
- Execution by teams and managers
- Are we acting in alignment with strategy?







Digital Twin


SNAP4CITY

Digital Twin

- Connected with real systems
- Modelling aspects: structural, visual, informative, real time data sensors (context), POI, functional, resources, etc.
- Analytics: AI/XAI techniques, simulations, users' needs, etc.
- Easier to understand the context, review from multiple points of view
- Useful to perform
 - Discussion with city users
 - Support decision makers
 - By Case Experiments for analysing
 - New solutions, impact of disaster (natural and provoked)
 - Reduction of costs in the analysis, in reduction of mistakes














Snap4City (C), January 2024






Main tasks



- Controlling Status: management, and operational
 - Monitoring via KPI
 - Computing predictions vs KPI
 - Anomaly detection
 - Neuro-Symbolic analysis
 - Risk assessment
 - Early warning on critical conditions
- Making plan: tactic and strategic, medium and long range, micro/macro
 - Simulation & predictions
 - Generative Al Prescriptions, scenarios
 - Resilience to Unexpected unknows
 - What-if analysis wrt scenarios











Complex Smart Applications

Recent solutions

- MaaS, sharing, evolution of info-mobility
- Connected and Autonomous Vehicles/solutions
- Integrated Energy & Environmental applications
- Etc.

Most of them share the same modules, differently implemented and combined, but the same modules

- Real time data gathering and derived info distribution
- Predictive and/or simulative models, on edge or cloud
- Data gathering + monitoring + plan + rendering: dashboard, visual analytics, mobile apps












From data to higher level information: Mob.Dom.





DISIT DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB SINCE THE STATE OF THE STAT







FREE TRIAL




















Smart Solutions and Decision Support Systems





DASHBOARDS, WIDGETS
TEMPLATES

PEOPLE FLOWS - SDG - 15 MIN CITY INDEX - KPI - HEATMAPS - ORIGIN DESTINATION - ETC...

API - MICROSERVICES - GIS - BPM VIDEO - REPORTS - MAPS - 3D ...







VISUAL PROGRAMMING, ADAPTERS DATA FLOWS, WORKFLOWS PARALLEL DISTRIBUTED PROCESSING EVENT DRIVEN Native and External Smart Applications

Mobility & Transport

Light & Energy

Waste Building Environment Tourism

Asset Management

Security and Safety

Social Media





https://www.Snap4City.org














11 running installations in Europe

- Snap4.city.org, Greece, Merano, ...
- Toscana, Pisa, Sweden, ISPRA, Snap4.eu,
- Altair, Italmatic, Sweden, Romania,
- 16 projects, 12 pilots on 10 Countries
 - >40 cities/area

Widest MULTI-tenant deploy has


- 19 Organizations / tenant
- > 8000 users on
- > 1600 Dashboards
- > 16 mobile Apps
- > 2.2 Million of structured data per day
- > 520 IoT Applications/node-RED
- > 700 web pages with training
- > 70 videos, training videos



- Antwerp area (Be)
- Bologna (I)
- Brasov (Ro)
- Capelon (Sweden: Västerås, Eskilstuna, Karlstad)
- DISIT demo (multiple)
- <u>Dubrovnik, Croatia</u>
- Firenze area (I)
- Garda Lake area (I)
- Greece (Gr)
- · Helsinki area (Fin)
- Livorno area (I)
- Lonato del Garda (I)
- Merano (I)
- Modena (I)
- Mostar, Bosnia-Herzegovina
- Oslo & Padova (Impetus)
- Pisa area (I)
- Pistoia (I)
- Pont du Gard, Occitanie (Fr)
- Prato (I)
- Roma (I)
- Santiago de Compostela (S)
- Sardegna Region (I)
- Siena (I)
- SmartBed (multiple)
- Toscana Region (I), SM
- Valencia (S)
- Venezia area (I)
- WestGreece area (Gr)



+ Israel, Colombia, Brasile, Australia, India, China, etc.



Standards and Interoperability (6/2023)

SNAP4city

Compliant with:

- IoT: NGSI V2/LD, LoRa, LoRaWan, MQTT, AMQP, COAP, OneM2M, TheThingsNetwork, SigFOX, Libelium, IBIMET/IBE, Enocean, Zigbee, DALI, ISEMC, Alexa, Sonoff, HUE Philips, Tplink, BACnet, TALQ, Protocol Buffer, KNX, OBD2, Proximus, ..
- **IoT model:** FIWARE Smart Data Model, Snap4City IoT Device Models
- **General**: HTTP, HTTPS, TLS, Rest Call, SMTP, TCP, UDP, SOAP, WSDL, FTP, FTPS, WebSocket, WebSocket Secure, GML, WFS, WMS, RTSP, ONVIF, AXIS TVCam, CISCO Meraki, OSM, Copernicus, The Weather Channel, Open Weather, OLAP, VMS,
- Formats: JSON, GeoJSON, XML, CSV, GeoTIFF, OWL, WKT, KML, SHP, db, XLS, XLSX, TXT, HTML, CSS, SVG, IFC, XPDL, OSM, Enfuser FMI, Lidar, glTF, GLB, DTM, GDAL, Satellite, D3 JSON, ...
- Database: Open Search, MySQL, Mongo, HBASE, SOLR, SPARQL, ODBC, JDBC, Elastic Search, Phoenix, PostGres, MS Azure, ...
- Industry: OPC/OPC-UA, OLAP, ModBUS, RS485, RS232,...
- Mobility: DATEX, GTFS, Transmodel, ETSI, NeTEx, ...
- Social:Twitter, FaceBook, Telegram, ...
- Events: SMS, EMAIL, CAP, RSS Feed, ...
- OS: Linux, Windows, Android, Raspberry Pi, Local File System, AXIS, ESP32, etc.

























https://www.snap4city.org/65







Expert System semantic queries






• via:

 Smart City API for Apps and third party

 MicroServices data driven develop via visual language Node-RED



https://www.snap4city.org/19





Km4City Ontology elements 1.6.7


- Km4C: Km4City 1.6.7
- Using
 - DCTERMS: for metadata Dublin Core Metadata Initiative
 - FOAF: friends of a friends
 - Good Relation: entities relationships
 - iot-lite: IOT Vocabuary
 - OTN: Ontology of Transportation Networks
 - OWL-Time: time reasoning
 - SAREF Smart Appliances REFerence extension for building devices available at https://saref.etsi.org/saref4bldg/
 - Schema.org for people and organizations
 - SSN: Semantic Sensor Network Ontology (see https://www.w3.org/TR/vocab-ssn/
 - WGS84 Datum of Geo-Objects
 - GTFS, General Transit Feed Specification, and Transmodel, for public transport infrastructures: lines/rides time schedules, real-time records, paths, etc.;

Federation of Smart City Services



Knowledge Base
Semantic Reasoners





Node b

Seamless for multiple

Mobile Apps

Maart ty API Node C

• Super:

Smart City API

- distributed access and sharing services
- Each city control its own data
- Final user can pass from one city / area to another in seamless manner: without changing the mobile Apps

Smart City API

Smart City API

Smart City API

Time Series

Smart City API

Area 4b

Time Series

Independent service

Smart

City API

Time Series

Area 2b

Area

2a

High Level Types


Snap4City (C), January 2024

- POI, IOT Devices, shapes,...
 - FIWARE Smart Data Models,
 - IoT Device Models
- ▼ GIS, maps, orthomaps, WFS/WMS, GeoTiff, calibrated heatmaps, ...
- Satellite data, any kind...
- traffic flow, typical trends, ...
- trajectories, events, Workflow, ...
- ✓ 3D Models, BIM, Digital Twins, ...
- OD Matrices of several kinds, ..
- Dynamic icons/pins, ..
- Synoptics, animations, ...
- KPI, personal KPI,...
- social media data, TV Stream,
- ✓ routing, multimodal, constraints, ...
- **∀**decision scenarios,
- etc. 10/22









Ingestion, aggreg. > exploitation











- IoT App Visual Programming, no coding
 - P Data transformation
 - Integration, Interoperab.
 - Scripting Data Analytics
 - Data ingestion
 - Business logic 55
- Edge and Cloud
- MicroServices data driven develop via visual language Node-RED








Solutions: reliable, secure and fast to realize

SNAP4CITY KM 4 CITY


- Via Snap4City tools
 - Dashboard Wizard
 - Dashboard Builder
 - Data/Visual Analytic
- Smart Solutions results to be
 - Real time data drive
 - Secure end-to-end
 - GDPR compliant
 - Reliable, interoperable
 - Auditable, marketable




























Snap4City (C), January 2024










Smart City Digital Twin



City Digital Model with...

- Intuitive platform
- Any Data TYPE, any data source, any protocol
- Data storage seamless
- → Data analytics → artificial intelligence, AI/XAI
- Data Ethics, AI Ethics, GDPR
- Data Representation, any kind
- Key Performance Indicators, any kind
- What-IF analysis Simulation, prediction, 2D/3D
 - Micro, Meso e macro scales
 - Operation, planning tactic and strategic
 - Collaborative and shared representation
 - Sustainable, shared, open source 100%


Complex and heterogeneous information, interoperability

- GIS, ITS, AVM, IoT, BIM, CKAN, etc.
- Satellite services
- o MaaS, last-mile delivery HUBs
- o etc.


















Layers vs Fusion Layers







SCALABLE SMART ANALYTIC APPLICATION BUILDER FOR SENTIENT CITIES









Monitoring



- Controlling Status: management, and operational
 - Monitoring via KPI
 - Computing predictions and KPI
 - Anomaly detection, Early warning
 - Control Rooms, situation rooms
- Reacting: Computing in real time
 - Changing semaphore maps
 - Changing Dynamic signage
 - Real time Info Mobility
 - User engagement via Mobile Apps
 - What-if analysis
 - oetc.,





Key Performance Indicators, KPI








	0	13 comer (14)	LIFE MALES WATER	15 #Lw	16 PORE ASSESSMENT ASS	17 1998000	sus bev G
		Air Qu	WHOguid	lelines			
Pollutant	Averaging period	Objective and legal natu concentration	ire and	Concentration	Comments		
PM _{2.5}	One day				25 µg/m³ (*)	19th percentile (3 days/year)	
PM _{2.5}	Calendar year	Target value, 25 µg/m³		value has become a since 1 January 2015	10 μg/m³		
PM ₁₀	One day	Limit value, 50 μg/m³	Not to be than 35	50 μg/m³ (*)	19th percentile (3 days/year)		
M ₁₀	Calendar year	Limit value, 40 μg/m³	(*)		20 μg/m³		

8-hour mean

 United Nations Sustainable Development Goals, **SDGs** (for which cities can do more to achieve some of the 17 SDGs, https://sdgs.un.org/goals);



• objectives of the European Commission in terms of pollutant emissions for: NO2, PM10, PM2.5 (https://environment.ec.europa.eu/topics/air en);

- SUMI: mobility and transport vs env
 - https://www.snap4city.org/951
- SUMP/PUMS: mobility and transport vs env.
- ISO indicators: city smartness, digitization, tech level.
- Low Level/Real Time: global traffic, quality of service, betweenness, centrality, queue, time to travel, etc.





Periodic

15MinCityIndex

What would support my neighborhood to become a 15-Minute City?


Using the Open Data:

We developed a data analytic tool based on municipal and national open data to assess services adequacy for people living in each 15 minutes areas of the city.

Good public transport services: bus, new tram line, train stations, cycle paths.




Careggi/Rifredi is a relevant district in Florence because of hosting the main Florence/Tuscany hospitals Careggi and Meyer, but also university headquarters and many other workplaces.



The tool supports the becoming of a 15-Minute city evaluating the service level in various domains.





https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjkzOA==


Snap4City (C), January 2024

15MinCityIndex on Bologna






















Smart City Control Room Florence Metropolitan City





Multiple Domain Data

- Thousands of Open/Private data, POI, IOT, etc.
- mobility and transport: accidents, public transport, parking, traffic flow, Traffic Reconstruction, KPI, ...
- AND: environment, civil protection, gov KPI, covid-19, social & social media, people flow, tourism, energy, culture, ...

Multiple dash/tool Levels & Decision Makers

Real Time monitoring, Alerting, quality assess.

Predictions, KPI, DSS, what-if analysis

Historical and Real Time data

Billions of Data

Services Exploited on:

Multiple Levels, Mobile Apps, API

Since 2017































DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB PACITY SYSTEM THIS PROPERTY OF THE PROPERTY



- **Smart Decision Support System** based on System Thinking plus
- Actions to city reaction, resilience, smartness, ...
- **Enforcing Mathematical model** for propagation of decision confidence..
- Collaborative work, ...
- Processes connected to city data: DB, RDF Store, Twitter, etc.
- Production of alerts/alarms
- Data analytics process
- **Twitter Processes**
- reuse, copy past, ...










- Supports the definition of the Decision Tree Model, DTM, in terms of System Thinking, with Italian Flag and combinations
- Allows the statistic composition of subDecisions probabilities
- Generating a DTM as an IoT App,
- IoT Apps with DTM can
 - be customized
 - compute root values in real time in any context: location, parameters, etc.
 - Single DTM root value can be produced on Dashboard
 - Several DRM root values can be represented on dashboard as heatmaps for Green/White/Red values






























Venaria Reale




























Traffic Flow Tools

Spire and Virtual Spires (cameras), Bluetooth, ...
Specifically located: along, around, on gates, on x...




Snap4City (C), January 2024



Firenze - Trafair - AirQuality Heatmaps

This dashboad contains data derived from actual sensors and predictive values under validation

Mon 6 Apr 15:12:27














Traffic Flow Monitoring - Firenze - Cloned2

Wed 11 Nov 15:01:32














Short-Term Prediction of City Traffic Flow via Convolutional Deep Learning

INPUT












Conv1d + Max Pooling




Urban data:

- Date-time
- Traffic
- Temporal
- Seasonality
- Pollution
- Weather





CONV-BI-LSTM










Dense Traffic Flow Reconstruction?


- Making decision on mobility and transport solutions
 what if analysis
- Controlling pollution
- Dynamic Routing for Firebrigade, Ambulances, general public
- Planning Public
 Transportation routing







Hybrid Traffic Flow reconstruction










Comparisong among different NN solutions




RF resulted the best in increase the precision of TFR in the network Resulting MAE close to 0.1















What-If Analysis SNAP4city SNAP4city







Accidents and elements blocking Points and Shapes taken into account for:

- Routing
- Traffic Flow reconstruction
- Evacuation paths
- Rescue team paths

Assessment on the basis of changes:

- Mobility demand assessment
- Mobility Offer assessment

















Constrained Dynamic Routing: Traffic Flow














Constrained Dynamic Routing: Traffic Flow
















Deep Learning AI to surely Park!














Deep Learning for Short-Term Prediction of Available Bikes on Bike-Sharing Stations




































Snap4ISPRA Parking: ISPRA JRC



Smart City / Smart Parking + Environment

Reverberi, Lonato del Garda





DINFO DISIT C'SNAP4CITY



Smart Parking, Environment, Wi-Fi

Multiple Decision Makers

- City Officer, operators
- Data monitoring, alerting
- analytics

Historical and Real Time data

- Dashboards
- Services Exploited on:
 - Dashboards, API
- Since 2019
























EAQI Heatmap and sequence




















Early Warning, Detection




















Predicting Land slides







E. Collini, L. A. I. Palesi, P. Nesi, G. Pantaleo, N. Nocentini and A. Rosi, "Predicting and Understanding Landslide Events with Explainable AI," in IEEE Access, doi: 10.1109/ACCESS.2022.3158328.









Comparing Predictive Model/architectures

TempSIR

Latitude

Humidity

PrecipSIR

velSIRFre


MaxTemperature

LevelSIRldr

Model	XGBoost	RF	CNN	Auto encoder	SIGMA
MAE	0.000173	0.000334	0.000600	0.009218	0.004169
MSE	0.000173	0.000334	0.000259	0.009218	0.004169
RMSE	0.0131	0.0182	0.0160	0.0960	0.064572
Accuracy	0.99	0.99	0.99	0.99	0.99
Sensitivity	0.79	0.36	0.24	0.19	0.06
Specificity	0.99	0.99	0.99	0.99	0.99
TSS	0.78	0.35	0.23	0.18	0.05
PfA	0.01%	0.02%	0.01%	0.11%	0.39%
Precision	0.63	0.35	0.33	0.64	0.003
F1 score	0.70	0.36	0.27	0.29	0.007
MCC	0.70	0.36	0.28	0.35	0.01
OA	2.40	1.72	1.55	1.64	1.02
Карра	0.70	0.36	0.27	0.29	0.01
AUC	0.89	0.68	0.99	0.92	0.53

Day15
Day17
Longitude
Temprerature
Day30
VelMedSIR
VelMaxSIR
WindSpeed
MinTempSIR
Altitude
Vegetation
MinTemperature

0.0 0.2 0.4 0.6 0.8
Mean(|SHAP value|)



Global Explainable Al

- Feature relevance

Red: positive, blue: negeative;

vs intensity and impact

1 00





Local Explainable AI - understanding the single event

- The local explanation puts in evidence the features which provided major contribution to the prediction
- For example considering
 Figure 10a, the value of
 VelMaxSIR, MaxTempSIR, Day3
 and Humidity contributed
 significantly to the classification of
 the observation as a landslide
 event




FIGURE 10. Local feature relevance via SHAP, as interpretation of events in terms of feature values: (a) and (b) are events with predictions of landslide, (c) a no landslide event.





DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB



ARCHITECTURE AND

on - . Lulullandad antiditional

FIGURE BEAUTON ON THE PROPERTY OF THE PROPERTY

Opperarication adomtion

FROM CITY DASHBOARD TO APPLICATIONS



SNAP4CITY AND KM4CITY PROJECTS












Snap4City (C), January 2024





100

- Prediction of people flows on the basis of Wi-Fi data
- Anomaly detection
- Resolute H2020
- Classification of city areas



SNAD CITY KM 4 CITY Characterizing City Areas

Pirenze Wi-Fi: Access Points Clusters Coverage Map

DISIT - Distributed Systems and Internet Technologies Lab Firenze - Saturday November 12 2016 19:16:33 **Predicting City Areas Crowd level** characterizing Users' Behaviors Wi-Fi based APs: APs (saturday): APs (sunday): Prediction resolute
















A view and data from the Thermal Camera





















People Counting and Tracking

























SUSTAINABLE CITIES AND COMMUNITIES

Monitoring Passages AXIS Q1952



Genova: Ocean Race, 2023















VMS vs Snap4City: sending and getting events, AI solutions


















Event Management







DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB DISTRIBUTED DATA INTELLIGENCE AND TECHNOLOGIES LAB



Engiscing via Mobile Applies.

FROM CITY DASHBOARD TO APPLICATIONS

> DATA AND KNO MAN






SNAP4CITY AND KM4CITY PROJECTS









Citizen Engagement via Mobile Apps

KM 4 CITY

- GPS Positions
- Selections on menus
- Views of POI
- Access to Dashboards
- searched information
- (Routing
- /Ranks, votes
- Comments
- Images
- \ Subscriptions to notifications

Produced information

- Viewed?
- Accepted ?
- Performed?

• ..



Snap4City (C), January 2024



Derived information

- Trajectories
- Hot Places by click and by move
- Origin destination matrices
- Most interested topics \smile
- Most interested POI
 - Delegation and relationships
- Accesses to Dashboards
- Cumulated Scores from Actions
- Requested information
- Routing performed

....

Produced information

- Suggestions
- Engagements
- Notifications
- ..








User Behavior Analyser for Collective






















To propose suggestions and Engage city user

we need to know how they are moving














Feature relevance

Model	Extra Tree Model results			
features categories	Accuracy %	Precision %	Recall %	F ₁ Score
Baseline and GPS	91.0	68.2	75.1	0.714
Baseline and GPS + proximity	92.4	73.9	69.1	0.715
Baseline and GPS + proximity + Accelerometer	92.6	81.4	74.4	0.777
Baseline and GPS + proximity + Temporal window	94.9	80.5	78.7	0.787
Baseline and GPS + proximity + Accelerometer + Temporal window	95.3	82.7	86.9	0.847

Decision Support System:

DASHBOARD TO APPLICATIONS

Tommed Managrig open response and Tactiggrean Carchitecture and Architecture and Architecture and Constitution opening the construction of the con

Plans, via What-if Analysis takeholders









Snap4City What-If


- Decision support systems
- Improvement of life quality

Knowledge

Models

Scenarious

- Sustainable Solutions
- Reduction of costs
- Risk Assessment
- Resilience



Prepare

Decision Support System: neuro-symbolic reasoning targeting Indicators: Quality of Life, PUMS, SUMI, KPI, SDG, 15MinIndex,...

What-if Analysis

Snap4City (C), January 2024

Partial graph















15 Minute City Index:

 13 subindexes: energy, slow mobility, fast mobility, housing, economy education, culture and cults, health, entertainment, gov, food, security...



- Monitoring and Prediction of energy consumption
- Stimulating: Bike sharing, e-bikes, car charge, etc.



- Smart City infrastructure: monitoring and resilience, long terms predictions
- Effective and Low cost smart solutions
- What-if analysis, Simulations
- Origin Destination matrices computation



Monitoring and Predicting: NO2, NOX, CO2, Traffic flow, pollutant, landslide, waste, etc.

Traffic flow reconstruction

Demand vs Offer of Mobility analysis



- Industry 4.0 integrated solutions
- **Decisions Support Systems**
- Process optimization, control
- Predictive maintenance



- business intelligence tools for decision makers
- Reduction production costs
- Monitoring resource consumption
- Optimization of Waste Collection



- Shortening justice time
- Anonymization and indexing legal docs.
- Prediction of mediation proneness
- Ethical Explainable Artificial Intelligence

Snap4City (C), January 2024









Challenges vs Technologies

- DSS, Decision Support Systems, with multiple objectives:
 - Quality of life for citizens, improvements of services, cost reduction, innovation, attractiveness for tourists and/or industries and/or commercial activities, etc.
- provide the decision-making process with simulation tools integrated with short-, long- and very long-term prediction algorithms
 - → what-if analysis
 - Analyse *incipient events* to cope with events;
 - Analyse future situations for structural planning: tactics/strategic.
- Opportunities and needs
 - heterogeneous data (Big Data)
 - flexible, dynamic and interoperable models and analysis tools;
 - accessible for:
 - Operators, decision-makers, stakeholders;
 - citizens: illustrating and discussing possible solutions and development plans with them: cowork







Available AI Solutions on Snap4City

SNAP4city

- Mobility and Transport
- Environment, Weather, Waste, Water
- City Users Behaviour and Social analysis
- Energy and Control, Security,
- Tourism and People
- Security and Safety
- High Level Decision Support Solutions
 - Asset management
 - Resilience and Risks Analysis
- Low level Techniques

https://www.snap4city.org/download/video/course/p4/





https://www.snap4city.o rg/download/video/DPL SNAP4SOLU.pdf

Snap4City (C), January 2024





Mobility and Transport

- **Predictions** for: traffic flow, smart parking, smart bike sharing, people flows, etc. (ML, DL)
- What if analysis: routing, traffic flow, demand vs offer, pollutant, etc. (Simulation + ML)
- Traffic flow reconstruction from sensors and other sources (simulation + ML)
- Public Transportation: Ingestion and modelling of GTFS, Transmodel, NeTEx, etc. (DP)
 - Analysis of the **demand mobility vs offer transport** of according to public transportation and multiple data sources (Simulation)
 - Assessing quality of public transportation (analysis)
- Accidents heatmaps, anomaly detection (analysis, ML)
- Tracking fleets, people, via devices: OBU, OBD2, mobile apps, etc. (DP)
- Routing and multimodal routing (multistop travel planning), constrained routing, dynamic routing (DA)
- Computing Origin Destination Matrices from different kind of data (analysis, DP, DP)
- Computing typical trajectories on the basis of tracks (analysis, ML)
- Computing Messages for Connected drive (DP)
- Slow and Fast Mobility 15 Minute City Indexes (analysis, DP, ...ML)
- Computing and comparing traffic flow on devices and at the city border (analysis)
- Typical time trends for traffic flow and IoT Time series. (analysis, ML)
- Impact of COVID-19 on mobility and transport
- Computing SUMI, PUMS, etc. (mainly DP)
- Definition of Scenarios: traffic, road graph, conditions, etc.

121











Tactic and/or Strategic Planning

Correction of road graphs which is present on OSM











OSM data with non clear double bidirection lane on Viale Redi, Florence.
Editing OSM data and present Tiles

After Corretion of OSM data defining a clear double bidirection lane on Viale Redi, Florence. Regeneration of the TILEs for the maps



DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB


OSM data with non correct viability in Piazza Dalmazia, Firenze





After Correction of OSM data defining a correct viability of Piazza Dalmazia, Florence. Regeneration of the TILEs for the maps













Micro Simulation














ODM, Traffic Flow



https://www.snap4city.org/dashboardSmartCity/view/Gea-Night.php?iddasboard=Mzk3Nw==
































Decision Support Systems, What-if

Snap4City (C), January

Event planning, via what-if analysis


- Change in the graph structure of the city
- Impact on the flow of people and vehicles
- Adaptation: public transport, traffic, pedestrian management, etc.


Immediate reaction to natural events or not

- Everything is ready and updated in real time
- Each view is contextualized in terms of data: descriptive and prescriptive

Digital Twin

- More detail in the context integrated data
- Greater realism in deductions and representations
- Less fragmentation and non-uniformity in the views to support decisions
















What-if: Simulation for Traffic Flow

At the same color corresponds the same area:










What-if







What-if Analysis on Pub Transport











Definition of scenarious impact on

• Traffic, Pollutant, parking, public transport, private flows, etc.

KPI analysis

Public Services





Snap4City (C), January 2024 Snap4City (C), May 2022




DINFO
DIPARTIMENTO DI
INGEGNERIA
DELL'INFORMAZIONE

DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB













Environment and Weather

- Pollutant Predictions: short, long and very long term European Commission KPIs
 - NOX, PM10 pollution on the basis of traffic flow, 48 hours (ML, AI, DL)
 - Cumulated NO2 average value over the year, (ML, AI, DL)
- Computation of CO2 on the basis of traffic flows (DP), computing emission factor (DA)
 - each road for each time slot of the day
- Prediction of MicroClimate conditions for diffusion (ML, AI)
 - NO2, PM10, PM2.5, etc.
- Prediction of landslides, 24 hours in advance (AI, DL)
- Heatmaps production, dense data interpolation (DP) for
 - Weather conditions: temperature, humidity, wind, DEW
 - Pollutants and Aerosol: NO, NO2, CO2, PM10, PM2.5, etc.
- Impact of COVID-19 on Environmental aspects (DP)
- Optimisation of waste collection schedule and paths (DP, ML)
- Computing SDG, SUMI, PUMS, .. (mainly DP)
- Etc.

Environment and Quality of Life

Air Quality Predictions

Multiple Domain Data

- Traffic Flow data, Pollutant: NOX, CO2, PM10, PM2.5, O3,
- 3D City structure, weather, ...

Multiple Decision Makers


- Pollutant Predictions: NOX, NO2, ...
- City officers, energy industries
- Dashboards, What-IF analysis
- Traffic Flow Reconstruction

Historical and Real Time data

- Billions of Data
- Services Exploited on:
 - Dashboards, Mobile App
- Since 2020


















Prediction

- NOX Pollutant diffusion on the basis of Traffic Flow (prediction), weather and 3D structure
- NO2 progressive average (Long term)

Project:

- Trafair CEF EC
- Mixed solutions of Fluidinamics modeling and Al












Estimating City Local CO2 from Traffic Flow Data



Traffic Flow is one the main source of CO2

K1: Fluid Flow


K2: Stop and Go

Dense estimation of CO2 into the city is very useful to know to target EC's KPIs

Computing CO2 on the basis of traffic flow data







CO₂ estimation

Traffic Flow data

S. Bilotta, P. Nesi, "Estimating CO2 Emissions from IoT Traffic Flow Sensors and Reconstruction", Sensors, MDPI, 2022. https://www.mdpi.com/1424-8220/22/9/3382/










Predicting Air Quality

- European Air Quality Directive
- Predicting critical days
 - PM10 with an accuracy of more than 90% and precision of 85%;
 - PM2.5 with an accuracy of 90% and precision greater than the 95%.
- Simulating Long terms values
 - For long terms predictions

		Air Quality Directive		WHOguidelines	
Pollutant	Averaging period	Objective and legal nature and concentration	Comments	Concentration	Comments
PM _{2.5}	One day			25 μg/m³ (*)	99 th percentile (3 days/year)
PM _{2.5}	Calendar year	Target value 25 ug/m³	target value has become a value since 1 January 2015	10 μg/m³	
PM ₁₀	One day	Limit value 50 ug/m ³	t to be exceeded on more than 35 days per year.	50 μg/m³ (*)	99 th percentile (3 days/year)
PM ₁₀	Calendar year	Limit value, 40 μg/m³ (*)		20 μg/m³	
O ₃	Maximum daily 8–hour mean		t to be exceeded on more 25 days per year, averaged over three years	100 μg/m³	
NO ₂	One hour	Limit value 200 ug/m^3 (*)	to be exceeded more than 8 times a calendar year	200 μg/m³ (*)	
NO ₂	Calendar year	Limit value, 40 µg/m³		40 μg/m³	












Predicting EC's KPI on NO2 months in advance

Deep Learning Long Terms Predictions of NO2 mean values, From 30 to 180 days in advance


- The features used as input for the predictive models are:
- Month
- dayOfTheYear
- NO2
- Tmean
- Humidity
- windMean
- NoxDomestic
- numberOfVehicles
- NO2cumulated
- NO2progresseveMean
- numberOfVehiclesCumulated







Snap4City (C), January 2024



		Air Qua	WHOguidelines		
Pollutant	Averaging period	Objective and legal nature concentration	and Comments	Concentration	Comments
PM _{2.5}	One day			25 μg/m³ (*)	99 th percentile (3 days/year)
PM _{2.5}	Calendar year	Target value, 25 μg/m³	The target value has become a limit value since 1 January 2015	10 μg/m³	
PM ₁₀	One day	Limit value, 50 μg/m³	Not to be exceeded on more than 35 days per year.	50 μg/m³ (*)	99 th percentile (3 days/year)
PM ₁₀	Calendar year	Limit value, 40 μg/m³ (*)		20 μg/m³	
O ₃	Maximum daily 8–hour mean	Target value, 120 µg/m³	Not to be exceeded on more than 25 days per year, averaged over three years	100 µg/m³	
NO ₂	One hour	Limit value, 200 µg/m³ (*	Not to be exceeded more than 18 times a calendar year	200 µg/m³ (*)	
NO ₂	Calendar year	Limit value 40 μg/m³		40 μg/m³	









Smart Buildings, Snap4Building


- Digital Twin for monitor, control and manage distributed infrastructures
 - 2D/3D representations of the whole set of buildings, BIM modeling
 - Entities (building, floors, rooms, parking, charging stations, gates, etc.) with their shapes and descriptors, and data monitoring the allocation to office, meeting, cafeteria, storage, stairs, elevator, etc.
- Monitoring and computing KPI on real time for
 - energy consumed or produced (hot/cold), parking, logistic, presences, cleaning, air quality, departments, subareas, maintenance, etc.
 - allocation/designation, dispositions, heating, cooling, temperature, equipment, etc.
 - grouped in Zones
















ISPRA JRC Site











Floor Details



ISPRA JRC Site

C'SNAP4CITY

Percentage Per Zones - Monthly Time Trend Comparison

Occupancy Per Zones - Monthly Time Trend Comparison Stacked

Capacity - Allocation - Occupancy








Energy

- Monitoring Energy Consumption in single building, area and per zone
- Matching Energy consumption with respect to the actual usage
- Computing Roof orientation for Photovoltaic installations
- Simulation of Photovoltaicc installations to identify the best parameters of size and storage
- Smart Light management, unicast and multi cast management, smart light controlled by traffic flow data
- Collecting and managing Communities of Energy
- Monitoring Energy provisioning on recharging station
- Optimization of battery life
- Computing KPI
- Etc.



Snap4City (C), January 2024

Smart Light in Merano










Merano - tutti i servizi

Wed 13 Dec 15:34:57







Snap4City (C), January 2024
















- Field-tested energy community: the selfconsumer condominium
- The Self User project creates in the pilot condominium, through the collection and analysis of data, a model for calculating and enhancing the impact of an energy community on a community of people, with a view to actions to combat energy poverty



https://www.selfuser.it










enel x

Energy monitoring and business intelligence







▲ - PV + battery 10kWh


PV + battery 15kWh








https://www.snap4city.org/dashboardSmartCity/view/Baloon.php?iddasboard=MzczNg==



2032

https://www.snap4city.org/944

















Development Life-Cycle

https://www.snap4city.org/download/video/Snap4Tech-Development-Life-Cycle-v1-1.pdf

From Snap4City:

- We suggest you to read the TECHNICAL OVERVIEW:
 - https://www.snap4city.org/download/video/Snap4City-
- https://www.snap4city.org
- https://www.snap4solutions.org
- https://www.snap4industrv.org
- https://twitter.com/snap4city
- https://www.facebook.com/snap4city
- https://www.youtube.com/channel/UC3tAO09EbNba8f2-u4vandg

Coordinator: Paolo Nesi, Paolo.nesi@unifi.it

DISIT Lab, https://www.disit.org DINFO dept of University of Florence, Via S. Marta 3, 50139, Firenze, Italy Phone: +39-335-5668674







Development


https://www.snap4city.org/d ownload/video/Snap4Tech-**Development-Life-Cycle.pdf**



Tech Arch








11/23

154







11/23



A&A, SSO, Blockchain, Resource Managers and Sharing: IoT App, Data Analytics, ...

09/23










Agile Development Life Cycle by sprint Smart Solutions




















https://www.snap4city.org/944

On Line Training Material (free of charge)





1st part	2nd part	3rd part	4th part	5th part	6th part	7th part	8th
Overview	Dashboards	IOT App, IOT Network	Data Analytics	Data Ingestion processes	System and Deploy Install	Smart City API: Web & Mob. App	Design and Develo Smart Solutions
SMADAGE STATE	C SNADACH STORM IN THE STORM IN	CERNAL Agen Comment in a State of State	CENADADE SOME SOME SOME SOME SOME SOME SOME SOM	CESASAM COMMENT OF THE PROPERTY OF THE PROPERT	SNAP4ON SOME PARTY STATE OF ST	CONADACY CONADA	CENADACE CONTROL OF A SHARE CONT
C'SHAPA'ON PARAMETER DE NOME D	C SNAMOT STATE OF THE PARTY OF	COMANAGE STATE OF THE STATE OF	CENANTON DE LOS DESCRIPTIONS DE LA SECULIA D	CHAMMER CONTRACTOR	SHAMAON STATE OF STAT	CENAMON STATE OF THE STATE OF T	COMMON TO STATE OF ST












Part 2: Dashboard production and management


Part 2: Dashboards production and management

SLIDES

Interactive Slides



- Recall on Snap4City Architecture
- Dashboards Purposes and Uses
- Main Data Kinds: data vs representations
- Dashboards Main Concepts and simple Widgets
- ¢reating a Snap4City Dashboard, wizard
- Multi Data Map Widget
- High Level Types, video, external services, synoptics
- Selector for the Multi Data Map Widget
- Data Inspector vs Data Processes Details
- Dashboard Management



Snap4City (C), January 2024









Visual Representations













Dashboard Builder: Development

















Synoptics

Dashboards Snap4City Wizard Dashboard features Data and widgets Мар Carmignano XX III (50) PARA A Firenze candicci Bagno a Ripoli Data sources All selected (55) ▼ All selected (315) ▼ All selected (47) ▼ All selected (10) ▼ All selected (776) ▼ Value Type Value Name Last Check **High-Level Type** Subnature Data Type Ownership Weather Forecast Previ_Meteo 2018-07-08 16:00:18 Environment Weather Forecast Previ_Metec 2018-07-08 16:00:18 Special Widget special weather public Weather Forecast public Weather Forecast Previ_Meteo 2018-07-08 16:00:18 Special Widget Environment special weather public Weather Forecast Previ_Meteo Vaglia Special Widget Environment special weather 2018-07-08 16:00:18 public Weather Forecast Special Widget Previ_Meteo 2018-07-08 16:00:18 public Weather Forecast Special Widget Environment Previ_Meteo Vagli di sotto 2018-07-08 16:00:18 public Weather Forecast Special Widget Environment 2018-07-08 16:00:18 public Hide columns **-** ♦ . Select the area of your interest: panning and zooming Select the High-Level Type Remove graphic aspect of your interest, or High Level Type of your interest, or Make a search if you a have a precise idea or Act on filters: nature, subnature, type, name, value, date, health, owner, ... Combine them as you like Select the lines of your interest

Then click on Next and get the Dashboard by wizard










Widget selection












Custom Widget / Synoptic / Development
Inkscape editor on your computer SVG







IOT Applications



Knowledge and Storage Data from the Field and City





Dashboard Collection

My Own Dash/App



Create, save a Custom Widget in SVG



Create, save, load, delegate, grant access

- Create and Load a Custom SVG
- Select/Reuse an SVG

Dashboard Editor

- Make and Instance of Synoptic by Associate Variables with MyKPI
- 4. Create on Dashboard a Widget based on Synoptic HLT such as Ext. Srv.:
 - https://www.snap4city.org/synoptic/v 2/synoptic.html?id=xxxx









Smart parking

Smart Energy

Smart Light

Smart

Begin

Finish

Energy View


Custom Controls

Total clicks

17:00

4:00

Special Custom Widgets











Part 3: IoT App, process logic, server side BL

Part 3: IOT App, Process Logic, Server Side Business Logic



Interactive Slides




- Recall on Snap4City Architecture
- Node-RED
- IOT App = Node-RED + Snap4City
 - IoT App === Proc.Logic
- Examples of IOT App for Smartening Solutions
- Exploiting/Generating data by using: IoT App/Proc.Logic
- External Service <-> IoT App/Proc.Logic
- Dashboards <-> IoT App/Proc.Logic
 - Server Side Business Logic
- training material

Tech Arch







11/23






Snap4Home



Historical Data, Remote Control, Mobile App





https://www.snap4city.org/620

Snap4City (C), January 2024










IoT Network







17





> time


DELL'INFORMAZIONE

DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB

Sept 2023 collection Two Snap4City Libraries









DELL'INFORMAZIONE

impulse -

button

numeric

keyboard

switch -

button

dimmer

form

gauge - chart

single -

content

speedometer

horizontal -

single - bar

vertical -

single - bar

web - content

time - trend

bar - series

radar - series

pie - chart

curved - line -

series

O


◐

Sept 2023 collection Two Snap4City Libraries











process



snap4all



Polygon

Snap4City (C), January 2024

https://flows.nodered.or g/search?term=snap4city

We suggest also to install:



> time










How the Dashboards exchange data









S4CSearch









ANY kind of sensors


- To Get DATA of a Service / POI /sensor
 - Historical and real time
 - Real Time




















distance from








Distance from GPS point

- coordinates
- Point $\mathbf{\hat{V}}$ is in Polygon?
 - Polyline as WKT












How the Dashboards exchange data









Nature







Note RED Q ther modes Scapicity - City app Flow 1 Interior In

From Dashboard to IOT App

IOT Application










Nature



Dashboard-IOT App

From IoT App to Dashboard














Part 5: Data Ingestion and Interoperability

Part 5: Data Ingestion and Interoperability

SLIDES

Interactive Slides



- When Solutions and tools for Data Ingestion and Interoperability are needed
- Overview of Snap4City Data Storage and Stack
- Knowledge Base: Modelling and Setting Up
- High Level Types vs Ingestion Process
- Data Ingestion Strategy and Orientation
- Ingestion of Points of Interest with POI Loader
- Models vs Devices/Entities and Registration
- Verification of Data Ingestion
 - Digital Twin Data Inspector vs Data Processes Details
 - My Data Dashboard Dev to assess data on Open Search Storage
- An Integrated Example for Time Series
- Entities Ingestion with Data Table Loader
- High Performance Ingestion via Python
- FIWARE Smart Data Models on Snap4City
- Ingestion of MyKPI with Proc.Logic / IoT App

High Level Types

Snap4City (C), January 2024


- POI, IOT Devices, shapes,...
 - FIWARE Smart Data Models,
 - IoT Device Models
- GIS, maps, orthomaps, WFS/WMS, GeoTiff, calibrated heatmaps, ...
- Satellite data, ..
- traffic flow, typical trends, ...
- trajectories, events, Workflow, ...
- 3D Models, BIM, Digital Twins, ...
- OD Matrices of several kinds, ...
- Dynamic icons/pins, ..
- Synoptics, animations, ..
- KPI, personal KPI,...
- social media data, TV Stream,
- routing, multimodal, constraints,
- decision scenarios,






























Entity/IoT Directory





Entity / Device Data Model (2)

















Checking data ingestion results

Knowledge base KM 4 CITY Semantic reasoners

- **Data Inspector**
- ServiceMap, SCAPI
 - LOG / LOD viewer
 - Super Service Map
- **IOT** Directory
- SCAPI: Swagger
- **IOT Broker**

Data Inspector Digital Twin view

Service Map (Toscana)



Indexing and aggregating NIFI, OpenSearch

- **Data Inspector**
- ServiceMap, SCAPI
- My Data Dashboard (Kibana), DevDash
- Open Distro (ElasticSearch)








How to....




[1)'IoTModel



3) Add the license and Make Public the


IoTDevices (according to the license)




5) Working on Dynamic Flow to save Average

#people every 15 minutes for each IoTDevice

2) Static Flow to create IoTDevices



4) Search for the Cameras on Map












Snap4city Data Ingestion Diagram











Part 4: Data Analytics

- Why and Where use DA, AI and XAI --> General Life Cycle
- Data Processing
- What is Data Analytics, DA and Artificial Intelligence, Al
- List of the most relevant available DA and Al Solutions
- Predictions and Anomaly detections
- Computing: Higher Level Types Data and their representations
- How AI/XAI, and Life Cycle
- Using DA, AI, XAI in Snap4City infrastructure
 - Data Analytics <--> IoT App / Proc.Logic
- Decision Support Systems and What-If Analysis
- Routing, Multimodal Routing, Dynamic Routing
- Business Intelligence and Visual Analytics

Part 4: Data Analytics and Artificial Intelligence




Interactive Slides



Tech Arch







11/23

Data Analytics on Snap4City platform

tools

other

and

Base

from Knowledge

API

City

Smart











Ontology Schema




| Second | S



LOG.disit.org





TensorFlow

OUDA.

Saving / Sharing reusing



Resource Manager







Development



booker Data Analy






SNAP4CITY

Big Data

Store Facility

On Server Or On PC



Once File.py
Al Model Mapping Data..

del ng Load File.py or .zip

Messages on Dashboard

Ariempeature-Tuscany

Omedia to will dashboard km/dity org 8000/server

Python data

analytic

To make the .PY usable as MicroService you need to adapt it to get and send data in/out with Node-RED from a Container.

If you provide a .zip file the main .py inside has to be called doScript.py













Developer in R Studio + Tensor Flow





Data Analytic Container

Open an Advanced IoT App / Node-RED







docker

S4CDataAnalytic plumber data analytic python data

analytic

Use Snap4City Data Analytic Node, and load in the code you developed.




Develop .py or .r program on (i) Snap4City platform online, or (ii) your Development Machine.


The code has to respect the guidelines provided for creating API.

The API are called as a MicroService For example see:


https://www.snap4city.org/641 https://www.snap4city.org/645



Deploy the IoT App → Snap4City Container Manager based on Marathon/Mesos is creating a Container for your Data Analytic code

















IoT edge on TV Camera

Send data to Broke

Send Trajectories



Devices:

- CrossVenaria2VehicleFlowTrajectoriesV2

Save Counting per Cluster



IOT Broker - VenariaConteggio





send data to Broken

From Trajectories to clusters. Counting in/out and flows

Get data




Device:

CrossVenaria2 with trajectories

Big Data Store **Facility**

show data



201









Parts 7 & 8: API, Mobil, Business Intelligence

Part 7: Exploiting Snap4City API, and Web/Mobile Applications SDK

SLIDES

Interactive Slides



Part 8: Developing Smart Applications & Business Intelligence Solutions

SLIDES

Interactive Slides









- Smart City API: Internal and External
- Concepts and tools for using Knowledge Base, ServiceMap, API
- Federated Knowledge Bases and Smart City APIs
- Advanced Smart City API
- Access to Protected data
- Forging and managing: Mobile and Web Apps, MicroApplications
- Web and Mobile App Development Kit
- •
- Developing in the smart city IoT/WoT context
- Smart Solutions Development Life Cycle
- Analysis for Innovation (Co-Creation and Co-Working)
- Design: Data, Data Models, Data Relationships
- Design & Develop: Data Processes Proc.Logic / IoT App
- Design & Develop of Data Analytics
- Design & Develop: user interfaces, visual tools
- Visual Analytic vs Data Analytics: Client Side Business Logic Intelligence
- Design and Control of Smart Applications
 Snap4City (C), January 2024









Development

https://www.snap4city.org/d ownload/video/Snap4Tech-**Development-Life-Cycle.pdf**









Development Life-Cycle

https://www.snap4city.org/download/video/Snap4Tech-Development-Life-Cycle-v1-1.pdf

From Snap4City:

- We suggest you to read the TECHNICAL OVERVIEW:
 - https://www.snap4citv.org/download/video/Snap4Citv-
- https://www.snap4citv.org

- https://www.snap4industrv.org
- https://twitter.com/snap4city
- https://www.facebook.com/snap4city
- https://www.youtube.com/channel/UC3tAO09EbNba8f2-u4vandg

Coordinator: Paolo Nesi, Paolo.nesi@unifi.it

DISIT Lab, https://www.disit.org DINFO dept of University of Florence, Via S. Marta 3, 50139, Firenze, Italy Phone: +39-335-5668674














How the Dashboards exchange data








Selection on Smart City API

- Combining different filters for selecting entities from Smart City APIs
- Be care: filtering too much may lead to empty set ☺








How to Get the «Query» used in More Options (2a)

- REST CALL by category → JSON (Options in RED), they are REST ASCAPI calls
 - Requesting a category, so that to see all Services of the same category (subNature)
 - http://svealand.snap4city.org/ServiceMap/api/v1/?selection=59.581458578537955;16.71183586120606;59.62
 http://svealand.snap4city.org/ServiceMap/api/v1/?selection=59.581458578537955;16.71183586120606;59.62
 http://svealand.snap4city.org/ServiceMap/api/v1/?selection=59.581458578537955;16.71183586120606;59.62
 - Please note that in the MoreOption dashboard the GPS area is neglected
 - https://servicemap.disit.org/WebAppGrafo/api/v1/?selection=43.64471;11.005751;43.89471;11.505751&cate gories=Green areas&maxResults=200&format=json
 - Please note that in the MoreOption dashboard the GPS area is neglected
 - Custom PINS note: "selection" coordinates are used for collecting attributes in custom PINS. Other options such as "maxDists" cannot be used in custom PIN. All parameters can be used in other cases.
 - Different KB links are identified by their ASCAPI links: svealand.snap4city.org, servicemap.disit.org,
 - Requests to SuperServiceMap for the network of Federated KBs by using /api/.....
 Without prefixed KB to obtain merged results from more KBs. For example as:
 - /api/v1/?categories=Air_quality_monitoring_station&format=json
 - Please note that the direct links to the superservicemap can be of the form:
 - https://www.disit.org/superservicemap/api/v1/?















Developing Web and Mobile Apps, MicroApps,...

Mobile Apps



Web App HTML5, MicroApplications



Embed into Web pages





Advanced Smart City API




Mobile Application Monitoring Administrator



Knowledge Base,

Snap/Km4City **Open Source** development tool kit





ServiceMap
















General architecture of Mobile / Web App












How the Dashboards exchange data










Example: From Map to Graphs (spatial drill down)

- 1) Select the area of interest on map
- 2) Select the sensors kind of interest
- 3) Drill down on map
- 4) The JavaScript
 CSBL on Map will
 send data to the
 programmed
 Widgets. In this
 case, arrowed in
 RED













Client Side Business Logic











Client-Side Business Logic Widget Manual

From Snap4City:

- We suggest you read https://www.snap4city.org/download/video/Snap4Tech- Development-Life-Cycle.pdf
- We suggest you read the TECHNICAL OVERVIEW
 - https://www.snap4city.org/download/video/Snap4City-

Coordinator: Paolo Nesi, Paolo.nesi@unifi.it

DISIT Lab, https://www.disit.org DINFO dept of University of Florence, Via S. Marta 3, 50139, Firenze, Italy







https://www.snap4city.org/do wnload/video/ClientSideBusine ssLogic-WidgetManual.pdf



SCALABLE SMART ANALYTIC APPLICATION BUILDER FOR SENTIENT CITIES









Snap4City Training vs Targets

- Estimate Indicators: P1, P2, P3, P4, P5
 - IoT App/Proc.Logic JavaScript, Data Analytics, Dashboards to see data and results
 - Load additional data: P1, P2, P3, P5
 - IoT App/Proc.Logic JavaScript, IoT Directory, ServiceMap, advanced interoperability, Dashboards to see them
 - Performing AI/XAI on accessible data: P1, P2, P3, P4, P5 (P8)
 - IoT App/Proc.Logic JavaScript, ServiceMap, ASCAPI, Python, Dashboards to see data/results
 - Developing Business intelligence: P1, P2, P3, P7, P8
 - IoT App/Proc.Logic JavaScript, Dashboards to see them, ASCAPI, CSBL for making them intelligent, JavaScript
 - Developing Web and Mobile Apps: P1, P2, P3, P7, P8
 - ServiceMap, ASCAPI, Dashboards
 - Deploy, install, test and management: P1, P2, P3, P6
 - IoT App/Proc.Logic JavaScript, ServiceMap, Dashboards to see them











DISIT lab Publications: https://www.disit.org/5487



SCALABLE SMART ANALYTIC APPLICATION BUILDER FOR SENTIENT CITIES
















Typical costs to setup operative conditions

- Learn Visualization Tools or Libraries: 5-15%
- Software Licenses: 5-15%
- Development Time: 20-30%
- Infrastructure Costs: 10-20%
- Data Processing and Storage: 10-20%
- Customization and Interactivity: 10-20%
- Final Users Training and Support: 5-10%
- Maintenance and Updates: 10-15%
- Design for Security/privacy: 5-10%
- Design for Scalability: 5-15%
- In yellow, what is not impacted













- Learn Visualization Tools or Libraries: 5-15% → 10%
 - Visual tools, visual programming, training course, dev. Manuals, etc.
- Software Licenses: 5-15% → 0%
 - Development environment fully open source
- **Development Time**: 20-30% → **5%**
 - Dashboard builder, synoptics, widget exchange, dashboard exchange, clone, delegations, etc.
 - Reused cloned and shared solutions, artefacts
- Customization and Interactivity: 10-20% → 10%
 - Dashboards with Business Logic: CSBL, Node-red SSBL
 - Direct development of Business Intelligence without coding all details
- Design for Security/privacy: 5-10% → only respect the guidelines
 - Snap4City is end-to-end secure and GDPR compliant, all is already in place
- Design for Scalability: 5-15% → only respect the guidelines
 - Snap4City is scalable from Back-End to Front-End, all is already in place
- Reduction of: 45% for development effort of smart city solutions












Model/Technique Development/testing

- Identification of Process goals and Planning (problem definition)
 - Which goals
 - How to compute, which language
 - Which environment, which libraries
- Data Discovery and Ingestion (from the general life cycle)
 - Data Collection, Data Preprocessing if needed
- Data Analysis: feature engineering, feature selection
 - Data ethics assessment
- Data review and preparation for the model, splitting, encoding
- Model Identification and building: ML, AI, etc....
 - **Model Training**
 - Tuning hyperparameters when possible
- **Model Assessment and Selection (Evaluation)**
 - Validation in testing
 - Assessment on a set of metrics depending on the goals: global relevant and feature assessment
 - Assessing computational costs
 - Impact Assessment, Ethic Assessment and incidental findings
 - Global and Local Explanation via Explainable AI techniques
- **Model Deploy and Final Validation**
 - Optimisation of computation cost for features, if needed reiterate
 - Solution on Production (security, scalability, etc.)
- **Monitoring and Maintenance on production**
- Documentation, incremental documentation












Typical Effort of Phases without Snap4City

- Please note the effort for Data Preprocessing and Data Collection
 - 25-35%
- Please note that the pie has not taken into account the effort for creating
 - an actual applications or
 - simple web results rendering on dashboard











Snap4City on Data Collection and PreProcess


- Effort reduction from 25-35% to 10-15%, >55% reduction of effort for
 - Data Collection via
 - Direct collection access with Brokers, harvesting of external brokers and data models
 - Usage of library of data models, more than 1700 models: saving analysis
 - Custom data models, massive automated construction of entities
 - Automated enrichment of Km4City Ontology and knowledge base: saving time analysis
 - IoT App / Node-red development of data collection processes: fast development

Data PreProcess via

- Node-red visual programming (node.js) for preprocessing, transcoding, thousands of microservices and libraries, reuse of blocks and data flows, etc.
- Semantic recovering of data relationships via semantic graph DB with Km4City models
- Eventually usage of Python or R-studio or others when needed
- Reuse and share of Node-RED solutions, large number of cases

SCALABLE SMART ANALYTIC APPLICATION BUILDER FOR SENTIENT CITIES













Part 6: Platform Architecture, interop and Deploy

Part 6: Snap4City
Platform Architecture,
Interoperability,
Management and
Deploy

SLIDES

Interactive Slides



- Snap4City Architecture
- Interoperability of Snap4City Platform
- Interoperability with respect to Hardware staff
- Adding Features and Modules to Snap4City
- FIWARE and Snap4City
- Snap4City vs State of the Art Solutions
- Smart City planning with Snap4City Team Support
- The Role of the Living Lab Support
- Snap4City Platform: Administration Overview
- Snap4Tech: Smart Solutions as a Service
- Deploy Snap4Tech solutions: Docker Based



















Snap4City Platform

Technical Overview

From: DINFO dept of University of Florence, with its

DISIT Lab, Https://www.disit.org with its Snap4City solution

Snap4City:

- Web page: <u>Https://www.snap4city.org</u>
- https://twitter.com/snap4city
- https://www.facebook.com/snap4city

Contact Person: Paolo Nesi, Paolo.nesi@unifi.it

- o Phone: +39-335-5668674
- o Linkedin: https://www.linkedin.com/in/paolo-nesi-849ba51/
- Twitter: https://twitter.com/paolonesi
- o FaceBook: https://www.facebook.com/paolo.nesi2




Tech Overview

 https://www.snap4city.o rg/drupal/sites/default/f iles/files/Snap4City-PlatformOverview.pdf









How to adopt Snap4City



Powered by







Smart City as a Service


- Supporting Org
- 100% Open Source Platform: Github
- Further developments
- **Publishing Appliances and Dockers**
- Training courses, docs
- Consulting
- **Forums**
- Etc.



Download

and deploy

On your premise







- Different configurations
 - From small to scalable
 - Exploiting your legacy tools
 - Interoperable with any tool
- No vendor lock-in, No tech lock-in

Mixed solutions! For example:

- Start on Cloud as Smart City as a Service
 - Migrate on premise on the fly
- Start on Cloud into a sand box
 - Pass to install on premise what you need












1Hour

and

installation

ready to use

Micro 6 model



232











• SLA:

- Including: Direct Contact, POC; Help Desk
 - may be an Organization on our cloud to test new tools, and work with the community, this is typically 5-12Keuro first 2years and 1-2keuro for each successive year depending on the feature and number of users you are placing.
- Similar to: https://www.snap4city.org/497 with some adaptation on the basis of your deploy and critical conditions, if any
 - Updates, help desk, etc.

Our support can be valued on:

- The basis of the complexity of your solution: 10% of the cost
 - Or
- Block of: 16 hours, for 3000 euro / 50 hours, for 6000 euro
 - larger packages can be negotiated
- Support can be provided by: Snap4, DISIT Lab, and other companies
- Customizations can be assessed separately

Platform Management and control



Platform Management tools


- Installation procedures
- monitoring and control tools
- Quality control
- Help desk and SLA


User management tools

- User profiling, limiting
- Auditing tools according to GDPR
- Menu profiling
- CRM
- Training and tutoring tools
 - Develop. Life Cycle
 - · Develop. tools
 - Manual, courses, etc.
 - Community
- · etc.










SCALABLE SMART ANALYTIC APPLICATION BUILDER FOR SENTIENT CITIES











Overview





SMART CITIES AND SMART INDUSTRY

Snap4City: FIWARE powered smart app builder for sentient cities







- -https://fiwarefoundation.medium.com/sna p4city-fiware-poweredsmart-app-builder-forsentient-cities-acfe24df49d5
- -https://www.snap4city.org/d rupal/sites/default/files/files /FF ImpactStories Snap4Cit y.pdf

2023 booklets

Smart City





https://www.snap4city.org /download/video/DPL SN AP4CITY.pdf Industry





https://www.snap4city.org/download/video/DPL SNAP4INDUSTRY.pdf

Artificial Intelligence





https://www.snap4city.o rg/download/video/DPL SNAP4SOLU.pdf







SNAP4city KM4 CITY

https://www.snap4city.org/4


- Scenario: SnapBot: Real Time Smart City services via Telegram
- <u>Scenario: Copernicus Satellite Data</u>
- Scenario: SmartBed, Materasso Intelligente
- MicroServices Suite for Smart City Applications
- Scenario: MODBUS for Snap4Industry Snap4City Applications
- Scenario: MOBIMART Interreg: MOBilità Intelligente MARe Terra
- Scenario: City of Roma case, mobility and environmental data
- Scenario: Herit-Data video and aims
- Scenario: Control Room vs Video Wall
- Scenario: Snap4Home the case of: Alexa, Philips, Sonoff, TP-link, etc. (Italiano)
- Scenario: how to manage maintenance and accidents workflows
- Scenario: Snap4Home, how to exploit Snap4City solution on home automation
- Scenario: Energy Monitoring
- Scenario: Multipurpose User Engagement Tools
- Scenario: 5G Enabled Water Cleaning Control (smart city, industry 4.0)
- Scenario: High Level Control of Industrial Plant (industry 4.0)
- Scenario: Vehicle Monitoring via OBD2
- Scenario: Events and Museums Monitoring in Antwerp
- Scenario: High Resolution Prediction of Environmental Data
- Scenario: Mobility and Transport Analyses in multiple cities
- Scenario: People Flow Analysis via Wi-Fi
- Scenario: Antwerp Pilot on Environmental Data
- Scenario: Helsinki Pilot on Environmental Data
- Scenario: Firenze Smart City Control Room
- Scenario: Mobile & Web App: Toscana Where What ... Km4City, Toscana in a Snap
- Scenario: Helsinki Pilot on User Behaviour
- Scenario: Antwerp Pilot on User Behaviour




Scenarious

- <u>Data Analytic: Origin Destination Matrices</u>, <u>Algorithms and tools</u>
- Data Analytic: Traffic Flow Reconstruction
- Data Analytic: in general, and the cases of Antwerp and Helsinki
- Data Analytic: Predicting Air Quality
- <u>Data Analytic: Analyzing Public</u>
 <u>Transportation Offer wrt Mobility Demand</u>















- Smart Light
- Sweden



Almafluida

Industry 4.0

AMPERE (2021-22)

GRUPPO **PRETTO**

uni systems

SmartCity, 2021-23

AXIS

AXIS collab

SmartCity

2022

Industry 4.0

SYN-RG-AI


Industry 4.0


SmartCity

(2021-22)











Security and Risk

Smartea















TOP













CONTACT

DISIT Lab, DINFO: Department of Information Engineering Università degli Studi di Firenze - School of Engineering

Via S. Marta, 3 - 50139 Firenze, ITALY https://www.disit.org

www.snap4city.org



Email: snap4ci/y@disit/org

Office: +39-055-2758-515 / 517

Cell: +39-335-566-86-74 Fax.: +39-055-2758570