

Interreg
Euro-MED



Co-funded by
the European Union



TOURISMO

TOURism Innovative and Sustainable Management of fLOws

Snap4City Training Part One


Paolo Nesi, DISIT Lab/Snap4City
Università degli Studi di Firenze
Paolo.nesi@unifi.it





Main Tasks

- **Controlling Status:** management, and operational
 - Monitoring via KPI
 - Computing predictions data from the field and KPI
 - Anomaly detection
 - Early warning on critical conditions
- **Making plan: tactic and strategic,** medium and long range
 - Optimisation: Prescriptions, suggestions
 - Risk assessment
 - What-if analysis on scenarios
 - Simulation and predictions
 - Resilience
- **Be ready for Unexpected Unknowns**





Digital Twin





• Digital Twin

- **Connected** with real systems
- **Modelling** aspects: structural, visual, informative, real time data sensors (context), POI, functional, resources, etc.
- **Analytics:** AI/XAI techniques, simulations, users' needs, etc.

• Easier to understand the context, review from multiple points of view

• Useful to perform

- Discussion with city users
- Support decision makers
- By Case Experiments for analysing
 - New solutions, impact of disaster (natural and provoked)
 - Reduction of costs in the analysis, in reduction of mistakes






Main tasks

- **Controlling Status:** management, and operational







- Monitoring via KPI
- Predictions vs KPI
- Anomaly detection
- Neuro-Symbolic analysis
- Risk assessment
- Early warning on critical conditions
- Fast What-if analysis

- **Making plan:** tactic and strategic, medium and long range, micro/macro

- Simulation & optimization
- Generative AI Prescriptions, scenarios
- Resilience to Unexpected unknowns
- What-if analysis wrt scenarios
- Collaboration with stakeholders



Main tasks VS Snap4City Tools



Digital Twin Solutions for Sustainability

OPERATION AND PLAN - CONTROL ROOMS - DECISION SUPPORT SYSTEMS - WHAT-IF ANALYSIS - OPTIMIZATION - APPLICATIONS

HORIZONTAL AI PLATFORM

MOBILITY AND TRANSPORT

SMART ENERGY AND SMART BUILDING

ENVIRONMENT AND WASTE MANAGEMENT

CITY USER'S SERVICES AND TOURISM MANAGEMENT

VISUAL ANALYTICS - SYNOPTICS - GRAPHICAL WIDGETS - ANALYTICS - BUSINESS INTELLIGENCE - SIMULATIONS

DASHBOARDS, WIDGETS
TEMPLATES

PREDICTION - ANOMALY DETECTION - CLUSTERING - ROUTING - SENTIMENT NLP - TRAFFIC FLOW - PEOPLE FLOWS - SDG
15 MIN CITY INDEX - KPI - HEATMAPS - ORIGIN DESTINATION - ETC...

API - MICROSERVICES - GIS - BPM
VIDEO - REPORTS - MAPS - 3D ...

EXPERT SYSTEM, KNOWLEDGE BASE
SEMANTIC REASONING
SMART DATA MODEL
IOT DEVICE MODELS, STORAGE


BIG DATA ANALYTICS, ARTIFICIAL INTELLIGENCE
EXPLAINABLE AI, MACHINE LEARNING, GENERATIVE AI
OPERATIVE RESEARCH, STATISTICS

VISUAL PROGRAMMING, ADAPTERS
DATA FLOWS, WORKFLOWS
PARALLEL DISTRIBUTED PROCESSING
DATA DRIVEN

FULL INTEROPERABILITY, ANY: DATA, BROKERS, NETWORKS AND VERTICALS



- DEVELOPMENT ENVIRONMENT AND METHODOLOGY
- VISUAL PROGRAMMING, ML, AI, HPC
- TRAINING COURSES
- LIVING LABS
- GUI CUSTOM STYLES
- FULL APPLICATIONS, DASHBOARDS AND VIEWS
- MOBILE APPS



Powered by **FIWARE**

FREE TRIAL

PEN Test Passed

EU GDPR COMPLIANT

SNAP4 Appliances and Dockers Installations

EUROPEAN OPEN SCIENCE CLOUD

Node-RED


JS Foundation


E015 digital ecosystem

NVIDIA



Digital Twin Development Platform









High Level Types



Digital Twin Global - Fire demonstrator

- POI, IOT Devices, shapes, ...
 - FIWARE Smart Data Models,
 - IoT Device Models
- GIS, maps, orthomaps, WFS/WMS, GeoTiff, calibrated heatmaps, Satellite data, any kind
- traffic flow, typical trends, ..
- trajectories, events, Workflow, ..
- 3D Models, BIM, Digital Twins, ..
- OD Matrices of several kinds, ..
- Dynamic icons/pins, ..
- Synoptics, animations, ..
- KPI, personal KPI, ..
- social media data, TV Stream,
- routing, multimodal, constraints, ..
- decision scenarios,



Co-funded by the European Union



3D Digital Twin



Snap4CityDocker x Dashboard Management System x +

Non sicuro | dashboard/dashboardSmartCity/view/Baloon-Dark.php?iddasboard=Ng==#

Snap4City dashlocal | Tutti i preferiti

Ciao

Fri 13 Oct 18:29:18

FLORENCE SCDT

SELECT...

- GRAC HD
- NO 7
- Mobile
- Bar chart
- Highway
- Highway
- Bus
- WHAT-IF
- Car
- Person
- Bicycle

DOUBLE MAP

15.5

© Snap4City (C), October, 2023

© OpenStreetMap contributors

<https://www.youtube.com/watch?v=le2XNF8Ftxo>

Monitoring and Control

FORGING & MANAGING OPEN AND SCALABLE INTERACTIVE APPLICATIONS

IoT APPLICATIONS VS IoT EDGE DEVICES

SNAP4CITY BEGINNING

SNAP4CITY ARCHITECTURE AND ECOSYSTEM. OPEN TO DEVELOPERS AND STAKEHOLDERS

TWITTER VIGILANCE: SOCIAL MEDIA ANALYSIS

SNAP4CITY AND KM4CITY PROJECTS


FROM CITY DASHBOARD TO APPLICATIONS

DATA GATHERING AND CITY DATA KNOWLEDGE MANAGEMENT

HOW TO ADOPT SNAP4CITY, AND OUR ROADMAP

PORT CITY

SNAP4CITY THE VIEW OF THE ADMINISTRATORS



Control Horizontal Platform

- **Goals:**
 - Increasing quality of Life, quality of services,
 - Decongestion, Decarbonization, Sustainability
 - increase efficiency and production optimization
 - Improve accessibility to services: citizens, Tourists, commuters, etc.
 - Improve security/Safety of city users, risk reduction
 - Costs reduction of services, energy consumption reduction
 - Reduction of emissions and EC taxations
- **Horizontal homogeneous platform Uniform Technology for**
 - **Any Vertical operation/plan:** mobility, energy, environment, security, tourism, infrastructure and assets control, buildings, etc.
 - **AI Solutions:** early warning, predictions, simulations, what-if, optimization; Deep Learning, ML, BERT, LLM, XAI (Shap/Lime),
 - **Development Environment for any vertical, Digital Twin:** City Global and Local, IoT, VR, Visual Programming, business intelligence, CSBL, SSBL, etc.
 - **Interoperability:** any format, any protocol, any video management system, any sensor, any device, etc.
- **KPI:** multidomain KPI, general management, early warning, early detection of critical conditions, 15 Min City Index, SDG
- **Mobile App:** modular applications, operators' modules, multiple cities, etc.
- **Participatory:** problem reporting, ticketing, etc.
- **Integration of any kind**




- **Controlling Status: management, and operational**

- Monitoring via KPI
- Predictions vs KPI
- Anomaly detection
- Neuro-Symbolic analysis
- Risk assessment
- Early warning on critical conditions
- Fast What-if analysis

- **Making plan: tactic and strategic, medium and long range, micro/macro**

- Simulation & optimization
- Generative AI Prescriptions, scenarios
- Resilience to Unexpected unknowns
- What-if analysis wrt scenarios
- Collaboration with stakeholders



Key Performance Indicators, KPI



- **United Nations Sustainable Development Goals, SDGs** (for which cities can do more to achieve some of the 17 SDGs, <https://sdgs.un.org/goals>);
- **15 minutes cities** (where primary services must be accessible within 15 minutes on foot);
- **objectives of the European Commission** in terms of pollutant emissions for: NO2, PM10, PM2.5 (https://environment.ec.europa.eu/topics/air_en);
- **SUMI: mobility and transport vs env**
 - <https://www.snap4city.org/951>
- **SUMP/PUMS: mobility and transport vs env.**
- **ISO indicators:** city smartness, digitization, tech level.
- **Low Level/Real Time:** global traffic, quality of service, betweenness, centrality, queue, time to travel, etc.

Global
&
Local

Periodic
&
Realtime

| Air Quality Directive | | | | WHO guidelines | |
|-----------------------|---------------------------|--|---|---------------------------|---|
| Pollutant | Averaging period | Objective and legal nature and concentration | Comments | Concentration | Comments |
| PM _{2.5} | One day | | | 25 µg/m ³ (*) | 99 th percentile (3 days/year) |
| PM _{2.5} | Calendar year | Target value, 25 µg/m ³ | The target value has become a limit value since 1 January 2015 | 10 µg/m ³ | |
| PM ₁₀ | One day | Limit value, 50 µg/m ³ | Not to be exceeded on more than 35 days per year. | 50 µg/m ³ (*) | 99 th percentile (3 days/year) |
| PM ₁₀ | Calendar year | Limit value, 40 µg/m ³ (*) | | 20 µg/m ³ | |
| O ₃ | Maximum daily 8-hour mean | Target value, 120 µg/m ³ | Not to be exceeded on more than 25 days per year, averaged over three years | 100 µg/m ³ | |
| NO ₂ | One hour | Limit value, 200 µg/m ³ (*) | Not to be exceeded more than 18 times a calendar year | 200 µg/m ³ (*) | |
| NO ₂ | Calendar year | Limit value, 40 µg/m ³ | | 40 µg/m ³ | |

15MinCityIndex

What would support my neighborhood to become a 15-Minute City?


Using the Open Data:

We developed a data analytic tool based on municipal and national open data to assess services adequacy for people living in each 15 minutes areas of the city.


Good public transport services: bus, new tram line, train stations, cycle paths.



Careggi/Rifredi is a relevant district in Florence because of hosting the main Florence/Tuscany hospitals Careggi and Meyer, but also university headquarters and many other workplaces.



The tool supports the becoming of a 15-Minute city evaluating the service level in various domains.




<https://www.snap4city.org/dashboardSmartCity/view/index.php?iddashboard=MjkzOA==>

Mobility Monitoring and Control

FROM CITY
DASHBOARD TO
APPLICATIONS

DATA C
AND C
KNOW
MANA



HOW TO ADOPT
SNAP4CITY, AND
OUR ROADMAP

SNAP4CITY THE
VIEW OF THE
ADMINISTRATORS

SNAP4CITY
AND KM4CITY
PROJECTS

SNAP4CITY FOR
BEGINNERS

SNAP4CITY

TWITTER
GHT
7
NALS

ORING &
MAING
AND FLEXIB
AND MOB
APPS





Traffic Flow Monitoring - Firenze - Cloned2


Wed 11 Nov 15:01:32

IN FLOW 9m

Firenze IN Traffic Flow (number of vehicles)

9m

10549 #ofvehicles




Inc Daily Inp... 9m

Daily Inputs (monthly) (last value is incremental, real time)

9m

97137 #ofvehicles




OUT FLOW 9m

Firenze OUT Traffic Flow (number of vehicles)

9m

13720 #ofvehicles




Inc Daily Out... 9m

Daily Outputs (monthly) (last value is incremental real time)

9m

97457 #ofvehicles




ZTL in 9m

ZTL in Traffic Flow daily trend, entering in ZTL

9m

2468 #ofvehicles



QoS as perc. of measures taken


QoS as perc. of measures in ZTL



11/11/2020
15:01:33

inflow total of the day, yearly

9m




outflow total over the day Yearly

9m





in ZTL yearly compare

9m



COVID-19
1° phase

Short-Term Prediction of City Traffic Flow via Convolutional Deep Learning




Urban data:

- Date-time
- Traffic
- Temporal
- Seasonality
- Pollution
- Weather





- RF
- XGBOOST
- DNN
- LSTM
- BI-LSTM
- Autoencoder BI-LSTM
- Attention CONV-LSTM
- CONV-BI-LSTM

CONV-BI-LSTM





Deep Learning for Short-Term Prediction of Available Bikes on Bike-Sharing Stations



E. Collini, P. Nesi and G. Pantaleo, "Deep Learning for Short-Term Prediction of Available Bikes on Bike-Sharing Stations," in *IEEE Access*, vol. 9, pp. 124337-124347, 2021, doi: 10.1109/ACCESS.2021.3110794.
<https://ieeexplore.ieee.org/abstract/document/9530580>

Road Parking

Parking Conditions Monitoring

Wed 23 Oct 16:24:41

- Status of Slots
- Types of Slots
- As Pins
- Geolocation
- Types of Parking Zones
- Fines on Parking Zones
- Parking Meters
- Recharge Stations
- Parking Structures

Parking Slots

+
-
19

DISIT:OrionUNIFI:METRO1095 - VehicleFlow 8m

Parking KPIs

Select Group: Alberti 11

Group capacity : 26

Grouped by slot type

Event Car

- Free Slots: 4/22
- Busy Slots: 2/22
- Busy Bluetooth Slots: 3/22
- Busy Authorized Slots: 5/22
- To Be Fined Slots: 5/22
- Fined Slots: 1/22
- Do Not Care Slots: 2/22

Event Moto

- Free Slots: 0/4
- Busy Slots: 1/4
- Busy Authorized Slots: 0/4
- To Be Fined Slots: 1/4
- Fined Slots: 1/4

Management


My Profile



Environmental Monitoring and Control

FROM CITY
DASHBOARD TO
APPLICATIONS

DATA



ORGANIZATION
AND FLEXIBLE WEB
AND MOBILE APPS

SNAP4CITY FOR
BEGINNERS

SNAP4CITY

TWITTER
ANALYTICS
DIAGNOSTICS

SNAP4CITY
AND KM4CITY
PROJECTS



ADOPT
AND
MAP

SNAP4CITY THE
VIEW OF THE
ADMINISTRATORS



Environment and Waste

- **Goals:**
 - Reduction of emissions and EC taxations
 - Cost reduction for waste collection,
 - reduction of waste collection impact on mobility
- **Environment Management producing prescriptions:**
 - Monitoring and long and short-term predictions, warning for:
 - GHG, emissions, pollutants, aerosol, chemical plants analysis
 - land slide, coastal erosion (blue economy)
 - Traffic Flow impact emissions, predictions
- **Waste Management and Optimisation:**
 - costs reduction, optimal routing production, pay as you throw,
 - avoiding out of bins, predictions of waste production on bins, alarms
- **KPI:** SDG, 15MinCityIndex, QOS, costs, Km, collecting time, EC KPI, emissions
- **Mobile App:** final users services/informing and operators
 - Info Waste for operators, participation, optimal routing, RAEE Collection, ..
- **Participatory:** problem reporting, ticketing, etc.
- **Integration of any kind: env/weather, mobility, ticketing, presences, POI, ..**




• Prediction

- **NOX Pollutant** diffusion on the basis of Traffic Flow (prediction), weather and 3D structure
- **NO2 progressive average** (Long term)

• Project:

- **Trafair CEF EC**
- Mixed solutions of Fluidinamics modeling and AI



Smart Energy



FROM CITY DASHBOARD TO APPLICATIONS

DATA AND KNOWLEDGE



City Energy and Buildings

- **Goals:**
 - Energy consumption reduction, increment of efficiency,
 - Areas and building sustainability
 - Improve accessibility to services, security and safety
- **Energy Monitoring:** Building, floors, rooms, recharging poles, cabinets, Community of Energy, Data centers, Energy for Hot / cold, air condition, energy vs temperature and usage, etc.
- **Energy Management:** Predictions, early warning, identification of critical conditions
- **Smart Light Management:** LED/mixt, cabinets, lights vs traffic, lights vs security, energy saving, luminaries profiling, group management.
- **Smart Building Management:** consumption, number of people, etc.
 - Communities of Energy, Photovoltaic plants, sustainability
 - What-if analysis, optimisation tools
- **KPI: Energy consumption, efficiency, pros/cons**
 - Light profiling and adaptation
 - Autoclave industrial plants simulation, Photovoltaic plant simulation
 - consumption / usage, energy vs temperature
- **Mobile App:** monitoring, info-recharge, eSharing, booking, ..
- **Participatory:** problem reporting, ticketing, etc.
- **Integration of any kind**



Smart Building

FROM CITY DASHBOARD TO APPLICATIONS



Building / Floor / Parking:

Building

All / Single Building:


All

Variable:

occupancy

Popup on Shape Click

Add To Map



ISPRA Site



- Date Observed: 10/23/2023, 12:30:01 PM
- Capacity: 2936 #
- Allocation: 1995 #
- Occupancy: 883 #
 - DAC: -941 #
 - DOA: -1112 #
 - DOC: -2053 #
 - PAC: 67.95 %
 - POA: 44.26 %
 - POC: 30.07 %
- Energy Hot: 4473978 kWh
- Energy Cold: 916361 kWh
- Power Hot: 36 kW
- Power Cold: 0 kW

Ispra - Occupancy 8m

883

Ispra - Occupancy



person My Profile

Floor Details

ISPRA JRC Site

Ispra Floor, Zone And Room Details

Fri 6 Oct 18:41:54

Allocation Number

- >50
- 25-50
- 13-25
- 5-13
- 0-5

Floor PT of Building 58A

- Date Observed: 10/6/2023, 6:30:02 PM
- Capacity: 37
- Allocation: 31
- Occupancy: 1
 - DAC: -6 #
 - DOA: -30 #
 - DOC: -36 #
 - PAC: 83.78 %
 - POA: 3.23 %
 - POC: 2.7 %

See Trends
Select a Zone metric: Allocation

Room 017

- Date Observed: 10/6/2023, 12:01:00 PM
- Zone Id: 58A_PT_B
- Capacity: 1
- Allocation: 0
- mq: 12.16
- Average hourly temp. Xi: 24.07°C
- Average hourly temp. Xs: 20.92°C
- Average hourly temp. Xt: 6.00°C
- Heat Start temp.: 17.92°C
- Cold Start temp: 23.92°C

See Trends

Building 58A PT Trends

Mon 9 Oct 13:51:30

Actual 4m

Capacity - Allocation - Occupancy 4m

Organization: Orion-1: Floor2_58A_PT - Occupancy 9m

Temp. 9m

21.7

°C

Percentage Per Zones - Monthly Time Trend Comparison 4m

Occupancy Per Zones - Monthly Time Trend Comparison Stacked 4m



UNIVERSITÀ
DEGLI STUDI
FIRENZE

DINFO
DIPARTIMENTO DI
INGEGNERIA
DELL'INFORMAZIONE

DISIT
DISTRIBUTED SYSTEMS
AND INTERNET
TECHNOLOGIES LAB



Human Behaviour Monitoring/engagement

FOCUS ON
MANAGING CITIES
AND FLEXIBLE WEB
AND MOBILE APPS

SNAP4CITY FOR
BEGINNERS

SNAP4CITY
ARCHITECTURE AND
PROJECTS

SNAP4CITY
AND KM4CITY
PROJECTS



FROM CITY
DASHBOARD TO
APPLICATIONS

SNAP4CITY THE
VIEW OF THE
ADMINISTRATORS



City User Behaviour/services, Tourism and Safety

- **Goals:**
 - Improve Quality of Life and quality of services,
 - Over tourism mitigation, sustainability
 - Costs reduction of services
 - Improve accessibility to services: citizens, Tourists, commuters, etc.
 - Improve Security/Safety of city users
- **People Flow Analysis / Management:** in/out-door, retail, attractions
 - Counting, tracking, Flows, ODM, sentiment, etc.,
 - multiple sources: thermal & TV cameras, radar sensors, PAX sniffers, mobile data, ...
 - Data and/or OD matrices from: Wi-Fi, traffic data, mobile phone data
 - **Suggestions:** info Tourism, digital signages, engagement, ..
- **Tourists Flows & Retail Management:** predictions of presences, services' reputations, suggestions on second offer, over-tourism, notifications, early warning,
- **KPI:** 15 MinCityIndex, energy vs people, over-tourism, accepted suggestions, precision
- **Mobile App:** final users services/informing and operators
 - Info Tourism, people flows, info mobility, sharing, ...
 - Participation, engagement, ..
- **Participatory:** problem reporting, ticketing, etc.
- **Integration of any kind:** env/weather, mobility, ticketing, presences, POI, ..





City User Behaviour/services, Tourism and Safety (2024/8)


- **Goals:**
 - Quality of Life, quality of services, over tourism mitigation, sustainability
 - Costs reduction of services
 - Accessibility to services: citizens, Tourists, commuters, etc.
 - Security/Safety of city users
- **Solutions for Operation (monitoring, managing, mobile apps, digital signages, control rooms)**
 - Monitoring services: tickets, reputation, usages, areas, etc.
 - Monitoring user behaviour (counting, trajectories): indoor/outdoor, hot places/services, ports, beaches,
 - Computing: origin destination, trajectories, travel means, etc.
 - Early detection/warning of critical conditions, connection with Video Management Systems
 - Managing entrances in city areas: restricted areas, touristic busses, etc.
 - Production of info-tourism, recommendations, nudging to city users and operators, second offer promotion
 - Providing Virtual Assistants for City Services, Tourist Offices, etc.
 - Monitoring reputation of services via: social media, blogs, etc.
 - Collecting complains, requests, participations from City users via mobile apps
 - Computing predictions of any kind
- **Solutions for Planning (optimization and what-if analysis)**
 - Reduction of Pollutant Emissions, via optimization
 - Optimization plan to distribution of workload on multiple touristic offers/services, area cleaning, etc.
 - Predicting reputation of services, touristic and operative
- **Algorithms and computational solutions, see next slide**



- Prediction of people flows on the basis of Wi-Fi data
- Anomaly detection
- Resolute H2020
- Classification of city areas





A view and data from the Thermal Camera



11 SUSTAINABLE CITIES AND COMMUNITIES



People Counting and Tracking





11 SUSTAINABLE CITIES
AND COMMUNITIES

3X



Monitoring Passages AXIS Q1952



- Genova: Ocean Race, 2023



11 SUSTAINABLE CITIES AND COMMUNITIES



VMS vs Snap4City: sending and getting events, AI solutions



Video Event Management


The screenshot shows the SNAP4CITY Event Registration web application. The interface is dark-themed and includes a top navigation bar with various utility links. The main content area is divided into several sections:

- Left Sidebar:** Contains filters for Severity and Status, a list of camera categories (Cameras, Hospital, Traffic Flow, Weather), and an EventWebCam button.
- Map:** A central map of Florence, Italy, showing the Arno river and various streets. A red location pin is placed on the map.
- Form (Insert Alarm Data):** A form for registering an event with fields for Name, Kind, Severity, People Involved, Impact, and Description.
- Table (Event List):** A table displaying a list of registered events with columns for device, Severity, dateObserved, status, and Actions.



| device | Severity | dateObserved | status | Actions |
|---------------------------------------|----------|--------------------------|--------|---------|
| fireonplazgardon20231031T221304273Z | Yellow | 2023-10-31T22:13:04.273Z | init | |
| Telecamera4_22320231031T14213584Z | Yellow | 2023-10-31T14:21:35.84Z | init | |
| CarCrash20231031T134436250Z | Orange | 2023-10-31T13:44:36.250Z | init | |
| CriticalTrafficJam20231031T132718888Z | Red | 2023-10-31T13:27:18.888Z | init | |
| FloodedRoad20231031T132309212Z | White | 2023-10-31T13:23:09.212Z | init | |

Libelium PaxCounters


Total Visitors



at least 5' tracked Visitors



Flow Counts



OutFlow %

Decision Support System: Immediate response and Tactical and Strategic Plans, via What-if Analysis, Optimization

FROM CITY
DASHBOARD TO
APPLICATIONS

FORGING &
MANAGING OPEN
ARCHITECTURE AND
INTEGRATION

TWITTER
VIGILANCE SOCIAL
MEDIA ANALYSIS

SNAP4CITY
ARCHITECTURE AND

SNAP4CITY
AND KM4CITY
PROJECTS



NAP4CITY THE
VIEW OF THE
ADMINISTRATORS




- **Controlling Status: management, and operational**

- Monitoring via KPI
- Predictions vs KPI
- Anomaly detection
- Neuro-Symbolic analysis
- Risk assessment
- Early warning on critical conditions
- Fast What-if analysis

- **Making plan: tactic and strategic, medium and long range, micro/macro**

- Simulation & optimization
- Generative AI Prescriptions, scenarios
- Resilience to Unexpected unknowns
- What-if analysis wrt scenarios
- Collaboration with stakeholders





Available AI Solutions on Snap4City

More than 80 Available Solutions & 300 AI applic.

<https://www.snap4city.org/997>

- **Mobility and Transport**
- **Environment, Weather, Waste, Water**
- **City Users Behaviour and Social analysis**
- **Energy and Control**
- **Tourism and People**
- **Security and Safety**
- **High Level Decision Support Solutions**
 - **Asset management**
 - **Resilience and Risks Analysis**
- **Low level Techniques**



https://www.snap4city.org/download/video/DPL_SNAP4SOLU.pdf

<https://www.snap4city.org/download/video/course/p4/>

Select map

Zoom

New Scenario

Editing

Drag & drop

Split & Join

Delete

Do and Undo

The screenshot shows the Scenario Editor interface. On the left, there are map controls for zooming and selecting a map. The main area displays a map with various road segments, some highlighted in blue and green. A settings panel on the right allows editing a road segment, with fields for Scenario name, Location, Scenario description, Reference KB, Save Road Graph, Save traffic Sensors, Save other Sensors, From, and To. Below this is a 'Category Street' panel with fields for Nr. Lanes, Speed Limit (km/h), Direction, and Restrictions. A 'Road Types' panel at the bottom center lists various road categories with checkboxes for selection. On the right side, a vertical list of properties for road elements is shown, including identifier, composition, elemLocation, elementClass, elementType, length, operatingStatus, speedLimit, trafficDir, width, highwayType, and route.

Edit Road Segment

- identifier
- composition
- elemLocation
- elementClass
- elementType
- length
- operatingStatus
- speedLimit
- trafficDir
- width
- highwayType
- route

Predictions and Heatmaps in Real Time

Computing Predictions And Heatmaps Sun 13 Oct 17:22:50

Selector - Map

Scenario Editor

- Air quality Sensors
- Weather Sensors
- Traffic Sensors
- OpenWeather
- Traffic Flow

Vehicle Flow

- Free
- Fluid
- Heavy
- Very heavy

Heatmap Controls: paolo6_vehicleFlow 24H
Max Opacity: 0.35
2024-10-09 12:47:00

Traffic Heatmap Controls: FirenzeFIPILITrafficRealtime 24H
Max Opacity: 0.94
2024-10-13 16:56:00+02:00

CongestionLevel - 4 Hours 6m

Selected Trend And Predictions 11m

paolo6_vehicleFlow

Load Scenario: Init Acc
Scenarios waiting to be processed: paolo6
Scenario version: 2024-10-11 22:46:45
Load Scenario Clean

Compute Predictions Compute Heatmaps Show Heatmaps

Data Update

Select a Scenario

Scenario Version

Select a color map

Clustered: Yes No

File: Yes No

Model: IDW


From Date: gg/mm/aaaa --:--

To Date: gg/mm/aaaa --:--

Generate Heatmap

Traffic Light Plan Optimization

FROM CITY
DASHBOARD TO
APPLICATIONS



SNAP4CITY
AND KM4CITY
PROJECTS

ADOPT
CITY, AND
ADMAP

SNAP4CITY THE
VIEW OF THE
ADMINISTRATORS

MOST

CENTRO NAZIONALE PER LA MOBILITÀ SOSTENIBILE

<https://www.snap4city.org/1015>

11 SUSTAINABLE CITIES
AND COMMUNITIES



Traffic Lights

9:30

The screenshot shows a web browser window displaying the SNAP4CITY Traffic Flow Simulation interface. The browser tabs include 'Snap4City' and 'Dashboard Management System'. The address bar shows the URL: `snap4city.org/dashboardSmartCity/view/Gea-Night.php?iddashboard=NDI4Mg==`. The page title is 'Traffic Flow Simulation' and the current time is 'Mon 14 Oct 19:47:07'. The interface features a central 3D simulation of a road network with several cars. On the left, there is a control panel with a 'Current Scenario' dropdown set to 'alessandroscen...', buttons for 'CANCEL', 'PAUSE', and 'HELP', a speed slider from 'slow' to 'fast' with a 'Delay: 30.0 ms' indicator, and a 'Stats' section showing simulation metrics. Below the stats is a 'Vehicle Summary' (43 cars) and a 'Click Summary' (N/A). At the bottom left, there is a 'Quick Find' search bar and vehicle type filters for 'CAR', 'BIKE', and 'TRAIN'. On the right, a 'Widget1' panel contains a 'Data Update' button, a scenario dropdown menu, a 'Create Microsimulation' button, another scenario dropdown menu, and a 'Run Simulation' button. A 'Close Controls' menu is visible over the simulation area.

Traffic Infrastructure Optimization

FROM CITY
DASHBOARD TO
APPLICATIONS

DATA GAIN
AND CITY
KNOWLEDGE
MANAGEMENT

11 SUSTAINABLE CITIES
AND COMMUNITIES



MOST

CENTRO NAZIONALE PER LA MOBILITÀ SOSTENIBILE

TO ADOPT
CITY, AND
ROADMAP

SNAP4CITY THE
VIEW OF THE
ADMINISTRATORS

<https://www.snap4city.org/1014>



Traffic Infrastructure Optimization

☰ SNAP4CITY
Traffic Infrastructure Optimization
Mon 14 Oct 19:45:10

- ▶ Scenario Editor
- ▶ Some Points of Interest
- ▶ Traffic Sensors
- ▶ Air Quality Sensors
- ▶ Weather Sensors (OW)

Load Scenario: Init Acc
 Scenarios waiting to be processed: AlessandroScenario30
 Scenario version: 2024-09-26 11:52:20
Load Scenario Clean

Road Types: Select All Unselect All
 abandoned bridleway bus_guideway bus_stop construction
 crossing cycleway disused elevator
 emergency_access_point emergency_bay highway island living_street
 motorway motorway_link no path platform
 primary primary_link private raceway razed
 residential rest_area road secondary_link service
 services steps tertiary tertiary_link track
 traffic_island tram trunk_link unclassified via_ferrata
 secondary yes pedestrian bus_guideway ohm.military.Trench

INIT to ACC
Optimize Scenario
Optimization results

Data Update

deviceNameAlessandroScenario30_2024-09-26 09:56:51

v1

Fetch Data

Optimization completed!

| Objective | Before | After |
|---------------|--------------------|--------------------|
| Traffic State | 5.28 | 5.1610000000000005 |
| Fuel | 0.6710494492002909 | 0.3491240463440088 |
| CO2 | 17002.113327545154 | 13283.979223768334 |

Before


After

<https://www.snap4city.org/944>

Developing on Snap4City

| 1st part | 2nd part | 3rd part | 4th part | 5th part | 6th part | 7th part | 8th |
|----------|------------|----------------------|----------------|--------------------------|---------------------------|--------------------------------|------------------------------------|
| Overview | Dashboards | IOT App, IOT Network | Data Analytics | Data Ingestion processes | System and Deploy Install | Smart City API: Web & Mob. App | Design and Develop Smart Solutions |
| | | | | | | | |
| | | | | | | | |

| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |



FROM CITY DASHBOARD TO APPLICATIONS

DATA AND KNOWLEDGE MANAGEMENT

FORGING & SHAPING SMART CITY APPS

IOT APPLICATIONS VS IOT EDGE DEVICES

TWITTER VIGILANCE: SOCIAL MEDIA ANALYSIS

SMART CITY ARCHITECTURE AND ECOSYSTEM, OPENED TO DEVELOPERS AND STAKEHOLDERS

SNAP4CITY AND KM4CITY PROJECTS

OPT AND API

SNAP4CITY THE VIEW OF THE ADMINISTRATORS

booklets



- Smart City



https://www.snap4city.org/download/video/DPL_SNAP4CITY.pdf

- Industry



https://www.snap4city.org/download/video/DPL_SNAP4INDUSTRY.pdf

- Artificial Intelligence



https://www.snap4city.org/download/video/DPL_SNAP4SOLU.pdf

Tech Overview

- <https://www.snap4city.org/drupal/sites/default/files/files/Snap4City-PlatformOverview.pdf>



Technical Overview

From: DINFO dept of University of Florence, with its
DISIT Lab, <https://www.disit.org> with its Snap4City solution

Snap4City:

- Web page: <https://www.snap4city.org>
- <https://twitter.com/snap4city>
- <https://www.facebook.com/snap4city>

Contact Person: Paolo Nesi, Paolo.nesi@unifi.it

- o Phone: +39-335-5668674
- o LinkedIn: <https://www.linkedin.com/in/paolo-nesi-849ba51/>
- o Twitter: <https://twitter.com/paolonesi>
- o FaceBook: <https://www.facebook.com/paolo.nesi2>

Development

<https://www.snap4city.org/download/video/Snap4Tech-Development-Life-Cycle.pdf>



Development Life-Cycle

<https://www.snap4city.org/download/video/Snap4Tech-Development-Life-Cycle-v1-1.pdf>


From Snap4City:

- We suggest you to read the **TECHNICAL OVERVIEW**:
 - <https://www.snap4city.org/download/video/Snap4City-PlatformOverview.pdf>
- <https://www.snap4city.org>
- <https://www.snap4solutions.org>
- <https://www.snap4industry.org>
- <https://twitter.com/snap4city>
- <https://www.facebook.com/snap4city>
- <https://www.youtube.com/channel/UC3tAO09EbNba8f2-u4vandq>

Coordinator: Paolo Nesi, Paolo.nesi@unifi.it

DISIT Lab, <https://www.disit.org>
DINFO dept of University of Florence,
Via S. Marta 3, 50139, Firenze, Italy
Phone: +39-335-5668674

Technical Architecture




Standards and Interoperability (10/2024)




Compliant with:

- **IoT:** NGSi V2/LD, LoRa, LoRaWan, MQTT, AMQP, COAP, OneM2M, TheThingsNetwork, SigFOX, Libelium, IBIMET/IBE, Enocean, Zigbee, DALI, ISEMC, Alexa, Sonoff, HUE Philips, Tplink, BACnet, TALQ, Protocol Buffer, KNX, OBD2, Proximus, ..
- **IoT model:** FIWARE Smart Data Model, Snap4City IoT Device Models
- **General:** HTTP, HTTPS, TLS, Rest Call, SNMP, TCP, UDP, SOAP, WSDL, FTP, FTPS, WebSocket, WebSocket Secure, GML, WFS, WMS, RTSP, ONVIF, AXIS TVCam, CISCO Meraki, OSM, Copernicus, The Weather Channel, Open Weather, OLAP, VMS Milestone, TIM, HERE,
- **Formats:** JSON, GeoJSON, XML, CSV, GeoTIFF, OWL, WKT, KML, SHP, db, XLS, XLSX, TXT, HTML, CSS, SVG, IFC, XPDL, OSM, Enfuser FMI, Lidar, gITF, GLB, DTM, GDAL, Satellite, D3 JSON, ...
- **Database:** Open Search, MySQL, Mongo, HBASE, SOLR, SPARQL, ODBC, JDBC, Elastic Search, Phoenix, PostGres, MS Azure, ..
- **Industry:** OPC/OPC-UA, OLAP, ModBUS, RS485, RS232,..
- **Mobility:** DATEX, GTFS, Transmodel, ETSI, NeTEx, ..
- **Social:** Twitter, FaceBook, Telegram, ..
- **Events:** SMS, EMAIL, CAP, RSS Feed, ..
- **OS:** Linux, Windows, Android, Raspberry Pi, Local File System, AXIS, ESP32, etc.

<https://www.snap4city.org/65>





How the Dashboards / Apps Exchange data (2024/8)



> 60.000 downloads

Areas



Expert System *semantic queries*




UNIVERSITÀ
DEGLI STUDI
FIRENZE

DINFO
DIPARTIMENTO DI
INGEGNERIA
DELL'INFORMAZIONE

DISIT
DISTRIBUTED SYSTEMS
AND INTERNET
TECHNOLOGIES LAB



- **via:**
- **Smart City API** for Apps and third party
- **MicroServices** data driven develop via visual language Node-RED



<https://www.snap4city.org/19>

Km4City Ontology elements 1.6.8

- **Km4C:** Km4City 1.6.8
- Using
 - **DCTERMS:** for metadata Dublin Core Metadata Initiative
 - **FOAF:** friends of a friends
 - **Good Relation:** entities relationships
 - **iot-lite:** IOT Vocabulary
 - **OTN:** Ontology of Transportation Networks
 - **OWL-Time:** time reasoning
 - **SAREF** Smart Appliances REference extension for building devices available at <https://saref.etsi.org/saref4bldg/>
 - **Schema.org** for people and organizations
 - **SSN:** Semantic Sensor Network Ontology (see <https://www.w3.org/TR/vocab-ssn/>)
 - **WGS84** Datum of Geo-Objects
 - **GTFS**, General Transit Feed Specification, and **Transmodel**, for public transport infrastructures: lines/rides time schedules, real-time records, paths, etc.;
 - **BOT:** Building Topology Ontology. <https://w3c-lbd-cg.github.io/bot/>
 - **S4CITY:** SAREF extension for Smart City. <https://saref.etsi.org/saref4city/v1.1.2/>



Solutions: reliable, secure and fast to realize





- **Via Snap4City tools**






- **Dashboard Wizard**
- **Dashboard Builder**
- **Data/Visual Analytic**

- **Smart Solutions results to be**

- **Real time data drive**
- **Secure end-to-end**
- **GDPR compliant**
- **Reliable, interoperable**
- **Auditable, marketable**




Different Themes



New styles/themes can be developed by specializing a few files from open source

<https://www.snap4city.org/793>

Visual programming for CSBL, accessible in beta



Client Side Business Logic

<https://www.snap4city.org/download/video/ClientSideBusinessLogic-WidgetManual.pdf>

Client-Side Business Logic Widget Manual

From Snap4City:

- We suggest you read <https://www.snap4city.org/download/video/Snap4Tech-Development-Life-Cycle.pdf>
- We suggest you read the TECHNICAL OVERVIEW:
 - <https://www.snap4city.org/download/video/Snap4City-PlatformOverview.pdf>
- slides go to <https://www.snap4city.org/577>
- <https://www.snap4city.org>
- <https://www.snap4solutions.org>
- <https://www.snap4industry.org>
- <https://twitter.com/snap4city>
- <https://www.facebook.com/snap4city>
- <https://www.youtube.com/channel/UC3tAQ09EbNba8f2-u4vanda>

Coordinator: Paolo Nesi, Paolo.nesi@unifi.it
DISIT Lab, <https://www.disit.org>
DINFO dept of University of Florence,
Via S. Marta 3, 50139, Firenze, Italy
Phone: +39-335-5668674



MLOperation

<https://www.snap4city.org/download/video/Snap4City-MLOps-Manual.pdf>










Data Analytics on Snap4City, Machine Learning Operation MLOps on Snap4City via ClearML

From Snap4City:

- Development Life Cycle user manual:
 - <https://www.snap4city.org/download/video/Snap4Tech-Development-Life-Cycle.pdf>
- See Client-Side Business Logic Widget Manual:
 - <https://www.snap4city.org/download/video/ClientSideBusinessLogic-WidgetManual.pdf>
- Videos and PDF of Training slides <https://www.snap4city.org/944>
- You may read the TECHNICAL OVERVIEW, <https://www.snap4city.org/download/video/Snap4City-PlatformOverview.pdf>
- <https://www.snap4city.org>
- <https://www.snap4solutions.org>
- <https://www.snap4industry.org>
- <https://twitter.com/snap4city>
- <https://www.facebook.com/snap4city>

Coordinator: Paolo Nesi, Paolo.nesi@unifi.it
DISIT Lab, <https://www.disit.org>
DINFO dept of University of Florence,
Via S. Marta 3, 50139, Firenze, Italy
Phone: +39-335-5668674

Access Level: public
Date: 16-12-2024
Version: 0.6



Snap4City (C), January 2025

Training Suggestions DISIT publications

FROM CITY DASHBOARD TO APPLICATIONS

DATA GATHERING AND CITY DATA KNOWLEDGE MANAGEMENT

FORGING & MANAGING OPEN AND FLEXIBLE WEB AND MOBILE APPS

IOT/IOE DEVICES AND NETWORKS

IOT APPLICATIONS, THE LOGIC AND THE SMARTNESS

SMART CITY API, MICROSERVICES, SNAP4CITY API

SNAP4CITY LIVING LAB FOR COLLABORATIVE WORK

SNAP4CITY FOR BEGINNERS

DATA ANALYTICS, BUSINESS INTELLIGENCE, WHAT-IF AND SIMULATION

SNAP4CITY ARCHITECTURE AND ECOSYSTEM. OPENED TO OTHER PERIPHERAL APPLICATIONS

DECISION SUPPORT SYSTEM AND CITY RESILIENCE

TWITTER VIGILANCE, SOCIAL MEDIA ANALYSIS

HOW TO ADOPT SNAP4CITY, AND OUR ROADMAP

SNAP4CITY AND KM4CITY PROJECTS

SNAP4CITY THE VIEW OF THE ADMINISTRATORS



<https://www.snap4city.org/944>

On Line Training Material (free of charge)



| 1st part | 2nd part | 3rd part | 4th part | 5th part | 6th part | 7th part | 8th |
|----------|------------|----------------------|----------------|--------------------------|---------------------------|--------------------------------|------------------------------------|
| Overview | Dashboards | IOT App, IOT Network | Data Analytics | Data Ingestion processes | System and Deploy Install | Smart City API: Web & Mob. App | Design and Develop Smart Solutions |
| | | | | | | | |
| | | | | | | | |

| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

Note on Training Material

- **Course:** <https://www.snap4city.org/944>
 - Introductory course to Snap4City technology
 - Italian version CN MOST: <https://www.snap4city.org/1068>
- **Older version Course** <https://www.snap4city.org/577>
 - Full training course with much more details on mechanisms and a wider set of cases/solutions of the Snap4City Technology
- **Documentation** includes a deeper round of details
 - Snap4City Platform Overview:
 - <https://www.snap4city.org/drupal/sites/default/files/files/Snap4City-PlatformOverview.pdf>
 - Development Life Cycle:
 - <https://www.snap4city.org/download/video/Snap4Tech-Development-Life-Cycle.pdf>
 - Client Side Business Logic:
 - <https://www.snap4city.org/download/video/ClientSideBusinessLogic-WidgetManual.pdf>
- **On line cases and documentation:**
 - <https://www.snap4city.org/108>
 - <https://www.snap4city.org/78>
 - <https://www.snap4city.org/426>

Dashboards (Public)

[My Snap4City.org](#)

[Tour Again](#)

[www.snap4solutions.org](#)

[ダッシュボード](#)

[My Dashboards in All Org.](#)

[Dashboards of My Organization](#)

[My Dashboards in My Organization](#)

[My Data Dash Dev OpenSrcDash](#)

[My Data Dashboard OpenSrcDash](#)

[Extra Dashboard Widgets](#)

[Notifier](#)

[Data Management, HLT](#)

[Knowledge and Maps](#)

[Processing Logics / IOT App](#)

[Entity Directory and Devices](#)

[Resource Manager](#)

[Development Tools](#)

23 -

24 - Dashboard 2

25 - what one should be to adopt snap4city - 04:39PM on December 06, 2024

26 - TEST SOURCES

27 - How can I visualize a map on a dashboard? - 05:50PM on December 06, 2024

28 - How can I visualize a map on a dashboard? - 06:46PM on December 06, 2024

29 - which is the HPC support on snap4city - 09:30PM on December 06, 2024

30 - csbl

31 - Data Analytics

32 - Industria 4.0

33 - Ciao qual'è l'API per prendere le user info da access token? - 04:02PM on December 10, 2024

34 - quale è il modo corretto di definire un modello dati in snap4city - 09:39AM on December 11, 2024

35 - che cosa è snap4city - 04:28PM on December 11, 2024

36 - install

37 - may you provide python code to call smart city API - 03:08PM on December 13, 2024

Coming soon!

SnapAdvisor

Search more

how to build a smart application


To build a smart application using Snap4City, follow these steps:

1. **Develop Processing Logic / IoT Apps:** Create your Processing Logic / IoT Apps using Node-RED in JavaScript. This involves handling data ingestion, adapters, transformations, wrappers, business logic, transcoding, integration, interoperability, algorithms, etc.
2. **Create Data Analytics:** Implement algorithm and processing in RStudio or Python, including machine learning (ML), artificial intelligence (AI), explainable AI (XAI), etc.
3. **Design User Interface:** Build dashboards, client-side business logic, synoptics, widgets, templates, styles, etc. If necessary, implement client-side business logics in JavaScript on dashboard widgets.
4. **Implement Server-Side Business Logics:** Use Processing Logic as Node-RED and JavaScript for server-side business logics.
5. **Manage Data Instances:** Handle high-level types' data instances.
6. **Ensure Security and Compliance:** All data streams should be protected, authenticated, and authorized according to [Security 2020]. Ensure GDPR compliance and access separation.

Type a question on Snap4City documentation



Acknowledgements





Smart Ambulance (2021-22)

Enterprise (2021-22)
Industry 4.0

Almafluida Industry 4.0 (2021-22)

Contract, 2022-23

MOST
CENTRO NAZIONALE PER LA MOBILITÀ SOSTENIBILE
CN MOST, 2022-26

ELLIE IA
2025-2027

2020



Contract



- Smart Tourism
- 6 Pilots
- Data Analytics
- Extended platform



- Smart Mobility
- PISA, PUMS
- Living lab



Contract

2021

PC4City (2020-21)
Monitoring Terrain

Winner of Open Data Challenge of
enel x

CAPELON

- Smart Light
- Sweden

Km4City 1.6.7



AMPERE (2021-22)
Industry 4.0

SYN-RG-AI
SmartCity



Industry 4.0

uni.systems

SmartCity, 2021-23



AXIS collab
SmartCity

2022



Asymmetrica
Smart City, 2022-23



Contract, 2022-23



2022-2023

enel x
Contract, 15min



Security and Risk

Smartea



Italferr, Smart City



Co-funded by the European Union

2023



EI THE, 2022-26

G. Agile, 2021-23



2023-26



Merano, smart light

OceanRace,
Genova, AWS

Cuneo,
smart city

2024

Km4City 1.6.8

TOURISMO



UrbanDT4TF



Contract, 2024-25

CAI4DSA



Rhodes,
smart city



AMMIRARE



2024/25

- **UrbanDT4TF**, CN HPC: Digital Twin mobility
- **DI-DTPlatform**, CN HPC: Digital Twin, mobility, environment
- **Sasuum**, CN MOST, PNRR: AI, mobility
- **OPTIFaaS**, CN MOST, PNRR: AI, mobility, DSS
- **LeverageOPTIFaaS**, CN MOST: PNRR, mobility
- **TOURISMO**, Interreg, EC: Tourism, NLP, DSS
- **ELLIE**, Horizon Europe, EC: AI, VR
- **CN MOST**, PNRR: sustainable mobility, platform
- **ISPRA JRC contract**, EC: DSS, SOC, control room, energy
- **The IE**, PNRR: AI, NLP, Legal Aspects
- **AMMIRARE**, Interreg, EC: AI, environment, Big Data
- **CAI4DSA**, FAIR PE1, PNRR: AI, Neuro-Symbolic, PINN, NG-DSS
- **SADI-MIAC**, RT, partner: AI, Tourism, Retail, Computer Vision
- **Energia**, RT, conv: AI, PINN, DSS
- **RFI contract**: mobility, AI, DSS
- **PRIN UNICagliari**: mobility, DSS
- **Talent Hub**, ECRF, conv: NLP, match demand vs offer



Snap4City

<https://www.Snap4City.org>



PEN Test
Passed




EU GDPR
COMPLIANT



- 11 running installations in Europe
 - Snap4.city.org, Greece, Merano, Cuneo, ...
 - Toscana, Pisa, Sweden, ISPRA, Snap4.eu,
 - Altair, Italmatic, Romania,
- 18 projects, 12 pilots on 10 Countries
 - >40 cities/area
- **Widest MULTI-tenant deploy has**
 - 26 Organizations / tenant
 - > 9200 users on
 - > 1800 Dashboards e applicazioni
 - > 17 mobile Apps
 - **> 2.4 Million of structured data per day**
 - > 600 IoT Applications/node-RED
 - > 750 web pages with training
 - > 75 videos, training videos

Main Organizations/areas

- [Antwerp area \(Be\)](#)
- [Bari \(I\)](#)
- [Bisevo, Croatia](#)
- [Bologna \(I\)](#)
- [Brasov \(Ro\)](#), by ICEBERG
- [Capelon \(Sweden: Västerås, Eskilstuna, Karlstad\)](#)
- [Cuneo \(I\)](#)
- [DISIT demo \(multiple\)](#)
- [Dubrovnik, Croatia](#)
- [Firenze area \(I\)](#)
- [Garda Lake area \(I\)](#)
- [Greece \(Gr\)](#)
- [Helsinki area \(Fin\)](#)
- [Limassol \(Cy\)](#)
- [Livorno area \(I\)](#)
- [Lonato del Garda \(I\)](#)
- [Malta \(Malta\)](#)
- [Merano \(I\)](#)
- [Modena \(I\)](#)
- [Mostar, Bosnia-Herzegovina](#)
- [Oslo & Padova \(Impetus\)](#)
- [Pisa area \(I\)](#)
- [Pistoia \(I\)](#)
- [Pont du Gard, Occitanie \(Fr\)](#)
- [Prato \(I\)](#)
- [Rhodes \(Gr\)](#)
- [Roma \(I\)](#)
- [Santiago de Compostela \(S\)](#)
- [Sardegna Region \(I\)](#)
- [Siena \(I\)](#)
- [SmartBed \(multiple\)](#)
- [Toscana Region \(I\), SM](#)
- [Valencia \(S\)](#)
- [Venezia area \(I\)](#)
- [WestGreece area \(Gr\)](#)



Co-funded by
the European Union

Interreg
Euro-MED



Co-funded by
the European Union



Making the Mediterranean Green Transition happen

Nicola Mitolo, DISIT Lab/Snap4City
Università degli Studi di Firenze
info@snap4city.org

