100% OPEN SOURCE

EU GDPR COMPLIANT

PEN Test Passed

Powered by FIWARE

SNAP4CITY on EUROPEAN OPEN SCIENCE CLOUD MARKETPLACE

Node-RED

SNAP4CITY

KM4CITY

SNAP4 Appliances and Dockers Installations



Be smart in a SNAP!

LIVING LAB

Dashboards Creation and Management



09 October 2021, Course
https://www.snap4city.org/577

SCALABLE SMART ANALYTIC APPLICATION BUILDER FOR SENTIENT CITIES

UNIVERSITÀ DEGLI STUDI FIRENZE | DINFO | DISIT


UNIVERSITÀ DEGLI STUDI FIRENZE | DINFO DIPARTIMENTO DI INGEGNERIA DELL'INFORMAZIONE | DISIT DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB

SNAP4CITY

Powered by KM4CITY

scalable Smart aNalytic APplication builder for sentient Cities: for Living Lab and co-working with Stakeholders

https://www.Snap4City.org



100% OPEN SOURCE

Dashboards Creation and Management

09 October 2021, Course
https://www.snap4city.org/577

Paolo Nesi, paolo.nesi@unifi.it
https://www.Km4City.org
https://www.disit.org

CC BY NC ND SOME RIGHTS RESERVED

Tools for rapid implementation of sustainable Smart Solutions and Decision Support Systems

UNIVERSITÀ DEGLI STUDI FIRENZE | DINFO DIPARTIMENTO DI INGEGNERIA DELL'INFORMAZIONE | DISIT DISTRIBUTED SYSTEMS AND INTELLIGENT TECHNOLOGIES LAB | SNAP4CITY | KM4CITY

www.snap4city.org

100% OPEN SOURCE

Powered by FIWARE

FREE TRIAL

PEN Test Passed

EU GDPR COMPLIANT

SNAP4 Appliances and Dockers Installations

EUROPEAN OPEN SCIENCE CLOUD

Node-RED

JS Foundation


EØ15 digital ecosystem

NVIDIA



DASHBOARDS AND APPS - CONTROL ROOMS - DECISION SUPPORT SYSTEMS - WHAT-IF ANALYSIS - VISUAL ANALYTICS


PREDICTION - ANOMALY DETECTION - ENVIRONMENTAL MODEL - 3D MODEL
KPI - SIMULATION - EARLY WARNING - SYNOPTIC - DIGITAL TWIN - VIRTUAL REALITY



EXPERT SYSTEM
KNOWLEDGE BASE
STORAGE



BIG DATA ANALYTICS
EXPLAINABLE ARTIFICIAL INTELLIGENCE
BUSINESS INTELLIGENCE
MACHINE LEARNING



DATA FLOWS, DATA DRIVEN
WORKFLOWS, MICROSERVICES
PARALLEL DISTRIBUTED PROCESSING



METHODOLOGIES
COURSES AND COMMUNITY
LIVING LABS
DEVELOPMENT TOOLS



Snap4City/Industry structure

- The **Snap4xxxx** solution is released in Open Source, VM and Docker with fully support of MultiTenant/multiple-Organizations
  - Each Organization may be configured for a separate environment with a set of Maps, Menus, Users, Data, Dashboards, IOT Apps, MicroApplications, Custom Widgets, Models, resources, open data, etc.
- **Https://www.Snap4City.ORG** is the main instance of Snap4xxxx solution managed by DISIT Lab. The main documentation is located and updated on Snap4City.org, GitHUB, dockerHub and Node-Red Library. Snap4City.org is where the last tools are tested and news published.
  - Organizations on Snap4City.org have been created with contracts as for *Platform as a Service*, for testing and for providing *SmartCity as a Service* as well as *Industry 4.0 as a Service*


Snap4City/Industry Community

- Most of Organizations on Snap4City.org also correspond to companies or institutions that have an installation of Snap4City tools on their Premise,
  - such as: Pisa, SmartGarda Lake, Snap4, ALTAIR, etc.
- This double way allows them to:
  - test the news,
  - share experiences with other groups,
  - get visibility,
  - work in the collaborative environment, and
  - be better supported by Snap4City.org and DISIT Lab personnel.
- Each instance of Snap4xxxx solution ***can decide to join the federation*** of SmartCity API to exploit shared data.
  - This allows to exploit regional data for city installations applications (web, mobile, dashboards, etc.) without reloading them for example.


Main Organizations/areas

- Antwerp area (Be)
- Capelon (Sweden: Västerås, Eskilstuna, Karlstad)
- DISIT demo (multiple)
- Dubrovnik, Croatia
- Firenze area (I)
- Garda Lake area (I)
- Helsinki area (Fin)
- Livorno area (I)
- Lonato del Garda (I)
- Modena (I)
- Mostar, Bosnia-Herzegovina
- Pisa area (I)
- Pont du Gard, Occitanie (Fr)
- Roma (I)
- Santiago de Compostela (S)
- Sardegna Region (I)
- SmartBed (multiple)
- Toscana Region (I), SM
- Valencia (S)
- Venezia area (I)
- WestGreece area (Gr)

Snap4City (C), October 2020




Federation of Snap4City Services



- A Mobile App may refer to one Smart City API Server (for Area 1) via SUPER and receive data from the Federated SUPERS (Area 2) if navigation, queries, etc. are leading to discover out of the addressed KB.
  - SUPER can be used for creating redundant and/or balanced distributed solutions for Federated KB. See Area 2, the two KB in the front.
  - Federated SUPER ServiceMap can have overlapped KB even totally.
  - A Mobile App can be developed to support multiple Smart City API servers, for balancing and
- The usage of Super (ServiceMap) is not mandatory so that separate services can be produced as well
- SuperServiceMap and ServiceMap presents the same Smart City APIs.

Free Trial

- Register on WWW.snap4city.org
  - Subscribe on **DISIT Organization**
- **You can:**
  - Access on basic Tools
  - Access to a large volume of Data
  - Create Dashboards
  - Create IOT Applications
  - Connect your IOT Devices
  - Exploit Tutorials and Demonstrations



IF you need to go more in deep you can ask us to pass at the next Role becoming full AreaManager with full rights of development, also for Data Analytics, machine learning, etc.

https://www.snap4city.org/577

On Line Training Material (free of charge)

	1st part (*)	2nd part (*)	3rd part (*)	4th part (*)	5th part (*)	6th part (*)	7th part (*)
what	General	Dashboards	IOT App, IOT Network	Data Analytics	Data Ingestion processes	System and Deploy Install	Smart City API: Web & Mob. App
PDF							
Inter active							
Video1							
Video2							
Video3							
Video4				none		none	none
duration	2:55	3:16	3:41	2:00	2:48	2:35	1:47

General Overview of the full Course 2021

- ***1st part:*** *General Overview*
- ***2nd part:*** *Dashboards Creation and Management*
- ***3rd part:*** *IOT Applications development, IOT Devices, IOT Networks*
- ***4th part:*** *Data Analytics, in R Studio, in Python, how to Exploit and Manage Data Analytics in IOT Applications*
- ***5th part:*** *Data Ingestion, Data Warehouse, Data Gate, IOT Device Data ingestion, IOT App for Data Ingestion, Interoperability, etc.*
- ***6th part:*** *Snap4City Development, Extension, Administration, and Installation*
- ***7th part****: Smart city API (internal and external) Web and Mobile App development tool kit*

A number of the training sections include exercitations

Updated versions on: https://www.snap4city.org/577

See also courses in ITALIANO: https://www.snap4city.org/485

2nd part Agenda

GO
- **Recall on Snap4City Architecture**
  - Dashboard builder vs Kibana/Grafana

GO
- **Dashboard Usage and Authoring**
  - Dashboard usage vs Widgets, Multi Data Map Widget, Data Kinds vs Graphic Widgets,
  - Special Widgets vs Special Data, Dashboard Menus of Organizations

GO
- **External Services (integration of) your of third party web pages**
  - external service widget and family, Custom Widgets are seen as External Services, Event Driven Custom Widgets, dynamic widgets

GO
- **GIS Data Import, Export and Exploitation**

GO
- **Unified Data Model (for All) and Data Inspection (for Admin)**
  - Data Inspector vs Data Processes Details (for Admin), Digital Twin

GO
- **Dashboard Creation by Wizard & Exercitation**
  - Dashboard Creation, Exercitation, Mechanisms of Selector for the Multi Data Map widget

GO
- **Dashboard Business Logic Via IOT Applications USAGE AND AUTHORING**
  - IOT App Business Intelligence for Dashboards, Web and Mobile Apps
  - Widgets Interacting with IOT Apps virtual Sensors and Actuators
  - Dynamic Widgets data on Dashboard from IOT Applications
  - Synoptics and Custom Widgets Creation

GO
- **Flexible What-If Capabilities as Decision Support System**

GO
- **Dashboard Event Management**
  - Private Dashboard ChatRoom, Notifications from Dashboard and from any Data Condition

GO
- **Dashboard other Features**
  - Dashboard Embedding into third party Web Sites/pages, controlling header and footer, etc.


GO
- **Dashboards Listing, Managing, Sharing, Delegation**
  - Dashboard Listing, Managing, Sharing, Delegation

GO
- **Data Type Management GDPR Compliant**
  - Dashboards GDPR Management, Personal Data Management GDPR Compliant: POI, Data, KPI


GO
- **DevDash: My Data Dashboard based on Kibana**

GO
- **Acknowledgments**

Living Lab Accelerating




Development Life Cycle Smart City Services



TOP

Recall on Snap4City Architecture



URBAN PLATFORM: SMART CITY IOT AS A SERVICE AND ON PREMISE

100% OPEN SOURCE

APPLIANCES CONTAINERS



- LOCAL GOVERN
- STAKEHOLDERS
- CITY USERS
- IN-HOUSE
- ENERGY OPERATORS
- MOBILITY OPERATORS
- COMMERCIAL OPERATORS
- SECURITY OPERATORS
- INDUSTRIES
- RESEARCHERS
- START-UPS
- ASSOCIATIONS

- GDPR
- SECURITY
- PRIVACY
- ASSESSMENT
- AUDITING
- PENTESTED

- OPEN IOT DEVICES
- IOT EDGE
- IOT GATEWAY
- PAX COUNTERS
- IOT BUTTONS

- TEST CASES, SCENARIOUS, VIDEOS, HACKATHONS
- OPEN SOURCES, COMMUNITY OF CITIES
- TRAINING TUTORIALS, COMMUNITY MANAGEMENT

IOT APPLICATIONS - INSTANT APPS



DATA DRIVEN APPLICATIONS • REAL TIME PROCESSING • BATCH PROCESSING • ANY PROTOCOL & FORMAT

DASHBOARDS & APPLICATIONS



CONTROL ROOM • SITUATION ROOM • OPERATOR DASHBORDS • BUSINESS INTELLIGENCE • WHAT-IF ANALYSIS • DECISION SUPPORT • SIMULATIONS • RISK ANALYSIS • RESILIENCE ANALYSIS

MOBILE & WEB APPLICATIONS



DEVELOPMENT KIT • SUGGESTIONS • MOBILE APPS • MONITORING PANELS • PLATFORM UTILITIES • READY TO USE SMART APPLICATIONS


MICROSERVICES & ADVANCED SMART CITY API

LIVING LAB - DEV TOOLS - COWORKING




IOT DIRECTORY • SERVICE MAP • RESOURCE MANAGER • DATA GATE • R STUDIO • ETL

BIG DATA - DATA ANALYTICS



DATA ANALYTICS TOOLS - MICRO-APPLICATIONS



PREDICTIONS • ANOMALY DETECTION • WHAT-IF ANALYSIS • TRAFFIC FLOW RECONSTRUCTION • ORIGIN-DESTINATION MATRICES • SOCIAL MEDIA ANALYSIS • OFFER VS DEMAND ANALYSIS • ENVIRONMENTAL DATA ANALYSIS AND PREDICTIONS • REAL TIME HEATMAPS • ROUTING • ALERTING • EARLY WARNING • PERSONAL AND VIRTUAL ASSISSTANTS • SMART SOLUTIONS • SMART SHARING • PARTECIPATORY

KM4CITY DATA AGGREGAT KNOWLEDGE BASE - EXPERT SYSTEM OF THE CITY – BIG DATA STORE


IOT MNG - DATA MNG - DATA INSPECTOR – PROCESS MNG – USER ENGAGEMENT – GDPR MNG ...

GIS	CITY UTILITIES	OPEN DATA	LEGACY & EXTERNAL SERVICES	PERSONAL DATA	IOT / IOE	BROKERS	KPI	INDUSTRY 4.0	SOCIAL MEDIA



Concept

BIM




KPI, POI, MyKPI, …

API, External Services

Web Scraping


WorkFlow






Node-RED

IOT Apps






Data Analytics,
Artificial Intelligence



IOT Brokers

IOT Broker

IOT Broker





FIWARE



GIS

Big Data

KB


LD, LOD


ckan

FI-WARE









Dashboards and Apps


The usage of IOT Applications

- IOT Applications = Node-RED + Snap4City Libraries
- Used for:
  - **Data Ingestion, Transformation, Extract, Load, and Adaptation** (format and protocol), See Part 5 of the Course
  - **IOT Edge Devices logic**, for implementing logic on IOT Edge, including **IOT Device control** (see on Part 3 of the course)
  - **Business Logic** control of Dashboards, via Web Sockets secure
    - see Part 2 of the Course (this part)
  - **Control and schedule of Data Analytic**, and Machine Learning (see part 4 of the Course)
  - **Firing and condition identification and alerting**.

TOP

DASHBOARDS in Snap4City

Kibana vs Snap4City DashBoard Builder



My Data Dashboard Dev Kibana

Two Main Lines for Dashboarding

- **Kibana (DevDash, My Dashboard**
  (Dev) Kibana)

Ready to use

You can customize

Limited details




- **Dashboard Builder of Snap4City**

You need to create / customize


Full Control

Professional details



My Dashboard (Dev) Kibana

- also called DevDash, AMMA, also accessible as Grafana
- For accessing and browsing data on OpenDistro (Elastic Search) storage and other sources supported
- **No Support for real time event driven** widgets/panels, actuators and synoptics, no sophisticated maps, etc.
- **Not suitable for control room**, decision makers, etc.
- **Not integrated with IoT App**, Custom widgets, animation, external services.
- **Oriented to developers**, complex production of custom views, etc.
- **Partial support of GDPR** and deep control of access.




Dashboard Builder of Snap4City

- For accessing and browsing data on: OpenDistro (ElasticSearch), Mongo, MySQL, Smart City API, Super and thus from federated Smart City API, etc.
- **Supports sensors/actuators**: data driven data, maps in extended manner, data driven widgets, large collection of widgets, direct IoT Connections, custom widgets, animated PIN on maps, a large set of panel/widgets, etc.
- **Very simple to be used for control room**, decision makers, situation rooms, operators, etc.
- **Very well integrated with IoT App**, Custom widgets, animation, external services.
- **Very simple to be customized** for non programmers since all the tools are visual.
- **Support for GDPR** and deep control of access.
- Can integrate Kibana/Grafana Views into a Widget



Dashboard Builder: Development



Data Transformation
Business Logic

IOT Applications

Knowledge Base,
Km4City



Knowledge and Storage
Data from the Field and
City + MyKPI ++

Widget Collection






Micro
Applicat
ions




External
Services




Custom
Widgets/
Synoptics

Dashboard Wizard




Create, save, load,
delegate, grant access,
change ownerhip





Dashboard Editor





Public
Dashboard
Collection

My Own Dash/App




Snap4City Dashboard Builder vs Kibana

Features	Snap4City Dashboard Builder	Kibana, Grafana
Large Collection of Widgets	YES	Nothing
Custom Widgets SVG of any kind, full defined process for customization	YES	Nothing
Real time event driven widgets and data	YES	Nothing
Business Logic for data transformation with visual programming: Node-RED	YES	Some coding
Maps with custom PIN, bubbles, animated and moving, etc.	YES	Nothing
Maps with paths, shapes, traffic flow, scenarios, routing, heatmaps, what-if, …	YES	Nothing
Maps with Orthomaps from WFS, WMS, GIS connection, etc.	YES	Nothing
TV camera integration and selection	YES	Nothing
Widgets for business logic integration on real time: buttons, selector, switch, etc.	YES	Nothing
Kiviat, Spider net, Calendar	YES	Nothing
Typical Time Trends: day hours, month week, month days, …..	YES	Nothing
Time Trend Compare: day, eek, month, year	YES	Nothing
Selectors/Menus: text, icons, etc., also in connection with IOT APP, Node-RED	YES	Nothing
Full control of graphic layout, font, colours, refresh per widget, etc.	YES	Nothing
Iframe integration of third party widgets and web pages, nesting dashboards, embedding Kibana	YES	Nothing
Connection among multiple Dashboards and Widgets	YES	Nothing
Synchronization with Video Wall, and Operators Views	YES	Nothing
Multiseries, bar lines, charts, pie, donut, simple selectors, trends, etc., also from business logic	YES	Limited
Single content, string, html, any data, etc.	YES	Limited
Special widgets: Weather forecast, civil protection, road plates, Twitter, etc…	YES	Nothing
Faceted search	possible with selectors	YES

TOP

Snap4City DASHBOARDS: USAGE AND AUTHORING



Public Dashboards (see them on the Portal)

Snap4City

LOGIN

- Dashboards (Public)
- Knowledge and Maps
- Micro Applications
- External Services
- Data Set Manager: Data Gate
- Resource Manager
- Development Tools
- Management
- Help and Contacts
- Documentation and Articles
- Km4City portal
- DISIT Lab portal

Dashboards (Public by (ORG))

Prev 1 ... 12 13 14 15 16 ... 20 Next

Filter by dashboard title

ServiceMap for data comparison
Passive


Public (DISIT)

Servizi agli utenti
Passive


Public (DISIT)

Smart City Control Room Console
Passive


Public (DISIT)

Smart City Control Room Console - new
Passive



Public (DISIT)

Smart City Data Overview
Passive


Public (DISIT)

Smart City Data Overview 2
Passive


Public (DISIT)

Smart Garda Lake
Passive


Public (DISIT)

SmartCity processes
Passive



Public (DISIT)

Snap4City - App dashboard
IOT apps



Public (DISIT)

Snap4City - Buttons with images
Passive


Public (DISIT)

Snap4City - City Operator
IOT apps



Public (DISIT)

Snap4City - City Operator - Cloned
Passive



Public (DISIT)

DEMO Section

Video Wall







From Consolle Operator to the Video Wall

Control Room



https://www.snap4city.org/621



https://www.snap4city.org/511


MAPPA FIRENZE
Fri 19 Oct 17:24:39
Colonnine Ricarica
Colonnine ricarica Fast
Pannelli a Messaggio Variabile
Parcheggi
Piste Ciclabili
Sensori del Traffico
Stazioni ambientali
Stazioni meteo
Traffico Real Time
Varchi ZTL
Wi-Fi
Eventi Traffico a Firenze
Concentration - 7 days
Main



Snap4City - scalable Smart aNalytic APplication builder for sentient Cities








Tutorials


Scenarious


Innovations


Interoperability


Installations


What People say


Mobile Apps


IOT Devices



IOT Applications


Data Analytics


Dashboards



Living Lab



Smart City API


Smart City Ontology


Work with Us


Articles











Snap4Industry

Smart Cities need to set up a flexible Living Lab to cope with the city evolution in terms of services and city users' needs and sustainability. Snap4City solution (https://www.snap4city.org) provides a flexible method and solution to quickly create a large range of smart city applications exploiting heterogeneous data and enabling services for stakeholders by IOT/IOE, data analytics and big data technologies. Snap4City applications may exploit multiple paradigms as data driven, stream and batch processing, putting co-creation tools in the hands of: (i) Smart Living Lab users and developers a plethora of solutions to develop applications without vendor lock-in nor technology lock-in, (ii) final users customizable / flexible mobile Apps and tools, (iii) city operators and decision makers specialized / sophisticated city dashboards and IOT/IOE applications for city status monitoring, control and decision support. Snap4City satisfies all the expected requirements of Select4Cities challenge PCP and much more, and it is 100% open source, scalable, robust, respects user needs and privacy; provides MicroServices and easily replaceable tools; compliant with GDPR; provides a set of tools for knowledge and living lab management, and it is compliant with more than 60 protocols including end-to-end encrypted communication. Snap4City is an official platform of FiWare, an official library of JS Foundation Node-RED, registered on E015, present on EOSC marketplace, and BeeSmartCity MarketPlace, etc. Snap4City obtained the 1st place award by Select4Cities partners and PCP (Antwerp, Copenhagen and Helsinki).





Powered by
www.km4city.org

Dashboards Usage vs Widgets



Snap4City: Builder of Sentient Cities Solutions


Dashboards with data driven IOT Applications enforcing intelligence


IOT and data World



Data Channels


IOT Applications





Big Data Analytics, Artificial Intelligence


Dashboards and Apps



Helsinki City Overview (H5a)

Please note that the data results are not always based on real data.

Sun 9 Jun 17:07:25



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTQwNg==

Helsinki City Overview (H5a)

Please note that the data results are not always based on real data.

Sun 9 Jun 17:07:25

Selection

- Bus stop
- Ticket sale
- Traffic sensor
- Weather sensor
- Air Temp heatmap
- Humidity heatmap
- Air Quality sensors
- Noise sensors
- Noise Heatmap
- PM10 heatmap
- PM2.5 heatmap
- NO2 heatmap
- Air Quality Index heatmap
- EAQI
- CAQI
- Enfuser pred. AQI
- Enfuser pred. PM10
- Enfuser pred. PM2.5
- Gral pred. PM10
- Gral pred. PM10 (6m)
- PM10 Jatkasaari
- PM2.5 Jatkasaari
- EAQI Jatkasaari
- Appreciated POIs

Widget Map (multi data map)

AirTemperatureAverage2HourHelsinki

HEATMAP DETAILS

Description	Value
Date & Time:	9/6/2019 15:0:0
Metric Name:	airTemperature
Heatmap Value:	21.58021
Coordinates:	60.17106, 24.92523

AirTemperatureAverage2HourHelsinki
Heatmap Controls: 24H
Max Opacity: 0.25
< Prev 2019-06-09 15:00:00

Temp °C
<-20
-20-0
1-9
10-15
16-18
19-21
22-25
26-30
31-34
>34

© OpenStreetMap contributors

The Life of Helsinki Button

Documentation
Forum Discussion
Survey

Buttons

External Content

Single Content

Weather sen... 9m
20.5


Weather sensor Helsinki Kaisaniemi - airTemperature 9m

Time Trend


3. Jun 4. Jun 5. Jun 6. Jun 7. Jun 8. Jun 9. Jun

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTQwNg==


Dashboard Usage & Recipe



- https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTQwNg==
- **Selector Widget**: (of different kinds) present “Information”, according to the HighLevelType (**HLT**), as overlapped layers on Target
  - **Additive**: PIN (POI, sensors, etc.), Cycling Paths, shapes, ...
  - **Mutual Exclusive by group**:
    - Heatmaps,
    - traffic,
    - Scenarios + what-if,
    - etc.





- **MultiDataMap Widget (Target**: (may be of different kind), this one may manage
  - Multiple representations on the same map
  - Each representation may provide specific interaction modalities and controls





Other Widgets in the dashboard


- **Button Widget** may be of different kind and may
  - Open external web pages, services, forum, surveys, etc.
  - Send messages on the field (IOT), etc.
- **External Content**:
  - Web pages (HTML + CSS + etc..), Video Streams
  - Many many other tools see next exercise
- **Single Content**
  - Single value: numeric, string, HTML, etc.
- **Time Trend**
  - Time Series: numeric values over time











Helsinki City Overview (H5a)
Please note that the data results are not always based on real data.
Multi Data Map
The Life of Helsinki Button
Selection
Bus stop
Ticket sale
Traffic sensor
Weather sensor
Air Temp heatmap
Humidity heatmap
Air Quality sensors
Noise sensors
Noise Heatmap
PM10 heatmap
PM2.5 heatmap
NO2 heatmap
Air Quality Index heatmap
EAQI
CAQI
Enfuser pred. AQI
Enfuser pred. PM10
Enfuser pred. PM2.5
pred. PM10
pred. PM10 (6m)
PM10 Jatkasaari
PM2.5 Jatkasaari
EAQI Jatkasaari
Appreciated POIs
AirTemperatureAverage2HourHelsinki
HEATMAP DETAILS
Description Value
Date & Time: 9/6/2019 15:0:0
Metric Name: airTemperature
Heatmap Value: 21.58021
Coordinates: 60.17106, 24.92523
Heatmap Controls:
24H
Max Opacity:
0.25
< Prev
2019-06-09 15:00:00
Temp °C
<-20
-20-0
1-9
10-15
16-18
19-21
22-25
26-30
31-34
>34
Widget Map
(multi data map)
Helsinki
Lapinlahti
Kaisaniemi
Kruunuvuorenranta
Hevossalmi
Santahamina
Suomenlinna
Munkkisaari
Lauttasaari
Ruoholahti
Jätkäsaari
Kaivopuisto
Katajanokka
Kaartinkaupunki
Tullisaari
Laajasalo
Yliskylä
Kalasatama
Hermanninmäki
Meilahti
Laakso
Kuusisaari
Merihaka
Mustikkamaa
Korkeasaari
© OpenStreetMap contributors
Documentation
Forum Discussion
Survey
Buttons
External Content
Single Content
Weather sen... 9m
20.5
Weather sensor Helsinki Kaisaniemi - airTemperature
9m
Time Trend
3. Jun
4. Jun
5. Jun
6. Jun
7. Jun
XX
SNAP4CITY

Helsinki vs Florence comparison



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTc0MQ==

Firenze - Trafair - AirQuality Heatmaps

This dashboad contains data derived from actual sensors and predictive values under validation

Sun 9 Jun 18:53:01

Multi Map

- Air Quality Sensors
- Weather Sensors
- PM10 Heatmap
- PM2.5 Heatmap
- CO Heatmap
- CO2 Heatmap
- SO2 Heatmap
- O3 Heatmap
- NO2 Heatmap
- Benzene Heatmap
- H2S Heatmap
- Air Humidity Heatmap
- Air Temp. Heatmap
- Wind Speed Heatmap
- Gral Pred. HM NOX (3m)
- Gral Pred. HM NOX (6m)
- Traffic Sensors
- Traffic Flow
- Cycling Paths
- Accident Heatmap
- Accident Heatmap 2

Selector

GRALheatmap
Heatmap Controls: 24H
Max Opacity: 0.34
< Prev 2019-06-09 18:00:00 Next >

PLUVIOMETRO FIRENZE GENIO CIVILE

DETAILS | DESCRIPTION | RT DATA

Last update: 2019-06-09 16:15:00+02:00

Description	Value	Buttons
airTemperature	32.3	Last value | Last 4 hours | Last 24 hours | Last 7 days | Last 30 days
airHumidity	35.0	Last value | Last 4 hours | Last 24 hours | Last 7 days | Last 30 days
rain	0.0	Last value | Last 4 hours | Last 24 hours | Last 7 days | Last 30 days

Widget Map (multi data map)

NOX µg/m3
0-10
11-25
26-35
36-60
61-75
76-90
91-105
106-125
126-150
>151

Free street
Fluid traffic
Heavy traffic
Very heavy
Sensor position

© OpenStreetMap contributors

Multi Data Map

Air Temperature Bolognese 8m

Gauge

5.4

-8 19

SIRSensor_TOS01001095 - airTemperature 8m

Time Trend

40
20
0

3. Jun 06:00 12:00 18:00 4. Jun 06:00 12:00 18:00 5. Jun 06:00 12:00 18:00 6. Jun 06:00 12:00 18:00 7. Jun 06:00 12:00 18:00 8. Jun 06:00 12:00 18:00 9. Jun 06:00 12:00


https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTUzMg==

Antwerp City Overview - A5

Please note that the data results are not always based on real data.

Sun 9 Jun 17:09:04

- Cultural Activity
- Entertainment
- Tourism Service
- Education & Research
- Government Office
- Accommodation
- Air Quality Sensor
- Weather sensor
- PM10 Heatmap
- PM2.5 Heatmap
- Air Temperature Heatmap
- Humidity Heatmap
- NO Heatmap
- NO2 Heatmap
- SO2 Heatmap
- O3 Heatmap
- EAQI
- CAQI
- Biking Safe Heatmap
- Tunnels and Ferry



Multi Data Map

Documentation

Survey


Forum Discussion





https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTQwNw==

Unique Dashboard builder Multiple Styles



Widget Multi Data Map

Icons and PINS

Multi Data Map

Multi Data Map


XX

0:00

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjM1MA==


Dashboard Usage and recipe: Event map target

- **Selector**
  - **POI, Heatmap, traffic, etc.**
- **Traffic Events:**
  - From gestore (manager)
- **Entertainment events:**
  - From several sources
- **Mobile Operator Events:**
  - From operators with Mobile Apps



Multi-Widget Map - Demo


Sat 29 Jun 16:42:24



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTA2NA==

Multi-Widget Map - Demo


Sat 29 Jun 16:42:24



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTA2NA==


Multi-Widget Map - Demo

Sat 29 Jun 16:42:24



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTA2NA==

Main Single Values Widgets






Single values


- Single Content
- Speedometer
- Gauge
- Single Bar























Most of the multi xxxx widgets can show also single values

Speedometers- Gauges



- Coloured custom
- Unit of measure
- Bounds
- ….

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjU0MA==


Time Series, Multi Series Widgets






Time Series

- **Time Trend**




- **Time Trend Compare**
  - Comparing trends of the same time series

https://www.snap4city.org/710




- **Multi Series**
  - Showing multiple trends of multiple time series with same unit




- **Typical Time Trend**
  - Showing the typical trend of a time serie: multiple modalities


https://www.snap4city.org/705




MultiSeries


https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjU3NQ==













- **Staked, shaded or regular**,
- Grouped by Value_unit, **linear** or **Logarithmic**
- From historical data and/or **dynamic** data from IOT Applications


https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjUzMg=


Time Series Test - Cloned


Fri 3 Apr 09:54:08
















Privacy Policy Cookies Policy Terms and Conditions Contact us


Ordered Data Series

- A series or multiple series which are ordered by a number:
  - E.g., 1,2,3,4,5,……N
- For each number (position over X axis, a value on Y axis is provided)
- It is provided from the multiseries widget with setting parameters from MoreOptions
- Series can be also provided from IOT Apps




Time Trend Compare Widgets for Time Series












Single Content

Time Trend Compare

Time Trend Compare








Time Trend Compare


Time Trend Compare

SpeedoMeter





Time Trend Compare


A tool for visual Analytics, Comparing




- **4 hours** wrt those before, or same hours of previous day
- **12 hours** wrt those before, or same hours of previous day
- **Day** wrt day before, or same day of previous week or month
- **Week** wrt to previous week, or
  - week starting on Monday
- **Month** wrt to previous month, or
  - previous month starting 1st day, or
  - same month of the previous year
- **6 Months** wrt to previous 6 months, or
  - Aligned day 1 or same 6 months previous year day 1 or
  - 6 months previous year day 1 aligned 1st or 2nd semester
- **Year** wrt to previous year, or
  - previous year starting 1st day, or
  - previous year starting same month







Calendar Widgets for Time Series






Calendar


https://www.snap4city.org/706


Showing: **Sum, Average or Median** value of a variable as a colored calendar:

- **Year**
  - 1 Year, 12 months, by weeks, per days
  - Time Range: 1D, 7D, 1M, 6M, 1Y
- **Month**
  - 30 days, 24 hours
  - Time Range: 1D, 7D, 1M, 6M, 1Y
- **You can scroll in history**
- **They manage HLT: Sensor, MyKPI and work receiving Dynamic data from IOT App**



Year, 1Y






Month, 6M

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzA4MA==

Dubrovnik Calendar: Tvcamera people counting




https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzA4Nw==

Typical Time Trend, Visual Analytic on Time Series





https://www.snap4city.org/705


TypicalTimeTrend CO2












https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzEzMA==

IoT App




```
msg.payload = { "options":   [
{ "label": "IBIMET_SMART09",
"value": "IBIMET_SMART09"},
{ "label": "IBIMET_SMART27",
"value": "IBIMET_SMART27"},
{ "label": "IBIMET_SMART28",
"value": "IBIMET_SMART28"},
{ "label": "IBIMET_SMART29",
"value": "IBIMET_SMART29"}
],   "selected":
"IBIMET_SMART09"  }return
msg;
```

```
msg.payload =
[ {
 "metricHighLevelType": "Sensor",
"metricName": "CO2",
"smField": "CO2",
"serviceUri": "http://www.disit.org/km4city/resource/"+msg.payload.selected      }
]
return msg;
```

The flows are identical but the different visualization is set via MoreOptions

Typical Time Trend, & dynamic time series




https://www.snap4city.org/705

Typical Time Trend




- They:
  - **need to be computed in advance** on the basis of a Time Serie variable, and a reference period of computation.
  - **represent typical trends of: min, max, average, median**
  - You can change the data on view
- **Formats**:
  - **DayHour**: 7 time trends, one for each day of the week, each hour, 24 values.
    - As DayView or WeekView, start monday
  - **MonthDay**: a value per day, 30 values of the month.
  - **MonthWeek**: a value per day aligned to week days: 28 values, 4 weeks.
    - 1st Monday of the month
    - 3rd Friday, etc.



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzA4NA==


TTT More Options



- DayHour as DayView
- Any TTT which can include the data 16/11/2019
- Each TTT is computed on the basis of a Time range: from-to including that date

TTT: Month Day






- **MonthDay**:
  - a value per day,
  - 30 values of the month.
  - Aligned from the first day of the month
  - computed on the basis of a Time range: from-to including that date
    - e.g.: 2 months
    - As min, max, average, median
    - You can change the data on view


TTT: Month Week





- **MonthWeek**:
  - a value per day,
  - 30 values of the month.
  - Aligned from the first Monday of the first week of the month
  - computed on the basis of a Time range: from-to including that date
    - e.g.: 2 months
    - As min, max, average, median
    - You can change the data on view

Typical Time Trends




https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzA5MQ==


Typical Time Trend


- **They can be generated from IOT App**
  - 1) exploit MultiSeries block on Node-RED
  - 2) send sensors ServiceURI, or MyKPI ID or dynamic vector
  - 3) go on dashboard and set the parameters on More Option as described above.
- **They can be used as low costs predictions:** produced with a part of the temporal window in the future. For example,
  - 2 weeks in advance
  - Exploiting the 4 weeks in pasts

TOP

Bars, Pies, Donut, Tables Widgets












Barseries




https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjQwMA==

- **Staked and grouped** by Value_Name / Value_Type
- **Oriented**: Vertical and Orizontal
- **ordered** by value: crescent, descendent
- From historical data and/or dynamic data from IOT Applications






Pie & Donut



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjUxNw==

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjUyNw==

- Single level Pie and two levels as Donut
- Grouped ValueType, ValueUnit



Tables

Table - Weather Metrics and Pollutants

value type / value name	airHumidity	airTemperature	PM2_5	PM10	O3	CO
IBIMET_SMART_01	39.9	19	235.38		143.17	0.19
IBIMET_SMART_03	48	13.3	97.96		165.35	0.16
IBIMET_SMART_04	56.6	13.4	0		300	0.17
IBIMET_SMART_06	61.4	10.8	14.47		16.33	0.16
IBIMET_SMART_07	84	10.6	13.32	4.41	244.88	0.15
IBIMET_SMART_08	0	21.9	2.7	2.47		0.14
IBIMET_SMART_09	53.3	9.6	12.03	5.01	54.8	0.12


< 10
10 ⟷ 20
20 ⟷ 30
30 ⟷ 40
40 ⟷ 50
50 ⟷ 60
60 ⟷ 70
70 ⟷ 80
80 ⟷ 90
> 90

Table


value type / value name	chargingState	stationState
eCharging_15EP22T2AA1S000001	AVAILABLE	ACTIVE
eCharging_15EP22T2AA1S000002	FAULT	MAINTENANCE
eCharging_15EP22T2AA1S000003	AVAILABLE	ACTIVE
eCharging_15EP22T2AA1S000004	AVAILABLE	ACTIVE
eCharging_15EP22T2AA1S000006	FAULT	MAINTENANCE
eCharging_15EP22T2AA1S000007	AVAILABLE	ACTIVE
eCharging_15EP22T2AA1S000008	AVAILABLE	ACTIVE
eCharging_15EP22T2AA1S000009	AVAILABLE	ACTIVE

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjUzMw==


- Neutral or Colormapped, the same of heatmaps
- Number/text




Radar, SpiderNet Kiviat



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjUwNQ==



- Normalized, multiple value units
- Hystorical, KPI and Dynamic from IOT App




Table


Kiviat and Pies

Curved Lines (stacked)

https://main.snap4city.org/view/index.php?iddasboard=Nzc=




https://main.snap4city.org/view/index.php?iddasboard=MTAw



Barlines (stacked)

https://main.snap4city.org/view/index.php?iddasboard=ODM=


OLAP Data Cubes







The Data Cube

- Many different data Cube can be defined









Hypercube

- IoT Devices may have multiple Sensors
  - KPI and Sensors may have different ValueUnits (%, Kg, Km, um/m3, ppm, Kw, etc.)
- They are distributed in the maps
  - Multi Data Maps Widget can show multiple values and layers




The data cubes

- Using Dashboard Wizard with Widgets all the different transformations may be possible with different representations.
- The IoT App allows to make them Dynamic



OLAP widget vs Dashboard Wizard

- You can select a mix of:
  - HLT: MyKPI & Sensors (device, sensor_map) & Sensor (ValueName)
  - DataType: Sensor_map, integer, Integer-mykpi, float, float-mykpi
- The cube is created with all data
- The cube is visualized as a 3D multiseries (time) with the first DataType




OLAP widget vs Dashboard Wizard

- The cube is visualized as a 3D multiseries (time) with the first DataType
  - Different DataType can be selected for slicing over TYPE
  - Different Date and Time can be selected for temporal slicing




Slicing on Time




- **Drill down on time**
- **Drill up on time** is performed on More Option on Editing only

View from top: Stream Graph



Please note that if the data are sporadic in the time the streams are visualized as bars

Data Cube 3D Olap



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzIyOA==

Combining Widgets



Mixt per Roma

MENU


Roma Demo3 (Qualità dell'Aria)

Thu 23 Jul 13:35:09


- Mobility and Transport
- Environment
- Social
- Some Services
- Infrastructure
- Quit

Multi Data Map

IT1836A
IT0957A
IT0828A
IT2171A
IT0952A
IT0885A
IT1837A
IT0888A
IT1176A
IT1835A
IT1834A
O3
NO2




Andamento nel Tempo di NO2 rilevato ... Roma




Valori Inquinanti in tempo reale, mappe

value type / value name	O3_	NO2	CO_	SO2
IT0952A	51	11		
IT0957A	7	46		
IT0885A	25	29	200	
IT1837A		63	600	
IT0888A	11	37	200	
IT0956A	34	29		
IT1835A	24	37		
IT2012A	20	29		
IT1906A	15	34		
IT0887A		28		
IT1176A	8	54		
IT1834A		64		
IT2172A	15	61		
IT1836A	29	35		
IT0953A	3	47	300	1.3
IT0889A		34		
IT0825A		58		
IT0884A	96	9		
IT1841A		31		
IT2171A		57	400	
IT0828A		75		

Andamento nel Tempo di O3 rilevato nelle stazioni in Roma (st...



Dati in Tempo reale inquinanti in Roma e provincia





Home Trasporti


Privacy Policy Cookies Policy Terms and Conditions Contact us


https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjcyNg==

Match Widget vs Icon


















https://main.snap4city.org/view/index.php?iddasboard=OTQw

Monitoring My PAXCounter and Tracks (example)

Please note that the data results are not always based on real data.

Wed 3 Jul 09:18:07




https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTc0NQ==


Monitoring My PAXCounter and Tracks (example)

Please note that the data results are not always based on real data.


Sat 29 Jun 23:42:05




https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTc0NQ==




https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=OTM5



Environment dash
Air quality
Weather sensors
Pollen monitoring
Firenze
20m


Life in Toscana: Dashboard


Citizens Engagement


Energy Dash - Cloned
KM4CITY
TOKEN FOUND


FIRENZE Informative Totem
Pilot
Energy
Environment
Mobility
Social
Resilience


FIRENZE RESILIENCE
Environment
Mobility
Resources

FIRENZE

Tue 16 Oct 16:18:39

INDICI DI CRITICITA' DELLA QUALITA' DELL'ARIA (ICQA)	inviata comunicazione alla cittadinanza
2	

OZONO	superata la soglia di informazione
200 µ/m³	

39492 Utenti WiFi

STATI DI ALLERTA 9m

GENERAL | METEO

MINIMO	BASSO	MEDIO	ALTO

RISCHIO IDRAULICO

RISCHIO TEMPORALI

RISCHIO IDROGEOLOGICO

RISCHIO NEVE

RISCHIO GHIACCIO

Mar 16 Ott
Firenze
Nuvoloso
19°C / 24 °C
Powered by LaMMA

Mer 17 Ott 16°C / 24°C	Nuvoloso
Gio 18 Ott 15°C / 26°C	Nuvoloso
Ven 19 Ott Temp N/A	Sereno
Sab 20 Ott Temp N/A	Sereno

TPL

N	14	57	21
Attesa	3'	8'	5'
Ritardo	2'	0'	2'

COLONNINE RICARICA 9m

180 INSTALLATE

81.1 % ATTIVE

8.9 % IN USO

REPLICATE


DISIT

FLORENCE DASHBOARD

This dashboard is the main entry point to access dashbaords realised in the REPLICATE H2020 EC project.

REPLICATE has received funding from the European Union's Horizon 2020 Research and Innovation Programme under grant agreement No. 691735.


FLUSSI INGRESSO CITTA 9m



TOTALE 9m

141608
VEICOLI

FLUSSI INGRESSO ZTL 9m



TOTALE ZTL 9m

41146
VEICOLI

SITUAZIONE VIABILITA 54s

4 INCIDENTI

0 CHIUSURE AL TRAFFICO (TOT)

0 CHIUSURE PER CANTIERI

0 PROGR.	0 NON PROG.

0 LIMITAZIONI AL TRAFFICO (TOT)

0 LIMITAZIONI PER CANTIERI

0 NON PROG.	0 PROGR.

4 TOT. EVENTI SULLA RETE

SMN 9m	BINARIO16 9m	FORTEZZA 9m
63.4 % occupati su 901 posti	83 % occupati su 165 posti	17.9 % occupati su 521 posti
LEOPOLDA 9m	**CALZA 9m**	**S.AMBROGIO 9m**
36.3 % occupati su 300 posti	69.3 % occupati su 218	67 % occupati su 379 posti
PARTERRE 9m	**CAREGGI 9m**	**BECCARIA 9m**
64.9 % occupati su 106 posti	90.4 % occupati su 406 posti	78.6 % occupati su 210 posti

STATO TRIAGE CAREGGI 9m

Red code	Yellow code	Green code	Blue code	White code
3	12	83	37	9

MAPPA

Energy | Environment | Mobility | Social | Resilience

PM10	Riciclo rifiuto	Rifiuto per abitante	PIL residenti	Tasso di disoccupazione	Piste Ciclabili
26 superamenti/anno	56%	0,629 t/pers/anno	23.606 euro/pers	6,8%	19.7% km ciclabili/km totali

Most of the widgets are connected to an URL to jump to other views/dashboards

FIRENZE

Tue 16 Oct 16:18:39

Single Content

Single Content

Civil Protection

SOC

External Content

Meteo

Single Content

Single Content

Single Content

3 Single Content

External Content

Time Trend Compare

Single Content

10 Single Content

9 Single Content

Time Trend Compare

Single Content

6 Buttons

First AID


6 Buttons

Most of the widgets are connected to an URL to jump to other views/dashboards

Mobility and Environment What-IF Analysis

This dashboad contains data derived from actual sensors and predictive values under validation

Mon 14 Oct 00:48:17




https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjE5MA==


Multi Data Maps Widget




Multi Data Map Widget

- The most powerful Data Map rendering tool, it supports:
  - **KB Sensor data**: POI, sensors, actuators, etc. (see in the following), moving devices
  - **WFS data** (see in the following)
  - **WMS background maps**
    - Ask to a **RootAdmin** for activating this feature on your MultiDataMap widgets once created the dashboard
    - Maps can come from GIS servers, and WMS
  - **WMS Heatmaps GeoTiFF**
  - **WMS Traffic Flow GeoTIFF**
  - **GTFS data from Public Transport**
  - **Special tools**
    - Scenario (see in the following)
    - What-IF (see in the following)







https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjE5MA==#




Orthomaps


Mobility and Environment What-IF Analysis
This dashboad contains data derived from actual sensors and predictive values under validation
Sun 3 Nov 23:45:37
Maps
airTemperature


Mobility and Environment What-IF Analysis
This dashboad contains data derived from actual sensors and predictive values under validation
Sun 3 Nov 23:47:09
Maps
Default Map
Light Map
Dark Map
Light Map 2
Dark Map 2
Light Buildings Map
Satellite Map
Tuscany Buildings (Volumetric Units)
Tuscany Photographic Orthomap
Tuscany Historical Map (Catasto Inghirami, 1830)
Tuscany Boundaries
Tuscany Provinces
airTemperature


Mobility and Environment What-IF Analysis
This dashboad contains data derived from actual sensors and predictive values under validation
Sun 3 Nov 23:48:22
Maps
airTemperature



Mobility and Environment What-IF Analysis
This dashboad contains data derived from actual sensors and predictive values under validation
Sun 3 Nov 23:49:55
Maps
FIRENZE
airTemperature

Orthomaps as graphic layers

- **Orthomaps can be**:
  - Directly exploited from public service via WMS protocol, from some GIS services as GeoServer
  - Loaded into the Snap4City GeoServer
  - Layered if they can be overlapped each other, such as map with gov border above.
- The Dashboard owner can
  - Select the Orthomaps to be used shown as default in the dashboard
- Each organization has its own set of Orthomaps


https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjE5MA==

Menu Icon and PINs as Icons




https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjM1MA==

Technical Selector: TECH MultiDataMap




https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjMxOA==

Unique Dashboard builder Multiple Styles



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjM1MA==

3D views



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjM2MA==#

Firenze - Trafair - AirQuality Heatmaps

This dashboad contains data derived from actual sensors and predictive values under validation


Sat 21 Nov 19:13:14

- Air Quality Sensors
- PM10 bars
- Weather Sensors
- PM10 Heatmap
- PM2.5 Heatmap
- CO Heatmap
- CO2 Heatmap
- O3 Heatmap
- NO2 Heatmap
- Europ. AQI Heatmap
- Air Humidity Heatmap
- Air Temp. Heatmap
- Wind Speed Heatmap
- Gral Pred. HM NOX (3m)
- Gral Pred. HM NOX (6m)
- Traffic Sensors
- Traffic Flow
- Cycling Paths
- Accident Heatmap
- Accident Heatmap 2
- Only HRes Anym. Gral
- Green Areas
- Schools
- Recreation areas

Firenze Air quality trends

Trafair Main Dashboard


Multi Map



IBIMET_SMART0... 9m


10 °C

IBIMET_SMART09 - airTemperature 9m




https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTUzMg==

Traffic Flow Manager on multiple cities




https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzEyNg==

Weighted Bubbles



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjcyNQ==

Custom Dynamic Pins



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=Mjk5MA==

Multi Data Map: many kinds of data

- **Orthomaps**: plain maps and overlapped layers
- A range of **Pins Kinds** for marking Services, IOT Devices, etc.
- **Services**:
  - POI, MyPOI, IOT Devices, Sensors, Actuators, IOT Device Moving, etc.
  - Cycling paths
  - Areas shapes: gardens, etc…
  - GIS data
- **Heatmaps**: different types
- **Traffic Flows:** different kinds
- **Special data:**
  - **What-If** analysis: routing, public routing, traffic flow
  - **Routing: private, public, pedestrian, public means**
  - **Scenarios** definition
- **3D** buildings
- ….

Pins on Multi Data Maps (1)

Normal Over



- **Classic**: (default)
  - Text menu or Icon Menu
    - Custom color of the Menu only
  - Fixed on the basis of Nature and Subnature

Normal Over Icon Menu




- **Icon**: (accessible as **Icon Mode** of selector)
  - Also usable with **Text Mode** of the menu
  - Selectable from a large set
  - Coherent with Icon on Menu
  - Custom Color

Pins on Multi Data Maps (2)



Bubble Pins

- **Bubble**:
  - Text Menu or Icon Menu
  - Custom Color
  - Size depending on ServiceURI Attribute, IOT Device ValueName
- **Custom**: (accessible from Alternate View Mode)
  - Can be created by AreaManagers as **Custom Widgets** https://www.snap4city.org/663
  - Selectable from a set
  - Coherent with Menu, also usable with text menu
  - Variable/Dynamic colors/animations associated with ServiceURI Attribute, IOT Dev ValueName



Pins and Menu icons


3D - Multi Data Maps Widget



Global Digital Twin Modeling

- Rendering Maps with 3D shapes of buildings
  - They can be generated from OSM, shapes, and other sources, created by extruded shape from ground shape
  - Full control: pan, zoom, tilt, rotation, etc., simulation of light conditions
    - Plus Full control with right button and wheel of the mouse
  - Full control of pre-setting for direct show in loading
- Addition of multiple
  - Orthomaps below the buildings
  - Heatmaps, over orthomaps, but below buildings
  - Cycling paths and other shapes, polylines
  - Traffic Flows reconstruction models
  - POI, Sensors: PopUps with real time data

Digital Twin Global



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjUxMA==


3D Multi Data Map - Digital Twin Global - Firenze
demonstrator
Thu 16 Sep 17:56:49
3D Map
15/05/2021 13:45
Maps
GRALheatmap
Heatmap Controls:
24H
Max Opacity:
0.25
< Prev
2021-09-16 17:00:00
Next >
Free street
Fluid traffic
Heavy traffic
Very heavy
Sensor position
FirenzeFIPILITrafficRealtime
Traffic Heatmap Controls:
24H
Max Opacity:
1
< Prev
2021-09-16 17:41:00
© OpenStreetMap contributors
METRO9 - vehicl... 5m
360
METRO9 - vehicleFlow
5m
1000
500
0
18:00
19:00
20:00
21:00
22:00
23:00
16. Sep
01:00
02:00
03:00
04:00
05:00
06:00
07:00
08:00
09:00
10:00
11:00
12:00
13:00
14:00
15:00
16:00
17:00
Privacy Policy
Cookies Policy
Terms and Conditions
Contact us

Data Kinds vs Graphic Widgets



How the Dashboards exchange data

Snap4City BigData Storage and KB

IOT Broker Orion Quantum Leap

ServiceMap Super ServiceMap

- Req. ServiceURI


Metric, KPI

MyKPI, MyPOI, …

- Req. KPI, Metric ID
- Req. MyKPI ID

API, External Services, MicroApp

- Traffic Flow, MAPS, Heatmaps
- GIS, HTTPs URLs




- ServiceURI (ID)
- MyKPI, Metric (ID)
- Dynamic Data, computed into IOT Application

- Rx. Dynamic Data
- Event Driven Synoptics
- Actions, Show


IOT Application


Dashboards






What the Dashboards can directly exploit









IOT Application

From IOT App to Dashboard

From Dashboard to IOT App

Dashboards







Big Data Analytics,
Artificial Intelligence
Access to all data

High Level Types

• **POI** (Point of Interest)	POI which define a data set from the Open Data or other collections
• **MyPOI**	POI generated from the IOT Applications, Mobile App

• **Sensor**	Real time data, IOT Devices, Time Series, elements of the a POI Collection, etc.
• **Sensor Actuator**	IOT Device element to Act on the field, e.g.: irrigator, light, setpoint, volume, etc.
• **Dashboard-IOT App**	Actions from Dashboards to IOT Applications


• **KPI** (metrics)	KPI defined from direct access to data base, usually for Industry, on premise
• **MyKPI**	time series also geolocalized over time generated from the IOT Applications, Mobile App
• **My Personal Data**	data which can be stored in a safer from the IOT Applications
• **My Data**	data which can be stored in a safer from the IOT Applications
• **Complex Event**	Events: critical or entertainment

• **Heatmap**	a) Heatmaps of different kind: PM10, NOX, people, accidents, altitude, vegetation, etc. b) **special tools** such as: traffic flow, scenario, what-if analysis
• **MicroApplication**	Views of Snap4City web applications
• **External Service**	External Web Pages or Tools: routing, traffic flow, people flow, etc.
• **Special Widget**	Clock, first aid, weather forecast, italian flag, Pub Transport quality, Twitter citations, etc.
• **WFS**/WMS (GIS)	data coming from GIS services
• **Synoptics**	Any kind of Custom Made Widgets created by using the SVG editor and dedicate tool.

HLT: POI

High Level Types


- **Complex Event**
- Dashboard-IOT App
- **External Service**
- Heatmap
- KPI (Key Performance Indicator)
- **MicroApplication**
- My Personal Data
- MyKPI
- MyPOI
- **POI (Point of Interest)**
- Sensor
- Sensor Actuator
- **Special Widget**
- Wfs (GIS)



Categories

Single POI







HLT: Sensors

High Level Types

- **Complex Event**
- Dashboard-IOT App
- **External Service**
- **Heatmap**
- **KPI (Key Performance Indicator)**
- **MicroApplication**
- My Personal Data
- MyKPI
- MyPOI
- **POI (Point of Interest)**
- **Sensor**
- **(Sensor Actuator)**
- **Special Widget**
- Wfs (GIS)







Real Time
Event Driven
Historical Data

HLT: Sensors


- Sensors can arrive in platform as follows (see **Nature**)
  - ***as processes*** in PULL
    - **As aPeriodic processes**
  - **From IOT Devices to KB** (knowledge base). Registered via IOT Directory, arriving via IOT Broker and saved into the Data Shadow,
    - **IOT data driven process** in PUSH
  - **From Dashboard to IOT Devices** (echo) is a virtual sensor **Sensor Actuators (HLT)**,
    - **IOT data driven process** in PUSH

IOT Data Driven

Nature

- Accommodation +
- Advertising +
- AgricultureAndLivestock +
- CivilAndEdilEngineering +
- CulturalActivity +
- EducationAndResearch +
- Emergency +
- Entertainment +
- Environment +
- FinancialService +
- GovernmentOffice +
- HealthCare +
- IndustryAndManufacturing +
- IoTDevice +
- MiningAndQuarrying +
- ShoppingAndService +
- TourismService +
- TransferServiceAndRenting +
- UtilitiesAndSupply +
- Wholesale +
- WineAndFood +


SubNature





HLT: KPI (key Performance Indicator)

High Level Types

- **Complex Event**
- Dashboard-IOT App
- **External Service**
- **Heatmap**
- **KPI (Key Performance Indicator)**
- **MicroApplication**
- My Personal Data
- **MyKPI**
- MyPOI
- **POI (Point of Interest)**
- **Sensor**
- **Sensor Actuator**
- **Special Widget**
- Wfs (GIS)









Real Time

Event Driven





Historical Data




HLT: MyKPI, ……

High Level Types


- Complex Event
- Dashboard-IOT App
- External Service
- Heatmap
- KPI (Key Performance Indicator)
- MicroApplication
- My Personal Data
- MyKPI
- MyPOI
- POI (Point of Interest)
- Sensor
- Sensor Actuator
- Special Widget
- Wfs (GIS)

MyPOI may become POI with the action of Admin






Real Time
Event Driven
Historical Data





MyKPI as Trajectories

High Level Types

- Complex Event
- Dashboard-IOT App
- External Service
- Heatmap
- KPI (Key Performance Indicator)
- MicroApplication
- My Personal Data
- MyKPI
- MyPOI
- POI (Point of Interest)
- Sensor
- Sensor Actuator
- Special Widget
- Wfs (GIS)









- Real Time Tracking
- Hystorical Tracks
- MicroApplications

MyKPI: Time Series over GSP locations





Moving Sensors
Moving devices
Tracking

MyKPI: Tracking of Devices and Mobiles

- Real Time Trajectories for
  - Mobile Phone
  - Moving IOT Devices
  - OBU, Vehicular Kits
  - Multiple tracks
  - Day by day
- Micro Application




Mobile
PAX Counter



Apps




OBD2





OBU

IOT Device
MObile



MyKPI, MyPOI: Management as GDPR







HLT: Heatmaps

High Level Types

- **Complex Event**
- Dashboard-IOT App
- **External Service**
- **Heatmap**
- KPI (Key Performance Indicator)
- **MicroApplication**
- My Personal Data
- MyKPI
- MyPOI
- **POI (Point of Interest)**
- Sensor
- Sensor Actuator
- **Special Widget**
- Wfs (GIS)


Type: calibrated






Type: Gaussian

ColorMaps For Calibrated










Heatmaps (flexible Data Analytics)

- **Main:**
  - **Heatmaps are Time series**
- **A) Gaussian Heatmaps**
- **B) Calibrated heatmaps**
  - From KmxKm to 4x4 mt
  - PM10, PM2.5, SO2, NO2, Noise, NO, O3, Enfuser, **GRAL**,…. Copernicus
  - Any programmed ColorMap
  - Animations
  - Piking values in any place, values on their position.
  - On Web and Mobile App



HeatMap Manager: managing, colormaps


- Historical data, time series
- Huge amount of data and points per heatmap
- Data coming from: sensors, IOT App, Copernicus Satellite, …
- Multiple formats
- High speed computing
- WMS (GIS) compliant
- Animations
- Color maps: from few (5) to dense color scale (1000)
- Picking any place
- Smart City API to get them
- MicroServices for IOT Applications





HLT: Special Tools

High Level Types

- **Scenarious**
  - Full text search of roads and geolocations.
  - Multiple areas, days
  - Global map of OSM
- **What-IF**
  - Conditional routing
  - Dynamic routing
  - Multiple paths
- **Traffic Flows**









https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjE5MA==

HLT: WFS (GIS)

High Level Types

- Complex Event
- Dashboard-IOT App
- External Service
- Heatmap
- KPI (Key Performance Indicator)
- MicroApplication
- My Personal Data
- MyKPI
- MyPOI
- POI (Point of Interest)
- Sensor
- Sensor Actuator
- Special Widget
- WFS (GIS)






-Points
-Shapes, paths
-Heatmaps
-.....

Snap4City WFS WMS Tools

HLT: WFS (GIS)

High Level Types

- Complex Event
- Dashboard-IOT App
- External Service
- Heatmap
- KPI (Key Performance Indicator)
- MicroApplication
- My Personal Data
- MyKPI
- MyPOI
- POI (Point of Interest)
- Sensor
- Sensor Actuator
- Special Widget
- Wfs (GIS)



GIS WFS Servers


Special Widgets vs Special Data



HLT: Complex events

High Level Types


- **Complex Event**
- Dashboard-IOT App
- External Service
- Heatmap
- KPI (Key Performance Indicator)
- MicroApplication
- My Personal Data
- MyKPI
- MyPOI
- POI (Point of Interest)
- Sensor
- Sensor Actuator
- Special Widget
- WFS (GIS)



HLT: Special Widgets

High Level Types

- **Complex Event**
- Dashboard-IOT App
- **External Service**
- Heatmap
- KPI (Key Performance Indicator)
- **MicroApplication**
- My Personal Data
- MyKPI
- MyPOI
- POI (Point of Interest)
- Sensor
- Sensor Actuator
- **Special Widget**
- Wfs (GIS)
































Firenze Powered by LaMMA
Nuvoloso
8°C / 15 °C

Lunedì 2 Marzo
Pioggia debole
8°C / 13°C

Martedì 3 Marzo
Pioggia debole
10°C / 15°C

Mercoledì 4 Marzo
Pioggia e schiarite
Temp N/A

Giovedì 5 Marzo
Poco nuvoloso
Temp N/A




The Organization and its Dashboard menu



Dashboard Menu a Short Cut for other…..

- **Each Organization** on Snap4City may define its own Menu on Dashboards
  - The Menu can be activated or not in each single Dashboard of the ORG
- **Definition includes a** list of Items and Subitems, each of which with
  - colors & icons
  - Links to web pages/dashboards to be activated and modality
  - User Roles at which it has to be proposed
  - Etc.



TC 1.23 – Dashboard Menu management per Organization

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjE5MA==

Mixt per Roma

MENU


Roma Demo3 (Qualità dell'Aria)

Thu 23 Jul 13:35:09


- Mobility and Transport
- Environment
- Social
- Some Services
- Infrastructure
- Quit

Multi Data Map

IT1836A
IT0957A
IT0828A
IT2171A
IT0952A
IT0885A
IT1837A
IT0888A
IT1176A
IT1835A
IT1834A
O3
NO2




Andamento nel Tempo di NO2 rilevato [illegible] Roma 2m




Valori Inquinanti in tempo reale, mappe 2m

value type / value name	O3_	NO2	CO_	SO2
IT0952A	51	11		
IT0957A	7	46		
IT0885A	25	29	200	
IT1837A		63	600	
IT0888A	11	37	200	
IT0956A	34	29		
IT1835A	24	37		
IT2012A	20	29		
IT1906A	15	34		
IT0887A		28		
IT1176A	8	54		
IT1834A		64		
IT2172A	15	61		
IT1836A	29	35		
IT0953A	3	47	300	1.3
IT0889A		34		
IT0825A		58		
IT0884A	96	9		
IT1841A		31		
IT2171A		57	400	
IT0828A		75		

Andamento nel Tempo di O3 rilevato nelle stazioni in Roma (st[illegible] 2m



Dati in Tempo reale inquinanti in Roma e provincia 2m



Home Trasporti

Privacy Policy Cookies Policy Terms and Conditions Contact us


https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjcyNg==

TOP

Digital Twin Global and Local BIM Server



- Data, my Data, OpenData
  - Data Inspector
  - MyKPI, MyData, MyPOI
  - My Groups of Entities
  - View/Set MyPOI on Tuscany
  - Data Table Loader (Excel)
  - POI Loader (Excel)
  - Harvest Satellite Copernicus Dat...
  - BIM Server old
  - BIM Server New
  - BIM Srv New: Add
  - BIM Srv new: View
  - OpenData Manager: Data Gate
  - OpenData Manager: Data Gate
  - Doc: Data Table Loader




Snap4BIM: from 3D model to real time data


BIM as Digital Twin in Snap4City

- You can create 3D BIM representation by using standard tools mainly for IFC format but also in other different formats as AutoDesk.
  - They can be loaded into a BIM Servers
- **Snap4BIM is an application for**
  - Connecting BIM models with ServiceURI data into Snap4City, Snap4Industry, so that they can be: IoT Devices, POI, etc.
    - Observing PIN from any view
    - Positioning PIN in any place of the 3D space
  - Accessing to any element of the 3D model and to any position with the 3D interactive viewer.
  - Controlling the user interface interaction.
  - Showing the data, and selecting the 3D elements
- **Snap4City/Industry** can pass from any PIN on map to BIM / Digital Twin Local and related data in click

Snap4BIM: from 3D model to real time data





BIM view of the Altair Chemical Plant



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzA1NA==

Snap4BIM interctive editor





Digital Twin Local, 3D vs Real

BIM Integration for Digital Twin

Tue 8 Jun 11:04:55


ALTAIR Adm Office

Altair Production Line


device list

Valve 786 with trend

Selector - Map




BIM view



Last Value

17557.00 #

Time Trend Chart: totale_casi - 6 months




Privacy Policy | Cookies Policy | Terms and Conditions | Contact us

FIWARE


SNAP4CITY


Snap4BIM: how it works



Wizard
Data Inspector

IOT Directory






ServiceMap Discovery

Get ServiceURI



Attach the
SURI at the
BIM details or
Coordinates




Define view
details




Snap4BIM manager

Wizard
Data Inspector



Making Dashboard



information

- HOW To: Manage BMP and BIM: main features of openMAINT, BMP, BIM
- BIM integration in Snap4City: Digital Twin Local
- Digital Twin (local and global): Snap4City view
- DOC: Global Digital Twin for Florence by Snap4City, 3D city view


TOP


External Services (integration of) your of third party web pages




Dashboard Usage and Recipes

- https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTc3NA==
- **External Content Widget (optional zoom feature):**
  - **External Services**: Web Pages, web sites, web tools (registered or not)
    - **Tools**: Twitter Vigilance, Origin Destination Matrices, WiFi Tool, …
    - **GIS & MAPs**: ServiceMap, ArcGIS, ServiceMap3D, GoogleMap, etc. etc.
    - **TV CAM** Proxy adapted, VideoCam Streams, …
  - **MicroApplications**
    - More than 300 micro applications based on Snap4City and Km4City Tech.
  - **Synoptics and Custom widgets**
  - **Snap4City pages**: Form discussion, help desk, user manual, …
  - **Snap4City Dashboards** for nested views, MultiDashboards views
    - Ultra HD screens, UHD or even wider….
- **Selector WEB**
  - Anything that can be shown on External Content WG, one or more









HLT: External Services

High Level Types

- **Complex Event**
- Dashboard-IOT App
- **External Service**
- Heatmap
- KPI (Key Performance Indicator)
- MicroApplication
- My Personal Data
- MyKPI
- MyPOI
- POI (Point of Interest)
- Sensor
- Sensor Actuator
- Special Widget
- Wfs (GIS)




External Services (registered)





External Services

Nature


- **Twitter Vigilance:**
  - Daily and real time
  - Volume and sentiment analysis
- Services on Maps, GIS, ArcGIS
- Real time sensors on 3D
- Web HTML5 Applications
- Origin Destination Matrix
- Real Time fleets
- Routing, Multimodal tools
- **IPCAM** connector
- **Synoptics**
- **Third party tools!**
- **…..**
- **Other tools also internal**
  - Traffic Flow Reconstruction
  - User behaviour monitoring
  - Tracking tools
  - Heatmaps tools
  - Trajectories tools




























HLT: MicroApplications

High Level Types

- **Complex Event**
- Dashboard-IOT App
- **External Service**
- Heatmap
- KPI (Key Performance Indicator)
- **MicroApplication**
- My Personal Data
- MyKPI
- MyPOI
- POI (Point of Interest)
- Sensor
- Sensor Actuator
- Special Widget
- WFS (GIS)








UNIVERSITÀ DEGLI STUDI FIRENZE | DINFO DIPARTIMENTO DI INGEGNERIA DELL'INFORMAZIONE | DISIT DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB


SNAP4CITY | KM4CITY


MicroApplications





MIcroApplications for Dashboards
















HTML5 MicroApplications



















See many others on web

Special data are managed with Special Tools

- GTFS, also on MDM



- Origin Destination Matrices



HLT: MicroApplications, ExternalServices

External Services

- Are **Web Pages** *by you or by Third Parties*. They can be embedded into an **External Content Widget** only if they:
  - are HTTPS page for the limitation of the browser,
  - do not present limitations to be “iframed” imposed by third party, that is always possible to be imposed by the page owner.



- You can **exploit/integrate External Services** by:
  - put them into an External Content Widget
  - Call them from a Widget Button to be open into another Tab of the browser or into an External Content Widget.
  - Call them from a Selector Web Widget, if you have multiple of them with a menu you can make a selection among several of them to be open into an External Content Widget
  - Call of them from the Dashboard Menu, to be open into the current or separate Tab of the Browser

IPCAM Service

- Examples:
  - https://main.snap4city.org/cam/ipCam.php?IP=www.meteofirenzehoteldavid.com/webcam/pontevecchio.jpg
  - https://main.snap4city.org/cam/ipCam.php?IP=www.meteofirenzehoteldavid.com/webcam/Firenze-HotelDavid.jpg
  - https://main.snap4city.org/cam/ipCam.php?IP=192.168.0.240/tmpfs/auto.jpg
  - https://main.snap4city.org/cam/ipCam.php?IP=www.cagliarimeteo.it/images/webcam/1/Cam1.jpg
  - …
  - To access with credentials you need to add setting on an IP Cam Table on Dashboard Builder!
  - Use https://main.snap4city.org/cam/ipCams.php?IP= for IP CAM with HTTPS connections



First aids overview - Tuscany

Service status of main first aid

Thu 25 M

Careggi hospital (Florence) - 9m

Priority\Status	Red code	Yellow code	Green code		
Addressed	1	4	3	0	0
Waiting	0	2	9	2	0
In visit	1	9		3	0
In observation	4	19	2	0	0
Totals	6	34	32	5	0

First AID

Santa Chiara hospital (Pisa) - D

Priority\Status	Red code	Yellow code	Green code		
Waiting	0	1	7	9	3
In visit				1	6
Totals	0	8	8	10	9


First AID

Other hospitals - Sum 9m


Priority\Hospitals	Red code	Yellow code	Green c		ode
PS SAN GIOVANNI DI DIO TORREGALLI	1	16	20	1	0
PS SANTA MARIA NUOVA	1		2	3	0
PS AO CAREGGI	6	34	32	5	0
PS SANTA MARIA ANNUNZIATA	1	8	11	1	0
RGO ENZO	0	3	3	4	0
PS OSPEDALI RIUNITI	3	8	18	1	1
PS CASENTINO	No data available for this hospital				
PS SANTA CROCE	No data available for this hospital				
PI PO CORTONA	No data available for this hospital				
PS CIVILE PIOMBINO	No data available for this hospital				
	No data available for this hospital				

First AID Multi

Careggi hospital (Florence) - Map



Santa Chiara hospital (Pisa) - Map



https://main.snap4city.org/view/index.php?iddasboard=MTIy

UNIVERSITÀ DEGLI STUDI FIRENZE | DINFO | DISIT

Firenze Social and Social Media new

Demo cams

Sun 11 Mar 16:24:55



External Content TwitterVigilanceRT



External Content TwitterVigilance



External Content Traffic Flow



Twitter Trend



Twitter quotes



Events



Buttons






External Content CAMStream

https://dashboard.km4city.org/view/index.php?iddasboard=MjY3

Life in Toscana: Dashboard

Sat 29 Jun 23:32:24



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTc3NA==

Life in Toscana: Dashboard

Sat 29 Jun 23:32:24



Selector web


- Line of Transport
- Public Transport
- Travel Plan
- Traffic Flow FIPILI
- Air Quality
- Weather
- Origin Dest. Matrix
- Typical Trajectories
- People Flow WIFI
- Cultural Activities
- Forum Discussion
- CAM

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTc3NA==

Helsinki White Dashboard


Please note that the data results are not always based on real data.

Thu 13 Jun 23:37:56




Selector web

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTgwNw==


Snap4City
Dashboard Management System
Dashboard Management System
Dashboard Management System
https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTc3NA==
App
DATACENTER
Snap4City
Km4City major tools
google scholar
DISIT Lab of Univer...
vSphere Web Client
Impostazioni
AMMA Snap4City
Nuova scheda
Life in Toscana: Dashboard
Wed 3 Jul 15:07:54
Selector - Map
+ Show Menu
- Hide Menu
Real Time
BUS Tracking
Line of Transport
Public Transport
Travel Plan
Traffic Flow FIPILI
Air Quality
Weather
Origin Dest. Matrix
Typical Trajectories
People Flow WIFI
Cultural Activities
Forum Discussion
Busses
Quarrata
Poggio a Caiano
Sesto Fiorentino
Monteloro
Molino del Piano
Fiesole
Pontassieve
Bagno a Ripoli
Antella
Rignano sull'Arno
Lastra a
Limite sull'Arno
Ginestra Fiorentina
Cerbaia
Leaflet | Map data © OpenStreetMap

Roma example



Real Time BUS Tracking

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjcyNA==

https://main.snap4city.org/view/index.php?iddasboard=MTY2

Real Time Sensors via ServiceMap3D

3D data rendering

Sat 1 Dec 16:57:33

Button

Firenze

Button

Airport

Button

Empol


External Content

Airport

- Hide Menu

Car park: freeParkingLots | Road sensor: avgTime | Pollen: value | Air Quality: SO2 | firstAid: blueCode

CESIUM bing © 2018 Microsoft Corporation - © 2018 HERE - © 2018 DigitalG






https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTUxMQ==

https://main.snap4city.org/view/index.php?iddasboard=MTY2


Parking Monitoring Firenze

Tue 21 May 15:23:09




https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTE3MA==

Custom Widgets are seen as External Services





Demo UC5 GIDA




https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjIyNg==


Custom Widgets


Custom Dashboards and Widgets (interactive, Animations, etc.)


-- SVG for graphic design

-- MyKPI for collecting data













Special Custom Widgets


- Smart parking
- Smart Energy
- Smart Light
- Smart ….
- Energy View
- Custom Controls












Other examples




- **Virtual Actuators (sensor-actuator)**
  - From: Dashboard
  - To: IOT App, MyKPI, other Synoptics















- **Virtual Sensors**
  - From: MyKPI, Sensors, IOT App, other Synoptics
  - To: Dashboards



















https://www.snap4city.org/663

Snap4Home 5G Demo

Thu 11 Jun 18:07:32



Privacy Policy Cookies Policy Terms and Conditions Contact us

open fiber WIND 3 ZTE estra

Smart Lonato del Garda

Sat 9 Nov 17:20:59

Slot 1
Slot 2
Slot 3
Slot 4
Slot 5
Slot 6
Slot 7
Slot 8
Slot 16
Slot 17
Slot 18
Slot 19
Slot 20
Slot 21
Slot 22
Environment
other

Selector - Map

Multi Data Map

TEST1_AIRSENSEUR_RVB01

VALUE NAME: TEST1_AIRSENSEUR_RVB01

DETAILS | DESCRIPTION | RT DATA

dateObserved	4:18:33 PM	Last value	Last 4 hours	Last 24 hours	Last 7 days	Last 30 day
humidity	66.347755	Last value	Last 4 hours	Last 24 hours	Last 7 days	Last 30 day
pressure	987.0833	Last value	Last 4 hours	Last 24 hours	Last 7 days	Last 30 day
temperature	14.078355	Last value	Last 4 hours	**Last 24 hours**	Last 7 days	Last 30 day

Via Regia Antica, Via Roma, Via Marchesino, Via Fabio Filzi, Via Sorattino, Via Barcuzzi, Nuova Padana Superiore, Via Monico, Via Magnazzano, Lonato del Garda, Via Gaspari, Milano-Venezia

© OpenStreetMap contributors

22

1 2 3 4 5 10 11 12

21 20 19 18 17 16 15 14 13

NumFreeSlo... 9m

XX

NumFreeSlots - Slots 9m

20 10 0

13:30 14:00 14:30 15:00 15:30 16:00 16:30

SmartParkingLonato_1 ... 9m

XX

0

status

temperature - Day 9m

20 15 10 5

9. Nov 03:00 06:00 09:00 12:00 15:00

NumFreeSlots - Slots 9m

20 10 0

13:30 14:00 14:30 15:00 15:30 16:00 16:30 17:00

pressure 9m	humidity % 9m	temperature 9m
987.1	66.3	14.1
mm	%	

XX XX

Slot ID 9m

14

slot ID

XX

Max Present Duration 9m


19 ore e 11 minuti


TEST1_AirSensEUR_RVB01 - temperature 9m


16 8

22:00 23:00 9. Nov 01:00 02:00 03:00 04:00 05:00 06:00 07:00 08:00 09:00 10:00 11:00 12:00 13:00 14:00 15:0

Privacy Policy Cookies Policy Terms and Conditions Contact us



DCS Real Time - Settimanale
Fri 23 Oct 18:32:02
STOCK KOH
STOCK NaOH
STOCK K2CO3 soluzione 50%
MARCIA IMPIANTI
Home
DCS Real Time VS Planning
DCS Real Time Giornaliero
DCS Real Time Settimanale
DCS Marce Giornaliero
DCS Marce Settimanale
DCS Stoccaggi


RTO online
Thu 1 Oct 15:34:29
Energia (PUN)
Altri Parametri
Pianificazione
Esito Pianificazione
In Produzione
2020-10-01 23:00:00
2020-07-24 18:43:00
completato
NO
2020-09-30 23:00:00
Sì
No
2020-09-29 23:00:00
2020-09-28 23:00:00
2020-09-26 23:00:00
Home
DCS Real Time VS Planning
DCS Real Time Giornaliero
DCS Real Time Settimanale
DCS Marce Giornaliero
DCS Marce Settimanale
DCS Stoccaggi Giornaliero
DCS Stoccaggi Settimanale


Sinottico Sintesi Impianto Altair 2
Thu 1 Oct 15:32:19
Idrogeno gas
Cloro gas
KCl
E.E.
NaCl
ELETTROLISI
NaOH 30%
KOH 30%
NaOH 50%
SINTESI HCL
CLOROPARAFFINE
CLORURO FERRICO FERROSO
IPOSODIO
Home
DCS Real Time VS Planning
DCS Real Time Giornaliero
DCS Real Time Settimanale
DCS Marce Giornaliero
DCS Marce Settimanale
DCS Stoccaggi Giornaliero
DCS Stoccaggi Settimanale
Sinottico di sintesi impianto (ton/g)
Sinottico di sintesi impianto (ton/h)
RTO online
Privacy Policy
Cookies Policy
Terms and Conditions
Contact us


Event Driven Custom Widgets

https://www.snap4city.org/663 for the manual







Alert Registration





https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzA0OQ==


From-To Custom Widgets / Synoptics to Storage in WS

























Web Socket Secure


Other examples


- **Virtual Actuators (sensor-actuator), Read and Write Variable**
  - From: Dashboard; To: IOT App, MyKPI, other Synoptics
  - And from IOT App to Dashboard



















Other examples


- **Virtual Sensors (only Read Variable)**
  - From: MyKPI, Sensors, IOT App, constants, other Synoptics
  - To: Dashboards


































15MinCityIndex Firenze



- https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjkzOA==


15MinCityIndex on Bologna

prototype




https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzA1OQ==

Bologna Metropolitan Area Dashboard



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzA1OA==


TOP



GIS Data Import, Export and Exploitation

Interoperability ESRI


- **Snap4City is interoperable with**
  - ESRI ArcGIS Enterprise, Portal, Pro/MAP, ...
  - other GIS tools supporting WFS, WMS, GeoJSON, GML
- **Snap4City is interoperable since:**
  - **Provides** info/data in WFS, WMS
  - **Exploits** data/info from WFS, WMS
  - **Import** data/info from WFS/WMS



- The Snap4City platform can be installed on premise using **Snap4City Appliance** https://www.snap4city.org/471
  - **StartSNAP4CITYVM** includes the Dashboard Builder that is capable to work with WFS WMS protocols for the integration with GIS platforms as ESRI ArcGIS, QGIS, directly or using **Snap4City GIS player**.
  - **KBSSMVM** includes the Smart City API and WFS API which can be used to data harvest from any GIS servers and GIS desktop tool

Case ESRI ArcGIS


GIS Server can be: ESRI ArcGSI Enterprise, QGIS, GeoServer, ..
GIS Player can be: ESRI ArcGIS Pro, ArcGIS Portal, Snap4City WFS player, ...



- **GIS:**
  - Geographic Information System
- **WMS:**
  - Web Map Service
- **WFS:**
  - Web Feature Services


(A) ArcGIS ESRI as External Service

- DISIT Lab has ESRI ArcGIS Enterprise 10.6 installed
- ArcGIS Portal accesses to ArcGIS Enterprise server
  - https://arcgis.km4city.org/arcgisportal/apps/Embed/index.html?webmap=5774fa9d0f7f4a2fb2d7cd52dffcd8c9&extent=12.3144,45.4276,12.3461,45.4419&home=true&zoom=true&previewImage=false&scale=true&search=true&searchextent=true&details=true&legendlayers=true&active_panel=details&basemap_gallery=true&disable_scroll=true&theme=light
- Snap4City Dashboard uses as External Service: ArcGIS ESRI Portal
- https://main.snap4city.org/view/index.php?iddasboard=OTkw




(B) GIS data on Dashboard via Snap4City GIS Player

- DISIT Lab has ESRI ArcGIS Enterprise 10.6 installed
- Snap4City has its WFS Player https://main.snap4city.org/widgets/venezia/index.php
- Snap4City Dashboard uses as External Service: Snap4City GIS viewer via WFS/WMS: https://main.snap4city.org/view/index.php?iddasboard=MTIxNg==



(C) Dash with Snap4City GIS widget and Selector


- DISIT Lab has ESRI ArcGIS Enterprise 10.6 installed
- Snap4City has its WFS / WMS widget / Player
- Snap4City Dashboard shows WFS/WMS data via Special GIS Widget Map:
  - https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTQwMw==
- Snap4City can use **Selector** to select WFS / WMS sources to be shown from ESRI ArcGIS (as well as from any other WFS service) on Widget map



The Snap4City Widget Map allows to **mixt WFS GIS sources with Smart City API**
https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTM5NA==


(D) Dashboard with Orthomaps and shapes layers based on WMS, GeoJSON

- DISIT Lab has ESRI ArcGIS Enterprise 10.6 installed, and GeoServer
- Snap4City main MultidataMap Widget can load WMS background images and shapes, the Orthomaps
- Also Heatmaps calibrated are provided from GeoServer using WMS protocol
- Maps in this case are directly **taken from ESRI Server, free of charge**
- https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTQwNg==#



(E) Snap4City via WFS on top of Smart City API provide data to ESRI ArcGIS Enterprise or ArcGIS Pro, and thus the data become accessible on ArcGIS ESRI Portal

- Snap4City provides a WFS service on top of SmartCity API. Thus providing data to any GIS/WFS client, including ESRI ArcGIS Enterprise, ArcGIS Pro, QGIS, etc.
- In the example, our ingested Helsinki Data have been harvested from ESRI ArcGIS via WFS.
- Once ingested on ESRI ArcGIS can be visualized, by using ArcGIS Portal
  - https://arcgis.km4city.org/arcgisportal/apps/Embed/index.html?webmap=fbcec7055a3446e29fc1e9c55cb53d79&extent=24.8335,60.1465,25.013,60.1965&zoom=true&previewImage=false&scale=true&legendlayers=true&disable_scroll=false&theme=light
- Snap4City Dashboard can show ESRI ArcGIS Portal **(A)** as External Services in a dashboard.
  - https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjIwNg==




(EA) ArcGIS ESRI Pro as GIS / WFS play

To test you need to have installed ArcGIS pro on your pc and connect with Snap4City WFS/WMF server or with ArcGIS server which has done the same connection with our server WFS/WMS

On PC:

(i) Get data via WFS connected to ESRI ArcGIS Enterprise or other sources


(ii) Download data via WFS … from…



(EA) ArcGIS ESRI Pro as GIS / WMS play

To test it you need to have installed ArcGIS pro on your pc and connect with our WFS/WMF server or with ArcGIS server which has done the same connection with our server WFS/WMS

Heatmap taken from Snap4City GeoServer via WMS protocol




ESRI ArcGIS has an IOT solution based on ESRI GeoEvent, for real time data

- **You need to have**
  - **ArcGIS Enterprise + GeoEvent Server + SpatioTemporal Big Data Store**
- **Limitations on the number of protocols addressed**
- **Snap4City solution solves the limitations** by ingesting data from a plethora of protocols and sources and
  - (a) posting the IOT data into their **Spatio-Temporal Big Data Store**
  - (b) collecting data from several protocols and posting them into **ESRI GeoEvent in MQTT**,
  - (c) making them available via WFS protocol.


Snap4City vs GIS, WFS/WMS

- GIS data:
  - Ingested via WFS/WMS protocols, and then managed as the other data. Data ingestion from GIS server can be performed via ETL processes, or directly from Dashboards
  - Shown on Dashboards via third party GIS tools as External Services
  - Shown on Dashboards using Special GIS Widget Map which directly access to GIS data via WFS/WMS
  - Heatmaps and Maps are distributed via a GeoServer
- Snap4City can interact with ArcGIS Real Time Events via MQTT protocol as well


Maps, etc.



MultiDataMap: Heatmaps and special tools (as cycling paths, traffic flow, what if scenario, routing), MyData, MyKPI (not RT), MyPOI, POI, Sensors (include selector new, or tech (with some limitations)




- they may also include maps, orthomaps, and 3D (in beta), please ask to Snap4City Staff to activate those features in your widget/dashboard



WFS: WFS, POI (manually added) (include selector)



ServiceMap: POI, with integrated menu (usable with selector web)




Web page https://www.snap4city.org/408




- IOT App: means that the widget data can be created and manipulated dynamically from the IOT App
- All the X represent feature available from Wizard production of Dashboard
- (*) means that the production is still manual and not via wizard
- (X) in progress
- "sensors" are data ingested via IOT Brokers, or ETL that in any case are indexed into the KB, may be on HBASE or on OpenDistro (Elastic Search)
- "MyKPI" are data ingested via Mobile Apps, IOT Apps, manually, etc.; They may be on MySQL, and recently are coming to OpenDistro (Elastic Search)
- "MyPersonalData" are ingested via IOT Apps, or manually; They may be on MySQL only
- "KPI, Metrics" are ingested via SQL, NoSQL queries (ODBC, JDBC, Mongo, SPARQL, etc.) from Database sources and are on MySQL
- etc.


TOP

Unified Data Model, Digital Twin and Data Inspector






Data Inspector: all you need to know about data, data sources and ingestion processes




Data Inspector (open on your left side menu)

- **Cross Filtering on the basis of**:
  - MAP: pan and zoom → lock , center on GPS coordinates of the user
  - Data Source Classification:
    - faceted filtering
    - full text search
  - Click on data source to see it on map, and see the graphics representation, just to learn how widgeting it.
- **Selecting a Data Source on Map**: on its Pin you can see:
  - Real time data
  - Time trend: 4 hours, 12 hours, 1 day, 1 week, 30 days.
  - Full status and description (only for Administrators)



Unified Data and Services Model/Classification



MyKPI	All selected (8)	All selected (15)	All selected (30)		All selected (3)	6 selected			true		All selected (2)	
High-Level Type	Nature	Subnature	Value Type	Value Name	Data Type	Value Unit	Last Date	Last Value	Healthiness	Last Check	Ownership	Organizations
MyKPI	Environment	Weather_sensor	Gradi Centigradi	BatteryTemperatureGalaxyTabS4	float-mykpi	°C	2019-11-21 15:51:25	28		2020-04-03 10:23:02	private	Firenze,dc=ldap,dc=disit,dc=org,
MyKPI	Environment	Weather_sensor	Gradi Centigradi	BatteryTemperatureS6Edge	float-mykpi	°C	2020-01-23 12:37:34.25	299999237060547		2020-04-03 10:23:02	private	DISIT
MyKPI	Environment	Weather_sensor	Gradi Centigradi	BatteryTemperatureSamsungS9	float-mykpi	°C	2019-04-23 05:54:21	24.399999618530273		2020-04-03 10:23:02	private	Firenze,dc=ldap,dc=disit,dc=org,
MyKPI	Environment	Smart_waste_container	Level_percentage	Bin_001	percentage-mykpi	%	1970-01-01 01:00:00			2020-04-03 10:23:02	private	DISIT,dc=ldap,dc=disit,dc=org,
MyKPI	Environment	People_counter	Battery Percentage	borrowed_tbeam_pax_green BATTERY	percentage-mykpi	%	2019-03-13 20:24:52	4.202		2020-04-03 10:23:02	private	Firenze,dc=ldap,dc=disit,dc=org,
MyKPI	Environment	People_counter	Battery percentage	borrowed_ttgov21new_pax_black BATTERY	percentage-mykpi	%	2019-05-06 10:03:55	4.132		2020-04-03 10:23:02	private	Firenze,dc=ldap,dc=disit,dc=org,
MyKPI	Environment	People_counter	Battery Percentage	borrowed_ttgov21new_pax_green BATTERY	percentage-mykpi	%	2019-11-19 08:56:56	4.072		2020-04-03 10:23:02	private	Firenze,dc=ldap,dc=disit,dc=org,
MyKPI	HealthCare	Health_district	tassodicrescita	corkpimemilia	float-mykpi	%	1970-01-01 01:00:00			2020-03-24 13:13:24	private	DISIT

Hide columns | Reset filters | Selected rows: 0 | Previous 1 2 3 4 5 ... 35 Next | Search

High Level Types

Nature

SubNature

Value Type

Value Name

Data Type

Value Unit

Last Date/Time

Last Value

Healthiness

Last Check

Ownership

Organization

Semantic


Technical meaning

RealTime

Status

For Admin


Unified Data and Services Model/Classification




- Exists a Dictionary for the 4 categories
- They are related each other and not all values are possible
- Right setting lead to right rendering on graphs and automated combinations and processing
- The Disctionary is used by many tools

For example

Technical meaning



Link to Friend Sensor as ServiceURI:



Two Examples

- **HLT: MyKPI**
- **Nature: Industry and manufacturing**
- **Subnature: Chemical**
- **Value name**: CloroParaffine
- **Value Type: Density percentage**
- **Value Unit: %**
- **Data Type**: float mykpi
- **Last Date**: 2019-02-25 *«DateTime»*
- **Last Value**: 87.0
- **Healthiness**:
- **Last Check**: 2020-04-03 10:28:12
- **Ownership**: private
- **Organization**: Firenze

- **HLT: Sensor**
- **Nature: From IOT Device to KB**
- **Subnature: IOT Sensor**
- **Value name**: Irrigator fioriera Gag
- **Value Type: Battery Level**
- **Value Unit: V**
- **Data Type**: float
- **Last Date**: 2020-04-01 12:59:00 *«dateObserved»*
- **Last Value**: 5.18
- **Healthiness**:
- **Last Check**: 2020-04-03 03:28:12
- **Ownership**: public
- **Organization**: Firenze

How to Ingest

All of them can be shown on Dashboards, what about manipulate them!!!!

HLT, High Level Types++	GPS	Static	Dynamic	MacroCat	Single	Time Series	Trajectory	HTTP	How to ingest/change/manage
Complex Event (msg)	Yes	Yes	Yes	Yes	Yes	Yes			Dashboard, ETL, Special, IOT App, …
API (Ext. Srv., any prot.)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	ETL, Special, IOT App, …
External Service (web pag)		Yes	--					Yes	ETL, Special, IOT App, Web Scraper, …
KPI (metrics) data		Yes	Yes		Yes	Yes			Dashboard, IOT App, API, Metrics SQL calls
MicroApplication (webapp)		Yes	--					Yes	Dashboard, IOT App, API, FTP, …
Dashboard-IOT App (msg)		Yes	Yes		Yes	Yes			Dashboard, IOT App, API, …
My Personal Data		Yes	Yes		Yes	Yes			Dashboard, IOT App, UserInterf, API, …
MyKPI data	Yes	Yes	Yes		Yes	Yes	Yes		Dashboard, IOT App, UserInterf, API, …
MyPOI data	Yes	Yes		Yes	Yes				Dashboard, IOT App, UserInterf, API, …
Heatmap matrix	Yes	Yes	Yes		Yes	Yes			IOT App, MicroService, UserInterf, API, …
Sensor data	Yes	Yes	Yes	Yes	Yes	Yes			IOT Directory, IOT App, UserInterf, API, …
Sensor Actuator data	Yes	Yes	Yes	Yes	Yes	Yes			Dashboard, IOT App, UserInterf, API, …
POI (Point of Interest)	Yes	Yes		Yes	Yes				DataGate, ETL, IOT App, API, …
Special Widget (complex)		Yes	Yes		Yes	Yes		Yes	ETL, special, IOT App, API, …
Synoptics MyKPI (groups)		Yes	(Yes)		(Yes)	(Yes)		Yes	Special, API, …
Special Tools (functional)	(Yes)		(Yes)		(Yes)		(Yes)	Yes	As MyPersonalData, …
WFS/WMS (GIS data)	Yes	[yes]	[yes]					Yes	GIS tools, or GeoServer, IOT App, …

Legenda: How to ingest/change/manage

- **Dashboard**: by creating a Dashboard Widget that can act/change the values with actuators (2nd Day Slides)
- **API**: you can use the Smart City API to change / provide the values (see 3rd Day Slides)
- **IOT App**: by developing an IOT Application on Node-RED exploiting Snap4City MicroServices (4th Day Slide, and in part in these slides)

- **DataGate**: you can use the DataGate tool to ingest the data, and publish them
- **ETL**: by developing an ETL process, and put it in execution via DISCES
- **IOT Directory**: you can use the IOT Directory tool to change the parameters, and set up the ingestion process, via IOT Brokers, IOT Devices, IOT Edge.
- **Special**: by using a special tool for developing a process, or for creating SVG Synoptics
- **UserInterf**: there is a number of Tools with Graphic User Interface that you can use to change the values, see in the menu on the left.
- **Web Scraper**: by creating a Web Scraping process and exploiting the results into an IOT Application

- **As MyPersonalData**: they are substantially MyPersonalData
- **From third party tools**: they can be manipulated by using third party tools


Data Inspector vs Data Processes Details

(some features are only accessible to *Admin roles)



Advanced Features of the Data Inspector


- Some features accessible only for the Owner and *Admin, such as:
  - Specific information on the basis of the High Level Type
  - Values connected to the data (structure of the single data)
  - Details regarding the ingestion process
  - Eventual image representing the City Entity, for example the sensor
  - Ownership (licensing) details regarding the data owner
- So that you can access on all of them in the Snap4City version if you install on premise.
- A part of these features can be activated for the Organization Managers, namely: «ToolAdmin» roles.




- Click with the mouse on it

HLT: Sensor

Knowledge Base view





HLT: Sensor

Data sources Details

Device | Values | Healthiness | Process | Image | Licensing | User


Last Date: 2020-07-21 19:00:00

Last Value:


Value Type	Healthy	Delay (s)	Reason	Healthiness Criteria	Refresh Rate (s)	Data type	Unit	Value	Time Trend
dateObserved	●	61890	undefined	undefined	300	time	timestamp	2020-07-21T17:00:00.000Z	VIEW
deceduti	●	61890	undefined	undefined	300	integer	#	16797	VIEW
dimessi_guariti	●	61890	undefined	undefined	300	integer	#	71775	VIEW
isolamento_domiciliare	●	61890	undefined	undefined	300	integer	#	6838	VIEW
nuovi_attualmente_positivi	●	61890	undefined	undefined	300	integer	#	-131	VIEW
ricoverati_con_sintomi	●	61890	undefined	undefined	300	integer	#	151	VIEW
stato	●	61890	undefined	undefined	300	string	#	ITA	VIEW
tamponi	●	61890	undefined	undefined	300	integer	#	1212468	VIEW
terapia_intensiva	●	61890	undefined	undefined	300	integer	#	21	VIEW
totale_attualmente_positivi	●	61890	undefined	undefined	300	integer	#	7010	VIEW
totale_casi	●	61890	undefined	undefined	300	integer	#	95582	VIEW
totale_ospedalizzati	●	61890	undefined	undefined	300	integer	#	172	VIEW
codice_regione	●	61890	missing value	undefined	300	integer	status		VIEW
denominazione_regione	●	61890	missing value	undefined	300	string	status		VIEW

Cancel

- Specific values of selected
- Information of the values of the other sensors on the same device
- View Trends, marking problems, healthiness by point according to a Fuzzy model
- Marking problems for future machine learning processes (separate tool)




HLT: Sensor Healthiness



- Two different criteria
  - **H1**: at least an event i nthe last 24 hours
  - **H2**: machine learning for most of Sensors devices

Some functionalities are limited to certain roles


HLT: Sensor Healthiness





- Two different criteria
  - **H1**: at least an event i nthe last 24 hours
  - **H2**: machine learning for most of Sensors devices

Some functionalities are limited to certain roles

Details regarding the IOT Ingestion process








- For IOT Device data
- IOT Broker details

Some functionalities are limited to certain roles

HLT: Sensor

Details regarding the Ingestion process



- For ETL processes
- Scheduling details and status


DISCES Process Scheduler view




Some functionalities are limited to certain roles

HLT: Sensor


Image of the Devices and Licensing






Some functionalities are limited to certain roles

HLT: From Dashboard to IOT APP




- Click with the mouse on it


HLT: Dashboard-IOT App (From Dashboard to IOT APP)



HLT: Sensor-Actuator (From Dashboard to IOT Device)




HLT: MyKPI



- Click with the mouse on it

Some functionalities are limited to certain roles

HLT: External Service



The fields shown may be present or not depending on the HLT and on the information received

Data Inspector recent and future features

- Specific views for the HLT
- Details on Healthiness
- More details on the Ingestion Process
- Capabilities of setting and changing the Healthiness criteria
- For data related to IOT App vs Dashboard, how the link to them
- A view about the data relationships, precisely to show the data used in dashboard, and used in IOT App, etc.
- For Sensors: a link to DevDash to see the time trend and relationships with other sensors and devices on the same Organization (for all in the case of RootAdmin)
- A reverse link from the SmartAppGraph to the Data Inspector data of various kind

TOP

DASHBOARD CREATION by Wizard




Snap4City: Builder of Sentient Cities Solutions


Dashboards with data driven IOT Applications enforcing intelligence

IOT and data World




IOT Applications






Big Data Analytics, Artificial Intelligence

Dashboards and Apps



Dashboard Development



IOT Applications

Knowledge Base,
Km4City



Knowledge and Storage
Data from the Field and
City + MyKPI ++

Widget Collection






Micro
Applicat
ions




External
Services




Custom
Widgets/
Synoptics

Dashboard Wizard




Create, save, load,
delegate, grant access





Dashboard Editor





Public
Dashboard
Collection




My Own Dash/App


Dashboard List and Editor



From Templates to Wizard and Dashboards



- to create a new Dashboard
- to add widgets and/or groups of them on any Dashboard



Wizard
Dashboard features
Data and widgets
Map
Carmignano
Fiesole
Aeroporto Firenze Amerigo Vespucci
Signa
Lastra a Signa
Firenze
Pontassieve
Scandicci
Bagno a Ripoli
SR69
Montelupo Fiorentino
© OpenStreetMap contributors
Single data widgets
Multi data widgets
Data sources
All selected (10)
All selected (55)
All selected (776)
All selected (315)
All selected (47)
All selected (2)
High-Level Type
Nature
Subnature
Value Type
Value Name
Data Type
Last Check
Ownership
Special Widget Environment Weather Forecast Previ_Meteo special weather 2018-07-08 16:00:18 public
Vergemoli
Vaglia
Vagli sotto
Vagli di sotto
Uzzano
Hide columns
Selected rows: 0
Previous 1 2 3 4 5 1081 Next
Search
Choosen data sources
Remove
Wizard
Select the area of your interest: panning and zooming
Select the
graphic aspect of your interest, or
High Level Type of your interest, or
Make a search if you a have a precise idea or
Act on filters: nature, subnature, type, name, value, date, health, owner, …
Combine them as you like
Select the lines of your interest
Then click on Next and get the Dashboard by wizard
RULE OF THUMB
Close
SNAP4CITY

ICONS of Widgets

Single data





Multi data



Map Controls


Dashboard Wizard





The Wizard helps you in selecting only possible combinations of data and graphic representations


Wizard



CONTEXTUAL MENU to edit features

Use Wizard to add more widgets

Manual Addition of Widgets



Dashboards summary and further exercises

- **Suitable** as: City Dashboard, App interface, and Control Room Dashboards, Situation Room Dashboard, Operator Dashboard
- **Created** visually compounding graphic Widgets
  - Each widget can be set to have an autonomous update
  - Each metric/data-source may have associated with an alarm: blinking and sending events to people and machines in different manners
- **Can be**: public or private, private dash can be delegated or passed in ownership
- See https://main.snap4city.org/management/dashboards.php?linkId=dashboardsLink&fromSubmenu=false&sorts[title_header]=1
- See the following tutorials
  - **HOW TO: create a Dashboard in Snap4City**
  - **HOW TO: add data sources to the Snap4City Platform**
  - **US1. Using City Dashboards**
  - **US2. Using and Creating Snap4City Applications with Dashboards**
  - **US4. Creating City Dashboards and related Event Monitoring and Actions**


Dashboards Creation Exercitation



DEMO Section

To Start we are going to use Direct Dashboards

Dashboards accessing data available on Platform, including your own data coming from Mobile App, already registered!!!




My IOT/IOE Devices

IOT and City data World

Dashboards Applications

In this exercitation we are going to use the main Dashboard Templates




Exercitation on dashboard building

1. Create a Dashboard for the visualization of sensors values: actual and their trend
2. Create a Dashboard for the visualization of geolocated services (POI, Sensors, heatmap, etc.) and their selection on Map, with eventual target to see the time trend
3. Create a Dashboard for the visualization of MyKPI regarding my trajectories and eventually those of other users.

Nikname:.....

1) Create a Dashboard for the visualization of sensors values: actual and their trend


- The sensors to be selected should
  - Be located downtown in Florence around a POINT of YOUR interest: home, work, study, etc.
  - Report data regarding: environment, traffic, parking, pollution, etc.
- **We suggest to:**
  - Understand how to work with data by using the Data Inspector
  - Create a new Dashboard by Wizard
  - Customize look and fill of the Dashboard and widgets
- Time: 20 minutes





Identify your Widgets


1) Create a Dashboard for the visualization of sensors values: actual and their trend

- The sensors to be selected should
  - Be located downtown in Florence around a POINT of YOUR interest: home, work, study, etc.
  - Report data regarding: environment, traffic, parking, pollution, etc.
- **We suggest to:**
  - Understand how to work with data by using the Data Inspector
  - Create a new Dashboard by Wizard
  - Customize look and fill of the Dashboard and widgets
- Time: 10-20 minutes










Result could be similar to


- You can add more Widgets by:
  - Wizard
  - Editor manually



Nikname:.....

2) Create a Dashboard for the visualization of geolocated services (POI, Sensors, heatmap, etc.) and their selection on Map, with eventual target to see the time trend


- **The HLT to be selected** should
  - Be located downtown in Florence
  - Could be of different kind **of** nature. At least 5 of them
  - Data regarding: environment, traffic, parking, pollution, etc.
- **We suggest to:**
  - Start creating the New Dashboard by Wizard
  - Customize look and fill of the Dashboard and widgets
- Time: 10-20 minutes
- There are different modalities to get similar results




Identify your Widgets

2) Create a Dashboard for the visualization of geolocated services (POI, Sensors, heatmap, etc.) and their selection on Map, with eventual target to see the time trend


- The HLT to be selected should
  - Be located downtown in Florence
  - Could be of different kind HLType, and nature. At least 5 of them
  - Data regarding: environment, traffic, parking, pollution, etc.
- **We suggest to:**
  - Start creating the New Dashboard by Wizard
  - Customize look and fill of the Dashboard and widgets
- Time: 10-20 minutes
- There are different modalities to get similar results





Result could be similar to

- Not all combinations provide the same effective result
- You can
  - customize the resulting dash
  - add other widgets by wizard
  - see how a Selector is built
  - .....




https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjYxMg==

Nikname:.....

3) Create a Dashboard for the visualization of MyKPI regarding my trajectories and [eventually those of other users]


- **We suggest to:**
  - Open Dashboard Wizard
  - Search for your trajectory on mobile looking for MyKPI
  - Create a Dashboard exploiting the Widget Tracker
  - Customize look and fill of the Dashboard and widgets, change color of the header, etc.
- Time: 10-15 minutes



Identify your Widgets


3) Create a Dashboard for the visualization of MyKPI regarding my trajectories and [eventually those of other users]

- **We suggest to:**
  - Open Dashboard Wizard
  - Search for your trajectory on mobile looking for MyKPI
  - Create a Dashboard exploiting the Widget Tracker
  - Customize look and fill of the Dashboard and widgets, change color of the header, etc.
- Time: 10-15 minutes



Result could be similar to







https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjYxNA==

MyKPI: Tracking of Devices and Mobiles

- Real Time Trajectories for
  - Mobile Phone
  - Moving IOT Devices
  - OBU, Vehicular Kits
  - Multiple tracks
  - Day by day
- Micro Application





Real time device tracking

Start



moving device

Multi Data Map

Selector

start

DISIT:orionUNIFI:MyMobileDeviceTest

movit it

movit it


Selector - Map


https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzA1Ng==

Moving and changing Dynamic PIN


How to create moving devices with dynamic pin

1. IOT Device Mobile is needed
2. Updates on Latitude and Longitutude have to arrive into the platform
3. Dashboard
   - MultiDataMap has to activate the Connection to WS service on MoreOptions
   - Selector on the specific PIN has to be set as





https://servicemap.disit.org/WebAppGrafo/api/v1/?serviceUri=http://www.disit.org/km4city/resource/iot/orionUNIFI/DISIT/MyMobileDeviceTest&format=json&fromTime=3-day



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjYwOA==

my example of dashboard

Sat 18 Apr 00:49:24

Bar Series (3m)






Table (3m)

value type / value name	PM2_5	PM10	O3	airHumidity	airTemperature
IBIMET_SMART19	17.85	20.63	107.51		
IBIMET_SMART12	6.81		44.95	47.1	17.3
IBIMET_SMART17			300	0	0
IBIMET_SMART29				90.1	14.6

Pie Chart (8m)



Time trend comparison (3m)



Privacy Policy Cookies Policy Terms and Conditions Contact us

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjYxNQ==

Mobility and Environment What-IF Analysis

This dashboad contains data derived from actual sensors and predictive values under validation

Mon 14 Oct 00:48:17


- Air Quality Sensors
- Weather Sensors
- PM10 Heatmap
- PM2.5 Heatmap
- CO Heatmap
- CO2 Heatmap
- O3 Heatmap
- NO2 Heatmap
- Europ. AQI Heatmap
- Air Humidity Heatmap
- Air Temp. Heatmap
- Wind Speed Heatmap
- Gral Pred. HM NOX (3m)
- Gral Pred. HM NOX (6m)
- Traffic Sensors
- Traffic Flow
- Cycling Paths
- Accident Heatmap
- Only HRes Anym. Gral
- Scenarious
- What-if analysis

Firenze Oggi

Air Temperat... 6m







https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjE5MA==

Mobility and Environment What-IF Analysis

This dashboad contains data derived from actual sensors and predictive values under validation


Fri 22 May 18:19:41


- Air Quality Sensors
- Weather Sensors
- PM10 Heatmap
- PM2.5 Heatmap
- CO Heatmap
- CO2 Heatmap
- O3 Heatmap
- NO2 Heatmap
- Europ. AQI Heatmap
- Air Humidity Heatmap
- Air Temp. Heatmap
- Wind Speed Heatmap
- Gral Pred. HM NOX (3m)
- Gral Pred. HM NOX (6m)
- Traffic Sensors
- Traffic Flow
- Traffic Bubble
- Cycling Paths
- Accident Heatmap
- Only HRes Anym. Gral
- Scenarious
- What-if analysis

Firenze Oggi

Air Temperat... 9m







Dashboards

- **Suitable** as: City Dashboard, App interface, and Control Room Dashboards, Situation Room Dashboard, Operator Dashboard
- **Created** visually compounding graphic Widgets
  - Each widget has an autonomous update
  - Each metric/data-source may have associated with an alarm: blinking and sending events to people and machines in different manners
- **Can be**: public or private, private dash can be delegated or passed in ownership
- See https://main.snap4city.org/management/dashboards.php?linkId=dashboardsLink&fromSubmenu=false&sorts[title_header]=1
- See the following tutorials
  - **HOW TO: create a Dashboard in Snap4City**
  - **US1. Using City Dashboards**
  - **US2. Using and Creating Snap4City Applications with Dashboards**
  - **US4. Creating City Dashboards and related Event Monitoring and Actions**

Mechanisms of Selector for the Multi Data Map widget



The Selector for Multi Data Maps










- **Different styles**
  - Icon and Text menu
  - Custom Menu Icon
  - Icon Menu buttons
  - Etc.
- **Features**
  - Removable header
  - Colours custom
  - Transparencies
  - Mixed modalities
- **Note:**
  - Manus can be realized also with a set of Buttons

The Selector is the Map Controller

Custom Dynamic Pins






https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=Mjk5MA==

UNIVERSITÀ DEGLI STUDI FIRENZE | DINFO DIPARTIMENTO DI INGEGNERIA DELL'INFORMAZIONE | DIS DISTRIBUT AND INTER TECHNOL

More Options of the Selector

- Setting:
  - Heatmaps
  - Bubbles
  - Icons
  - Custom
  - Traffic flow
  - Cycling path
  - What-if
  - Etc. etc.



The More Option data and table are automatically created / inizialized by Wizard

It can be adjusted for:

-- adding more selections

-- tuning the services

-- exploiting nicer views

Specific widget properties

MoreOptions (below part)

Map widgets Selector Ma

Active rows font color rgba(0,0,0,1)

Icon/Text Mode Icon Only

Map Pin Icon Pin Icon

Default	Symbol mode	Symbol choice	Symbol preview	Symbol color	Description	Query	Color1	Color2	Data widgets	Default View Mode	Map Icon color	Alternate View Mode	Variable Name	Order	
Yes	Auto				Traffic Bubbl...	https://se...	rgba(1!	rgba(1!	Nothing se			Bub	vehicleFl	1	✖
No	Auto				Psvgb_X-val3	https://se...	rgba(1(	rgba(1(	METRO19	Pir		Cus	val3	2	✖
No	Auto				Psvgb_X-val1	https://se...	rgba(2!	rgba(2!	METRO19	Pir		Cus	val1	3	✖
No	Auto			rgba((	Psvgb_X-val4	https://se...	rgba(2!	rgba(2!	METRO19	Pir		Cus	val4	4	✖
No	Auto			rgba(!	recharging st...	https://se...	rgba(2!	rgba(2!	METRO19		Symbol (	Cus	stationSt	5	✖
No	Auto	PM 2.5	PM 2.5		PM2_5 Heatmap	https://wm...	rgba(8:	rgba(8:	Nothing se					Empty	✖
No	Auto				Traffic Flow	https://fi...	rgba(2!	rgba(2!	Nothing se					Empty	✖
No	Auto				Cycling Paths	https://se...	rgba(2!	rgba(2!	Nothing se					Empty	✖
No	Auto				Scenario	/scenario/	rgba(0,	rgba(1!	Nothing se					Empty	✖
No	Auto	WHAT-IF	WHAT-IF		What-IF	/whatif/	rgba(5:	rgba(	Nothing					Empty	✖

You may need to save and reopen the MoreOptions more than once to pass on different kinds of configurations

The Selector is the Map Controller

MoreOptions

Specific widget properties

Selector - Map


Active rows font color rgba(0,0,0,1)

Icon/Text Mode

Default	Symbol mode	Symbol choice	Symbol preview	Symbol color	Description	Query
Yes	Auto				Traffic Bubbl...	https://se...
No	Auto				Psvgb_X-val3	https://se...
No	Auto				Psvgb_X-val1	https://se...
No	Auto			rgba((	Psvgb_X-val4	https://se...
No	Auto			rgba(9	recharging st...	https://se...
No	Auto	PM 2.5	PM 2.5		PM2_5 Heatmap	https://wm...
No	Auto				Traffic Flow	https://fi...
No	Auto				Cycling Paths	https://se...
No	Auto				Scenario	/scenario/
No	Auto	WHAT-IF	WHAT-IF		What-IF	/whatif/

More Options Edit

- Query ID
- REST CALL
- Command
- Heatmap



Knowledge base
Semantic reasoners


Indexing and aggregating
Elastic search

Search and Query, Smart City API
Facet, semantic search

- ***The Query is produced by Wizard but can be manually changed***

How to Get the «Query» used in More Options (1)

- **Query ID**
  - **only Read and Read/Write of the query**
- **REST CALL of the Smart City APIs**
  - **JSON**
  - **HTML (do not use into MoreOptions)**



The example of email from ServiceMap

snap4city@gmail.com

a me

Thanks a lot for using Service Map by DISIT at http://servicemap.disit.org

Your query "Service FI-MOSSE" has been saved.

Description:No description provided.

You can access to the query results on Service Map by clicking on these links:

Link for read only result in format json: 'https://servicemap.disit.org/WebAppGrafo/api/v1/?queryId=c33d6672968a1d5db83f27cf00c0e919&format=json'

Link for read only result in html: 'https://servicemap.disit.org/WebAppGrafo/api/v1/?queryId=c33d6672968a1d5db83f27cf00c0e919&format=html'

Link for overwrite this query on Service Map: 'https://servicemap.disit.org/WebAppGrafo/api/?queryId=f75d163130b1c8af9c7927cc7b857d70'

Link to obtain results in format json : 'https://servicemap.disit.org/WebAppGrafo/api/v1/?serviceUri=http://www.disit.org/km4city/resource/ARPAT_QA_FI-MOSSE_SV&format=json'
Link to obtain results in format html : 'https://servicemap.disit.org/WebAppGrafo/api/v1/?serviceUri=http://www.disit.org/km4city/resource/ARPAT_QA_FI-MOSSE_SV&format=html'

or copy paste it on your browser.

You can share the link with your friends.

Best regards
ServiceMap.disit.org team
You can contact us at info@disit.org or visit our web page at http://www.disit.org

How to Get the «Query» used in More Options (2a)

- **REST CALL by category → JSON (Options in RED), they are REST ASCAPI calls**
  - **Requesting a category, so that to see all Services of the same category (subNature)**
    - http://svealand.snap4city.org/ServiceMap/api/v1/?selection=59.581458578537955;16.71183586120606;59.62875017053684;16.875171661376957&categories=Street_light&maxResults=100&format=json
      - Please note that in the MoreOption dashboard the GPS area is neglected
    - https://servicemap.disit.org/WebAppGrafo/api/v1/?selection=43.64471;11.005751;43.89471;11.505751&categories=Green_areas&maxResults=200&format=json
      - Please note that in the MoreOption dashboard the GPS area is neglected
    - Custom PINS note: "selection" coordinates are used for collecting attributes in custom PINS. Other options such as "maxDists" cannot be used in custom PIN. All parameters can be used in other cases.
    - Different KB links are identified by their ASCAPI links: svealand.snap4city.org, servicemap.disit.org, ….
  - **Requests to SuperServiceMap for the network of Federated KBs** by using /api/…….

    Without prefixed KB to obtain merged results from more KBs. For example as:
    - /api/v1/?categories=Air_quality_monitoring_station&format=json
    - Please note that the direct links to the superservicemap can be of the form:
      - https://www.disit.org/superservicemap/api/v1/? ……

How to Get the «Query» used in More Options (2b)

- **REST CALL by ServiceURI → JSON (ServiceURI in RED), they are ASCAPI calls**
  - **Requesting single Service**
    - https://servicemap.disit.org/WebAppGrafo/api/v1/?serviceUri=http://www.disit.org/km4city/resource/ARPAT_QA_FI-BOBOLI&format=json
    - https://servicemap.disit.org/WebAppGrafo/api/v1/?serviceUri=http://www.disit.org/km4city/resource/ARPAT_QA_FI-MOSSE_SV&format=json
    - Different KBs links are identified by their ASCAPI links: svealand.snap4city.org, servicemap.disit.org, ….
  - **Requesting all IoT Devices that have been produced by the same Model**
    - **https://www.disit.org/superservicemap/api/v1?selection=59.36535064975547;13.457822799682619;59.39031474260852;13.5669994354248 06&model=SmartLightCapelon&format=json**
      - Please note that in this case the call is performed on the superservicemap, you can change to go directly on the right KB
    - **https://www.disit.org/superservicemap/api/v1/?selection=36.8092847020594;12.216796875000002;42.71473218539458;32.036132812500 01&categories=Travel_information&format=json&fullCount=false&maxResults=500&model=DOMESTICMOVEMENTS2013-2018_1620304406**
      - In this cases is a double filtering for model and for categories, plus other constraints
      - Please note that in the MoreOption dashboard the GPS area is neglected

How to Get the «Query» used in More Options (2c)

- **REST CALL into the query of the more options for GIS services**
  - **Requests from GIS servers** by using WFS API and services
    - https://os.cittametropolitana.fi.it/imobi-ds/trafficsensors/1758EB9B47A3904E05673BFEEE61AB1776C4C0050E7BD7FB195EA33CC56767BE/ows?service=WFS&version=1.1.0&request=GetFeature&typeName=TrafficSensors

How to Get the «Query» used in More Options (3)

- **ServiceMap (specific KB) and Query service**
  - The Query performed is saved and can be recalled with a QueryID, valid for that specific KB, and not accessible via SuperServiceMap / Federated KB
  - The QueryID is communicated via email
  - Specific REST Call with HTML is also provided to change the Query in server associated with the QueryID received


- **Query ID (only Read and Read/Write of the query)**
  - https://servicemap.disit.org/WebAppGrafo/api/v1/?queryId=1c8111893d40a2bb07a2078ffe299ced&format=json
  - Cannot be used for Custom PINs.
  - **Cannot be used to get data via ServiceMap since the Query ID is KB based**

Special Commands in «Query» of More Options (4)


- **Commands for Special Tool**:
  - **Traffic Flow** tool: https://firenzetraffic.km4city.org/trafficRTDetails/roads/read.php
  - **Scenario** tool: /scenario/
  - **Whatif** tool: /whatif/
- **Heatmaps**, see Data Analytic part of the training for the several versions which can be used:
  - https://wmsserver.snap4city.org/geoserver/Snap4City/wms?service=WMS&layers=PM2_5Average24HourFlorence
  - https://wmsserver.snap4city.org/geoserver/Snap4City/wms?service=WMS&layers=denseNO2_Firenze_IDW
  - WMSServer that is a GeoServer may be different for different installations of Snap4City

The Selector is the Map Controller

MoreOptions




- *Targeting the data to be shows on other data Widgets*




TOP


DASHBOARDS Business logic Via IOT Applications USAGE AND AUTHORING



IOT App as Business Logic of Dashboards



IOT Data Driven



IOT App Business Intelligence for Dashboards, Web and Mobile Apps



How the Dashboards exchange data

Snap4City BigData Storage and KB

IOT Broker Orion Quantum Leap

ServiceMap Super ServiceMap

- Req. ServiceURI


Metric, KPI

MyKPI, MyPOI, …

- Req. KPI, Metric ID
- Req. MyKPI ID

API, External Services, MicroApp


- Traffic Flow, MAPS, Heatmaps
- GIS, HTTPs URLs



- ServiceURI (ID)
- MyKPI, Metric (ID)
- Dynamic Data, computed into IOT Application

- Rx. Dynamic Data
- Event Driven Synoptics
- Actions, Show

Dashboards







IOT Application

Advanced IOT Applications

- **Synoptics can ……**
  - **do all ☺**
- **Widgets can**
  - send/receive dynamic data,
  - change data sources, etc.
  - Provide interactive maps
- **HTML pages** can
  - be dynamically generated
  - provide forms to produce data for IOT Applications
  - Collect files on web and system
  - produce files on web ad system
  - have CSS and AJAX control




Synoptics
Custom
Widgets



Widgets
Maps
Buttons
Keypads
Controls
..




HTML pages
HTML Forms
Tables
..




https://www.snap4city.org/394

https://www.snap4city.org/596


IOT App with Dynamic Web Pages






- **HTML pages** can
  - be dynamically generated from the IOT App
  - provide forms to produce data to the IOT App, also including interactive elements
  - collect file from users, and produce files to web and to the system
  - have CSS and AJAX controls


From IoT App to HTML pages




```
<html>
<style>table, th, td {  border:1px solid black;}</style>
<head></head>
<body>
<h1>This is a table</h1><table style="width:100%">
      <tr>
        <th>Person 1</th>   <th>Person 2</th>   <th>Person 3</th>
      </tr>
      <tr>
        <td>Emil</td>   <td>Tobias</td>   <td>Linus</td>
      </tr>
      <tr>
        <td>16</td>   <td>14</td>   <td>10</td>
      </tr>
</table>
</body> </html>
```



Edit “HTTP IN NODE” as above, also to get the ID of your IoT APP.
The ID is used in the URL of the generated page



This is a table

Person 1	Person 2	Person 3
Emil	Tobias	Linus
16	14	10

HTML & Tables on Dashboards

- HTML page can expose forms to collect data for the IoT App.
- The table can be
  - constructed with the style you prefer according to HTML, CSS, etc.
  - dynamically generated on the basis of the values you collect/generate, receive, recover from storage in the flow
  - updated by send a message on the node
  - show on Dashboard by using the link (URL) into an External Content Widget
- In alternative there is to the Widget Table with less flexibility

Snap4City: Builder of Sentient Cities Solutions


Dashboards with data driven IOT Applications enforcing intelligence


IOT and data World



Data Channels


IOT Applications






Big Data Analytics, Artificial Intelligence

Dashboards and Apps



Alert Registration




https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzA0OQ==

City Dashboard + IOT App

Control Room Operator

Would like to:

- **Monitor** traffic flow, Environment, Car parking, Cycling, First aid, temp., …
- **Act and monitor** Dynamic Plates
- **Act and monitor** red lights




Driver, Policeman

Would like to:


- **Monitor** traffic, Parking, env., speed limit, …
- **Act and monitor** red lights







IOT Application with City Dashboard Simple development








-Virtual Sensors and Virtual Actuators
-From Dashboard to IOT App and viceversa
-From Dashboard to IOT Brokers/Devices and viceversa


Traffic Sensors
First Aid
Air Quality
Parking Status
Meteo Sensor
Cycle paths
© OpenStreetMap contributors
Free parking
9m
60
45
30
15
0
18. Mar
03:00
06:00
09:00
12:00
15:00
Air Temp
9m
Air Humidity
18s
Morgagni
9m
82.4%
30
10s
Request Green
20s




















Snap4City - Mobility Operator
Demo
Fri 23 Feb 20:38:44
Traffic sensors
First aid
Meteo sensor
Pollination
Parking
Smart bench
Cycle paths
Map
Speed limit
Europa
Morgagni
Lavagnini
Statuto
45
OFF
Green
Temperature
Arno
Humidity
City parkings
Parcheggi
Air temperature
Park free Station - 4 hours
5.1


Fiware Orion
event-log
json
get Limit
delay 1s
delay 5s
delay 8s
delay 10s
setLimit
event-log
Morgagni
Lavagnini
Statuto
Europa

IoT Applications


- **Data ingestion**: more than 70 protocols IOT and Industry 4.0, web Scraping, external services, any protocol database, etc.
- **Data access**: save/retrieve data, query search on expert system, georeverse solution, search on expert system Km4City ontology, etc.
- **Data Transformation/transcoding:** binary, hexadecimal, XML, JSON, String, any format
- **Integration**: CKAN, Web Scraping, FTP, Copernicus satellite, Twitter Vigilance, Workflow OpenMaint, Digital Twin BIMServer, any external service REST Call, etc.
- **Manipulation of complex data**: heatmaps, scenarios, typical time trend, multi series, calendar, maps, etc.
- **Access to Smart City Entities and exploitation of Smart City Services**: transport, parking, POI, KPI, personal data, scenarios, etc.
- **Data Analytic**: managing Python native, calling and scheduling Python/Rstudio containers as snap4city microservices (predictions, anomaly detection, statistics, etc.)
- **User interaction on Dashboard**: get data and message from the user interface, providing messages to the user (form, buttons, switches, animations, selector, maps, etc.)
- **Custom Widgets**: SVG, synoptics, animations, dynamic pins on maps, etc
- **Event management**: Telegram, Twitter, Facebook, SMS, WhatsApp, CAP, etc.
- **Hardware Specific Devices**: Raspberry Pi, Android, Philips, video wall management, etc.

UNIVERSITÀ DEGLI STUDI FIRENZE | DINFO DIPARTIMENTO DI INGEGNERIA DELL'INFORMAZIONE | DISIT DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB

April 2021 collection

Two Snap4City Libraries

SNAP4CITY | Node-RED



https://flows.nodered.org/search?term=snap4city

UNIVERSITÀ DEGLI STUDI FIRENZE | DINFO DIPARTIMENTO DI INGEGNERIA DELL'INFORMAZIONE | DISIT DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB

April 2021 collection


Two Snap4Citv Libraries

SNAP4CITY | Node-RED

https://flows.nodered.org/search?term=snap4city

We suggest also to install:

AND: From Resource Manager



IOT Applications vs Dashboards

- **IOT Applications**, realized by using Snap4City Node-RED and integrated with Snap4City Nodes/MicroServices block, can be behind dashboards to get data from them with Virtual Sensors and Actuators.
  - Dashboards may be connected to multiple IOT Applications and IOT devices
  - IOT Applications may be connected with multiple Dashboards and IOT devices
- **A network of Dashboards, IOT Apps and IOT Devices** and data is easily realized exchanging data via secure connections.
- **Training Cases**:
  - **US2. Using and Creating Snap4City Applications with Dashboards**
  - **US9. Creating Snap4City IOT Applications, different formats, protocols, brokers, communications**


Widgets Interacting with IOT Apps virtual Sensors and Actuators



HLT: Sensors-Actuators

High Level Types

- **Complex Event**
- **Dashboard-IOT App**
- **External Service**
- **Heatmap**
- **KPI** (Key Performance Indicator)
- **MicroApplication**
- My Personal Data
- MyKPI
- MyPOI
- **POI** (Point of Interest)
- **Sensor**
- **Sensor Actuator**
- **Special Widget**
- Wfs (GIS)




Dashboard Widgets vs IOT Apps

- IOT App may create new Dashboards with new Widgets inside
- Some of the Dashboard Widgets interacting with IOT App can be ONLY created by starting from the IOT App
  - The creation is performed by putting the Node/Block in the IOT App and creating the widget in a Your Dashboard
- The removal of the Node/Block is removing the Widget as well. While the removal of the Widget in Dashboard is not removing the Node/Block into the IOT App
- The change of name of the Widget in Dashboard and/or in IOT App may create disconnections each other

From Dashboard to IOT Devices/App


- **Widgets:**
  - Impulse Button
  - Button
  - Switch
  - Dimer/Knowb
  - KeyPad
  - Geolocator
  - Selection/Dropdown
  - Form
  - Map Picking
- **Registered** on some IOT brokers with NGSI mutual authentication



Dashboard-IOT App


























MapClick

MyKPI variable onchange

Synoptics



impulse button

numeric keyboard

switch button

dimmer

geolocator

dropdown

form


coordinates from map

event driven my kpi

synoptic read

synoptic subscribe


From Dashboard to IOT App



IOT Application

Geolocation of Mobile Device






- Complete message
  - Returns a JSON containing all information about geolocation
- Latitude
  - Returns the latitude
- Longitude
  - Returns the longitude
- Accuracy
  - Returns the accuracy of latitude and longitude
- Altitude
  - Returns the altitude
- Altitude Accuracy
  - Returns the altitude accuracy
- Heading
  - Returns the heading
- Speed
  - Returns the speed

Web Browser GPS data rendering the Snap4City Dashboard can be passed to IOT Applications and saved ☺

Multi Data Map GPS Location Picking vs IOT App




1) Click



2) GET event with:
-- Lat,Long
-- ServiceURI

- 3) The click on the map passes GPS coordinates into IOT App. Thus you can use them to:
  - search for location
  - picking the value of one or more heatmaps
  - dynamically change data on widgets and dashboards
  - Etc.

Multi Data Map ServiceURI selection vs IOT App



1) Click on PIN

coordinates-from-map


2) GET event with:
- Lat,Long
- **ServiceURI**

- 3) The click on the map passes GPS coordinates into IOT App and the ServiceURI. Thus you can use them to:
  - search for location
  - picking the value of one or more heatmaps
  - dynamically change data on widgets and dashboards
  - Get all the ServiceURI information and exploit them on Business Logic
  - Etc.


SVG Custom Widgets Examples 2

Tue 17 Nov 18:46:47


SVG shucko plug



Schuko switch



Charging Station Status



Legenda

Charging Station Status

Set on the keypad one of the following values

0 = ERROR (RED)

1 = AVAIBLE (GREEN)

2 = BOOKED (YELLOW)

3 = CHARGING

9999 = white icon

Charging Station status

New | Last confirmed: None

7	8	9
4	5	6
1	2	3
0	.	Canc
Confirm		


Underpass



Set tunnel st...



Traffic Light



Traffic Light status set

YELLOW LIGHT

Speed Limit Set

New | Last confirmed: None

7	8	9
4	5	6
1	2	3
0	.	Canc
Confirm		

Dynamic Speed Limit Sign



Speed Limit Explaination


Speed Limit Custom Widget example


Write the speed limit by using the keypad and click CONFIRM.

9999 = white sign.


https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=Mjk4Ng==

DropDown Selector






- Selecting MSG to be sent on the Business Logic IOT Application










```
msg.payload = {value:JSON.parse(msg.payload).selected};
return msg;
```

Form

```
msg.payload ={ "form": { "options": [
{ "label": "enter text", "value": "", "type": "text", "required": true },
{ "label": "enter number", "value": "", "type": "number", "required": false },
{ "label": "enter email", "value": "", "type": "email", "required": false },
{ "label": "enter password", "value": "", "type": "password", "required": false },
{ "label": "enter check", "value": "checked", "type": "checkbox", "required": false },
{ "label": "enter check2", "value": "", "type": "checkbox", "required": false },
{ "label": "enter switch", "value": "on", "type": "switch", "required": false },
{ "label": "enter switch2", "value": "", "type": "switch", "required": false },
{ "label": "enter date", "value": "", "type": "date", "required": false },
{ "label": "enter time", "value": "", "type": "time", "required": true }
 ], "selected": [] } }
return msg;
```






Form

```
msg.payload ={ "form": { "options": [
{ "label": "enter text", "value": "", "type": "text", "required": true },
{ "label": "enter number", "value": "", "type": "number", "required": false },
{ "label": "enter email", "value": "", "type": "email", "required": false },
{ "label": "enter password", "value": "", "type": "password", "required": false },
{ "label": "enter check", "value": "checked", "type": "checkbox", "required": false },
{ "label": "enter check2", "value": "", "type": "checkbox", "required": false },
{ "label": "enter switch", "value": "on", "type": "switch", "required": false },
{ "label": "enter switch2", "value": "", "type": "switch", "required": false },
{ "label": "enter date", "value": "", "type": "date", "required": false },
{ "label": "enter time", "value": "", "type": "time", "required": true }
 ], "selected": [] } }
return msg;
```






"selected":["a text","123", "paolo.nesi@unifi.it","aaaaaa", "checked","","on","","2021-03-19","09:38"]

Nature


Dashboard-IOT App


From IOT App to Dashboard





IOT Application


- gauge chart
- single content
- speedometer
- horizontal single bar
- vertical single bar
- web content
- time trend
- bar series
- radar series
- pie chart
- curved line series
- table content
- synoptic write
- calendar





























Single Content Widget (flexibility)

From Dashboard Editor and IOT Applications, accepts in input:

- Numbers
- String
- HTML code


























https://www.snap4city.org/578

Controlling Maps from IOT Apps






- Show points on maps
- Get Points
- Tracks
- See examples on:

https://iot-app.snap4city.org/nodered/nrve0e3/ui/#!/0

https://www.snap4city.org/409

https://www.snap4city.org/417



Dashboards vs IOT Applications

- See a lot of more detailed examples into the Tutorial on IOT Applications
  - https://www.snap4city.org/577

Dynamic Widgets data on Dashboard from IOT Applications



How the Dashboards exchange data

Snap4City BigData Storage and KB

IOT Broker Orion Quantum Leap

ServiceMap Super ServiceMap

- Req. ServiceURI


Metric, KPI

MyKPI, MyPOI, …

- Req. KPI, Metric ID
- Req. MyKPI ID

API, External Services, MicroApp


- Traffic Flow, MAPS, Heatmaps
- GIS, HTTPs URLs



- ServiceURI (ID)
- MyKPI, Metric (ID)
- Dynamic Data, computed into IOT Application

- Rx. Dynamic Data
- Event Driven Synoptics
- Actions, Show

Dashboards





IOT Application

Dynamic Widget data

ServiceURI (ID)


ServiceURI (ID)


MyKPI (ID)


Dynamic


Dynamic



```
▾0: object
    metricId: "http://www.disit.org/km4city/resource/tusc_weather_sensor_ow_3166540"
    metricHighLevelType: "Sensor"
    metricName: "tusc_weather_sensor_ow_3166540"
    metricType: "airTemperature"
▾1: object
    metricId: "https://servicemap.disit.org/WebAppGrafo/api/v1/?
    serviceUri=http://www.disit.org/km4city/resource/tusc_weather_sensor_ow_3182522&format=json"
    metricHighLevelType: "Sensor"
    metricName: "tusc_weather_sensor_ow_3182522"
    metricType: "airTemperature"
▾2: object
    metricId: "17056320"
    metricHighLevelType: "MyKPI"
    metricName: "SiiMTuscanyTrackerLocation"
    metricType: "Velocity"
▾3: object
    metricId: ""
    metricHighLevelType: "Dynamic"
    metricName: "BatteryTemperatureGalaxyNote"
    metricType: "Gradi Centigradi"
    metricValueUnit: "°C"
    measuredTime: "2019-11-21T14:51:00Z"
    value: 6.688898111364505
▾4: object
    metricId: ""
    metricHighLevelType: "Dynamic"
    metricName: "BatteryTemperaturemia"
    metricType: "Gradi Centigradi"
    metricValueUnit: "°C"
    measuredTime: "2019-11-21T14:51:00Z"
    value: 62.8502788741156
```























- **ServiceURI** (ID)
- **MyKPI (ID)**, Metric (ID)
- **Dynamic** Data in JSON (single or Vector), computed into IOT Application

[TC4.9: New Support Widgets for Bars, Barseries, Trend, and Series, on Dashboards and IOT Applications]

Dynamic (7/21)

DD: Data Driven

Widgets ICONS	Widget Name, Description	IOT App	Dashboard-IOT App	KPI (metric)	MyPersonalData	MyData	My KPI	Sensor
	Single Content 	X (cs)	X (DD)	X	X	X	X	X
	Speed Limit (see custom for more)			X				X
	Speedometer 	X (cs)	X (DD)	X	X	X	X	X
	Gauge 	X (cs)	X (DD)	X	X	X	X	X
 	Single Bar, V/H  	X	X (DD)	X				
 	Single and Multiple Bars, stacked or not, ordered 	X (cs)	X (DD)	X	X	X	X	X
 	MultiSeries, shaded, staked and non staked, TTT 	X (cs)	X (DD)	X	X	X	X	X
	Time Trend (single) 	X	X (DD)	X	X	X	X	X
 	Time Trend Compare			X			X	X
	SpiderNet, radar, Kiviat 	X (cs)	X (DD)	X	X	X	X	X
	Pie, Donut, 2 layers Donut 	X (cs)	X (DD)	X	X	X	X	X
	Table 	X (cs)	X (DD)	X	X	X	X	X
	Calendar 	X (cs)	X (DD)				X	X

Legenda

- **IOT APP column in previous table:**
  - **X**: means that from the IOT App you can send a new value or array to the widget directly, without the need to have is stored into Sensor or MYKPI variable, etc.
  - **CS, widget supports Change Source**, in the sense that: from the IOT App is possible to send a command to the Widget to change the data source. E.g., selecting sources among: Sensors (service URI), MyKPI (ID), any value produced on the IOT App directly. (cs) recent additions
- **Dashboard IOT App column in previous table**:
  - **X:** there is a MicroService / node on IOT App to act on those widgets on dashboard. The data are visualized.
  - **DD, widget is Data Driven**, in the sense that new data in push can be sent and the widget is updated in real time on web page without web page realoading


TC4.9: New Support Widgets for Bars, Barseries, Trend, and Series, on Dashboards and IOT Applications (partially obsolete)


Synoptic, Custom Widgets and PINS Creation





Special Custom Widgets


- Smart parking
- Smart Energy
- Smart Light
- Smart ….
- Energy View
- Custom Controls















Custom Widget / Synoptic / PIN Development




IOT Applications

Knowledge Base,
Km4City




Knowledge and Storage
Data from the Field and
City

SVG Symbols Collection



SVG

Public
Dashboard
Collection




My Own Dash/App



Inkscape editor on your computer


SVG



SVG


Create, save a Custom
Widget in SVG





Create, save, load,
delegate, grant access

1. Create and Load a Custom SVG
2. Select/Reuse an SVG
3. Make and Instance of Synoptic by Associate Variables with MyKPI
4. Create on Dashboard a Widget based on Synoptic HLT such as Ext. Srv.:
   - https://www.snap4city.org/synoptic/v2/synoptic.html?id=xxxx




How to create a custom Widget

- [User manual on: https://www.snap4city.org/595](https://www.snap4city.org/595)

CW with a single READ Variable are automatically usable as PINS

Create, save a Custom Widget in SVG




SVG Symbols Collection




From any open library


Upload as Custom Widget Template




select




List of Custom Widgets / Synoptics




Instantiate as Custom Widgets / Synoptics Connect with WebSockets




Select MyKPI and Sensor Data for Synoptics cases




Dashboard Editing/wizard





Final Dashboard

Help on Custom Widgets

Custom Widget name and image	*Explanation*	*Variable(s)*	*Accepted values*
Activate in Time new SVG 	Set the begin and the end hours by using the small + and – buttons. Click SET to send the defined hours to the server.	s4csvg_begin (read and write variable) Default value: ##:##	starting hour in the form HH:mm to be set by clicking the + and – button
		s4csvg_finish (read and write variable) Default value: ##:##	ending hour in the form HH:mm to be set by clicking the + and – button
Air Conditioner SVG 	Change the image according to the value received.	s4csvg_airconditioner_status (read variable) Default value: undefined state, the SVG shows the overlapped cold and hot images.	0 = OFF, 1 = cold, 2 = hot
Blinking Alarm SVG 	The image blink or stop to blink according to the value received. Example: https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=Mjc4NQ==	s4csvg_blinking_alarm (read variable) Default value: 1, blinking	0 = OFF (fixed image), 1 = blinking
Double Pole Isolator SVG 	By clicking the SVG, the status of the switch changes accordingly and the corresponding value is sent to the server. Example: https://main.snap4city.org/view/index.php?iddasboard=Mjk4Ng==	s4csvg_isolator_onoff (read and write variable) Default value: undefined state, the SVG shows the overlapped position up and position down images.	0 = OFF (position down), 1 = ON (position up)
Faces Widget 	By clicking a coloured face the corresponding value is sent to the server. Examples: https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjU0NA==	s4csvg_userFeedback: value sent to the server by clicking the corresponding face (write variable). Default value: no value sent. The SVG shows the five	-2 = very bad, -1 = bad, 0 = so-and-so, 1 = quite-good, 2=good

From-To Custom Widgets / Synoptics to Storage in WS

MyKPI

Sensors


MyKPI


Sensor


[ ]


New Shared Variables


Constant Values



























Web Socket Secure


Select the Sensors and MyKPI to be used on Synoptics




Custom Widgets Templates



Instantiating a Custom Widget Synoptic






- **[ ]**
  - **leave it empty to connect later direcly from/to IOT APP**
- **MyKPI**
  - Read/write data, your KPI, and real time values
- **Sensors**
  - Your data collected as sensors only rendering data
- **New Shared Variables**
  - ….. Only for Case 3: Synoptic vs Synoptic Communications
  - No protection of data value


Custom Widgets


Custom Dashboards and Widgets (interactive, Animations, etc.)


-- SVG for graphic design


-- MyKPI for collecting data












SVG

https://www.snap4city.org/504

GIDA 5G demo


Sat 12 Oct 23:52:54


Macrolotto 1 - Spinta in rete





Temperatura GIDA 7m	Pressione - GIDA 7m	Umidità - GIDA 7m
16.1 °C	1023 bar	82 %





Privacy Policy Cookies Policy Terms and Conditions Contact us

Smart Lonato del Garda

Sat 9 Nov 17:20:59

Slot 1
Slot 2
Slot 3
Slot 4
Slot 5
Slot 6
Slot 7
Slot 8
Slot 16
Slot 17
Slot 18
Slot 19
Slot 20
Slot 21
Slot 22
Environment
other

Selector - Map


Multi Data Map


TEST1_AIRSENSEUR_RVB01

VALUE NAME: TEST1_AIRSENSEUR_RVB01

DETAILS | DESCRIPTION | RT DATA

dateObserved	4:18:33 PM	Last value	Last 4 hours	Last 24 hours	Last 7 days	Last 30 day
humidity	66.347755	Last value	Last 4 hours	Last 24 hours	Last 7 days	Last 30 day
pressure	987.0833	Last value	Last 4 hours	Last 24 hours	Last 7 days	Last 30 day
temperature	14.078355	Last value	Last 4 hours	**Last 24 hours**	Last 7 days	Last 30 day






SVG


NumFreeSlo... 9m
XX

NumFreeSlots - Slots 9m




SmartParkingLonato_1 ... 9m
XX
0
status

temperature - Day 9m




NumFreeSlots - Slots 9m



pressure 9m	humidity % 9m	temperature 9m
987.1	66.3	14.1
mm	%	
XX	XX	

Slot ID 9m	Max Present Duration 9m
14	19 ore e 11 minuti
slot ID	
XX	

TEST1_AirSensEUR_RVB01 - temperature 9m




Privacy Policy | Cookies Policy | Terms and Conditions | Contact us


Dashboard on Browser

Internet

Storage and IOT App on cloud or on Premise




Case 1




https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=Mjc4NA==

10 WS messages per second





Case 2: Event Driven 100%




https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=Mjc4NQ==

40 messages per second







https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjgyNg==

Case 3/4

Snap4City

User: roottooladmin1, Org: DISIT
Role: RootAdmin, Level: 7

LOGOUT

My Snap4City.org
Dashboards
My Dashboards in All Org.
Dashboards of My Organization
My Dashboards in My Organization
Notificator
Data Inspector
My Data, KPI, POI
My Groups of Entities
IOT Applications
IOT Directory and Devices
Knowledge and Maps
Micro Applications
External Services
Data Set Manager: Data Gate
Synoptics
Resource Manager: Process Loader
Development Tools
Management
Settings
User Management and Auditing
Help and Contacts
Documentation and Articles

Dashboards

Cards | Prev 1 2 3 ... 89 Next | Filter by dashboard title | New dashboard

- Energy -
Passive


comunedashres: Private - Firenze
Edit Management Clone Delete

- Environment -
Passive


comunedashres: Private - DISIT
Edit Management Clone Delete

- Mobility -
Passive


comunedashres: Private - Firenze
Edit Management Clone Delete

- Smart Lonato del Garda -
IOT apps


disit_lonatodelgarda: Private - LonatoDelGarda
Edit Management Clone Delete

- Social -
Passive


comunedashres: Private - Firenze
Edit Management Clone Delete

0 - Dashboard new
Passive
nicola.mitolo: Private - DISIT
Edit Management Clone Delete

3D Map beta Testing
Passive


gpantaleo1: Public - DISIT
Edit Management Clone Delete

3D Map beta Testing 2
Passive
gpantaleo1: Private - DISIT
Edit Management Clone Delete

3D Map test 2
Passive
gpantaleo1: Private - DISIT
Edit Management Clone Delete


a
IOT apps
djqjq@163.com: Private - Antwerp
Edit Management Clone Delete

AA-DASHBOARD-TEST-01
Passive
andrea antonini: Private - DISIT
Edit Management Clone Delete

AA-DASHBOARD-TEST-02
Passive
andrea antonini: Private - DISIT
Edit Management Clone Delete

TOP

Flexible What-If Capabilities as Decision Support System





Mobility and Environment What-IF Analysis

This dashboad contains data derived from actual sensors and predictive values under validation

Mon 14 Oct 00:48:17


- Air Quality Sensors
- Weather Sensors
- PM10 Heatmap
- PM2.5 Heatmap
- CO Heatmap
- CO2 Heatmap
- O3 Heatmap
- NO2 Heatmap
- Europ. AQI Heatmap
- Air Humidity Heatmap
- Air Temp. Heatmap
- Wind Speed Heatmap
- Gral Pred. HM NOX (3m)
- Gral Pred. HM NOX (6m)
- Traffic Sensors
- Traffic Flow
- Cycling Paths
- Accident Heatmap
- Only HRes Anym. Gral
- Scenarious
- What-if analysis

Firenze Oggi

Air Temperat... 6m








https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjE5MA==

What-If Analysis Concepts


- What is going to happen at Services if certain conditions/ cases are going to occur
  - Formalize: Conditions/cases, Services
  - Scenarios of Cases+Services Vs Solutions are Studios
  - to define, save, load:
    - Scenarios and Studios
    - Save and compare several effects
    - Comparison on the basis of KPI




Scenario

Impact on Routing

- Scenario with multiple shapes
- Conditional Routing
  - avoiding areas or
  - reducing traffic in those areas
  - Multiple stop points




Computation of Traffic Flow Evolution



Traffic Flow Manager on multiple cities


Sun 2 May 23:16:31



Privacy Policy Cookies Policy Terms and Conditions Contact us

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzEyNg==

What happen to Public Transport



What-IF analysis

	What happened	What is going on now	What is going to happen	What-if: what is going to happen if …. this and that
Historical Data, HD	✓	✗	✗	✗
Real Time, RT, Observed Data + HD	✓	✓	✗	✗
Analytical Models, AM + RT + HD	✓	✓	✗✓	✗✓
AM + Simulations + RT + HD ..	✓	✓	✓	✓
AM + Predictions (AI, Machine Learning) + Simulations + RT + HD..	✓	✓	✓	✓

Decision Support System and Resilience via FRAM


External Services, WebPages



- Decision Support Systems
  - Smart City Control Room
  - Workflow Management Ticketin...
  - Altair Maintenance
  - Altair Ticket Management
  - Altair Ticket Close Event
  - Workflow Management, Ticketin...
  - BIM Management and Dashboa...
  - DORAM Public Transport Analyz...
  - Doc: DORAM Pub Transp. Analyz...
  - Twitter Vigilance
  - Twitter Vigilance Real Time
  - Twitter Vigilance Antwerp
  - Twitter Vigilance Helsinki
  - Twitter Vigilance WestGreece
  - Twitter Vigilance Valencia
  - Twitter Vigilance Firenze HeritD...
  - Twitter Vigilance Pont Du Gard
  - Twitter Vigilance Dubrovnik
  - Twitter Vigilance Notes
  - What-If Analysis
  - Doc: What-If Analysis
  - Origing Destination Matrices
  - Traffic Flow Reconstruction
  - High Res. Pollutant Predictions
  - Resilience Decision Support Sys...
  - Smart Decision Support Sys
  - Doc: Smart & Resilience DSS


Main Approach

- Three main layers
- Complex System modeling: function, processes, resources, time, events, etc.
  - Functional Resonance Analysis Method, FRAM
  - Resilience Analysis Grid, RAG
- Decision Support System, DSS
  - System Thinking, Goal Models
  - Risk analysis
  - UTS/ITS decision supports
- Data, big data access and exploitation
  - Data Analytics, Internet of Things, sensors, flows
  - People flow and behavior
  - Social Media



Improve city resilience, reducing risks and decision support

- **assessing** city **resilience** level
- **improving** city **resilience**, providing objective hints
- **improving** city users **awareness** with personal city assistants and participatory tools



RESOLUTE Dashboard 4XHD v5

Wed 21 Jun @ 12:49:14

ESB

Alarms

TEST - ALLUVIONE MUGNONE
MAJOR
07/06/2017 12:45:54

ALLUVIONE ARNO COVERCIANO
CRITICAL
15/06/2017 15:47:31

ALLUVIONE ARNO VIA PETRIOLO
MAJOR
07/06/2017 16:48:11

TEST - SCONTRI ALLO STADIO
CRITICAL
15/06/2017 09:50:04

Traffic events

SEVERE ACCIDENT
SERIOUS ACCIDENT(S)
21/06/2017 11:24:01 5

ROAD WORKS
ROADWORKS
21/06/2017 11:24:10 6

ORD 2017-001302 - SP NÃ°17 Ã??ALTO VALDARNOÃ?IST...
RESTRICTIONS
13/06/2017 00:00:00 5

INTERVENTO URGENTE PUBLIACQUA
CLOSED AHEAD
20/06/2017 10:00:00 10

Evacuation plans

PLAN N.1497263867
IN_PROGRESS
12/06/2017 - 11:37:47 PATHS: 3

PLAN N.2000000000
PROPOSED
16/06/2017 - 09:42:06 PATHS: 2

PLAN N.1497604404
PROPOSED
16/06/2017 - 11:06:47 PATHS: 1

Tram position

TRAM/1
21/06/2017 11:32:27

TRAM/2
21/06/2017 11:32:31

Network Analysis

FM0495
(NORMALIZED) NODE BETWEENNESS
1.0000

FM0496
(NORMALIZED) NODE BETWEENNESS
0.8091
ON MAP

FM0500
(NORMALIZED) NODE BETWEENNESS
0.7878

FM2276
(NORMALIZED) NODE BETWEENNESS
0.7856

FM0497
(NORMALIZED) NODE BETWEENNESS
0.7825

FM0701

Environment

PROTEZIONE CIVILE

GENERAL | METEO

NULLO BASSO MEDIO ALTO

RISCHIO IDRAULICO
RISCHIO TEMPORALI
RISCHIO IDROGEOLOGICO
RISCHIO NEVE
RISCHIO GHIACCIO
RISCHIO VENTO
RISCHIO MAREGGIATE

Anemomet...
221

Ground Te...
22 C°

Temperatu...
24 C°

Umidity
20 %

Pluv. Flore...
24 mm

Pluviometer Florence City - last 24h

Hydromete...
20 m.s.z.l.

Hydrometer Arno Nave di Rosano - Last 24h

Hidromete...
24 m.s.z.l.

Hydrometer Arno Florence Uffizi - Last 24h

Hydromete...
24 m.s.z.l.

Hydrometer Mugnone Ponte alle Mosse - Last 24h

Mobility

Bus Lines Status

STATO | LINEE MONITORATE | DATE

ULTIMO AGGIORNAMENTO: 2016-08-04 23:59:03

Underpass Viale Mariti Aperto

Underpass Viale Talenti closed

Underpass Fortezza Aperto

Parterre Pa...
76.2%
23.8%

SHN
65.7%
34.3%

Fortezza Fi...
37.2%
62.8%

Mercato Ce...
65.4%
34.6%

Resources

Planned events

E 1966 - 2016 - LA BELLEZZA SALVATA - PROROGATA FINO AL 2
2016-12-01 to 2017-07-02
VIA CAMILLO CAVOUR 3

NESPLORATI.LE BIBLIOTECHE DELL'UNIVERSITÀ DI FIRENZE IN
2017-02-15 to 2017-06-23
PIAZZA DI SAN LORENZO 9

BIBLIOTECHE DELL'UNIVERSITÀ DI FIRENZE IN MOSTRA - PROR
2017-02-15 to 2017-09-29
PIAZZA DI SAN LORENZO 9

Ambulance...
20 num.

Ambulance...
33

Voluntiers
33 num.

Florence main first aids status

Priority/ Hospitals	Red code	Yellow code	Green code	Blue code	White code
PS SANTA MARIA NUOVA	1	7	14	1	0
PS SAN GIOVANNI DI DIO TORREGALLI	2	10	24	2	0
PS AO CAREGGI	10	27	31	10	2
PS SANTA MARIA ANNUNZIATA	2	9	22	4	0

TRENDS | QUOTES

#FIRENZE
#NEWS #FIRENZE
#FIRENZE #RIFIUTI
#UFFIZI
#PONTEVECCHIO
#BARGELLO
#AEROPORTO #FIRENZE
#DUOMO #FIRENZE
#VIAGGI #FIRENZE
#CRONACA #FIRENZE

TRENDS | QUOTES

@MUSEOFIRENZE
@COMUNEFI
@NAZIONE_FIRENZE
@PROTCIVCOMUNEFI
@UNI_FIRENZE
@HUBFIRENZE
@NOVEDAFIRENZE
@ILSITODIFIRENZE
@FIRENZETURISMO
@BIBLIO_COMUNEFI

Parking availability (%)

28.2

TV-RT Firenze

Twitter Vigilance Real Time Dashboard
Last crawling: 2017-06-21 12:44:30
Menu On | Login

Home > Channel statistics > Channel sentiment analysis

Channel active from 2016-06-27 to 2017-06-21 12:35:00
Data processed from 2016-06-28 08:10:00 to 2017-06-21 12:35:00
NLP SA

Sentiment trends in channel Firenze

Tweets score | Tweets score pos | Tweets score neg | Retweets score | Retweets score pos | Retweets score neg | T+RT score | T+RT score pos | T+RT score neg

Hide All

Most Significant Tweets for Sentiment

Last tweets per channel Firenze

@GiorgiaLodi - 2017-06-21 12:13:45
RT @emanuelegeri: Primo giorno d'#Estate: pubblicato aggiornamento luoghi freschi https://t.co/isKeZoeGhw su #opendatafirenze @comunefi

TV Firenze

Twitter Vigilance Dashboard
Last crawling: 2017-06-21 12:44:49
Menu On | Login

Home > Channel statistics > Statistics on single Channel

Channel active from 2009-02-27 to today
Data processed from 2015-05-22 to 2017-02-24
NLP SA

Search related to channel Firenze

#Aeroporto #Firenze | #Aeroporto #Firenze #unifi | #Aeroporto #Firenze | #americani #firenze | #bargello | #cronaca #firenze | #cultura #firenze | #duomo #firenza | #expo2015 #firenze | #Expo2015Firenze | #firenze | #firenza #abusivi | #firenza #allafacciadaidivieti | #firenza #bottiglia | #firenza #centrostorico | #firenza #docorourbano | #firenza #rifiuti | #firenza #souvenir | #firenza #turisti #coda | #firenza #turisti #folla | #firenza @UNESCO | #firenzecard | #Florence #smartcity | #LiberiamoFirenze | #lorociuffenna | #lungarnofirenza | #meteo #neve #Firenze | #news #Firenze | #notiziefirenza | #ODDITI5 #Firenza | #opendata firenze | #OpenDataDay #Firenze | #opendatafirenze | #pontevecchio | #previsionimeteo #Firenze

Hide All

Daily number of tweets/retweets for channel: Firenze

ESB events

Show Menu | Hide Menu

Firenze

Leaflet | Map data © OpenStreetMap contributors, CC-BY-SA, Imagery © Mapbox

Firenze Wi-Fi - Access Points Clusters Coverage Map

Firenze Wi-Fi: Access Points Clusters Coverage Map
DISIT - Distributed Systems and Internet Technologies Lab
Firenze - Wednesday June 21 2017 12:49:12

Show Legend

Leaflet | Map data © OpenStreetMap contributors, CC-BY-SA, Imagery © Mapbox

Firenze Wi-Fi - APs Streaming Realtime

Firenze Wi-Fi: APs Streaming Realtime
DISIT - Distributed Systems and Internet Technologies Lab
Firenze - Wednesday June 21 2017 12:49:12

Show Legend


Leaflet | Map data © OpenStreetMap contributors, CC-BY-SA, Imagery © Mapbox


UNIVERSITÀ DEGLI STUDI FIRENZE | DINFO DIPARTIMENTO DI INGEGNERIA DELL'INFORMAZIONE | DISIT DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB


SN


resolute

Dashboarding City Resilience









resolute

KM4CITY


Data and Service Aggregator




ResilienceDS Tool


http://resilienceds.km4city.org

- **FRAM Model**
  - Macro FRAM processes
  - Metrics for Process complexity assessment
  - Operational Semantic for executing FRAM model
  - Connection with SmartDS
  - Connection with BigData open to multiple sources of data and workgroup results, Km4City
- **Collaborative work, web tool**
- **Open for all**
- **Validated on ERMG: European Guidelines**





Functional Resonance Analysis Method



Time:
This is simultaneously a resource and a constraint

Controls:
That which supervises or adjust function performance

Input:
That which engages function operation and is used to produce the function output

FRAM
Functional Resonance Analysis Method

- Understand system interdependencies
- Monitor sources of variability
- Investigate system architecture and events


Output:
That which is produced by the function and becomes the input for other functions

Preconditions:
System conditions that must be met before function can be carried out


Resources:
That which is needed and/or consumed by the function to process the input

Fram Model: *Functional Resonance Analysis Method*

- Success and failure are equivalent in the sense that they both emerge from performance variability.
- Variability, intended as a way for people to adjust tools and procedures to match operating conditions.
- Emergence of either success or failure is due to unexpected combination of variability from multiple functions.
- The unexpected “amplified” effects of interactions between different sources of variability are at the origin of the phenomenon described by functional resonance.




- Success and failure are equivalent in the sense that they both emerge from performance variability.
- Variability, intended as a way for people to adjust tools and procedures to match operating conditions.
- Emergence of either success or failure is due to unexpected combination of variability from multiple functions.
- The unexpected "amplified" effects of interactions between different sources of variability are at the origin of the phenomenon described by functional resonance.



resolute

Smart Decision Support , system thinking

- **Smart Decision Support System** based on System Thinking plus
- Actions to city reaction, resilience, smartness, ...
- Enforcing Mathematical model for propagation of decision confidence..
- Collaborative work, …
- Processes connected to city data: DB, RDF Store, Twitter, etc.
- Production of alerts/alarms
- Data analytics process
- Twitter Processes
- reuse, copy past, …



http://smartds.km4city.org



Dashboard Event Management

Alerting and events evidence on Dashboards


- Pop Up **Alarming** at the opening of the Dashboard, exploiting API and MicroService call when you need
- **Calling on the private Chat Room** of the dashboard.
- **Alerting via IOT Apps**, which may assess the firing conditions on the data and on the values/actions performed on Dashboards
  - Sending alerts via several channels
  - Blinking on Single Content Widgets, or on SVG Alarm of any shape
- Connection with **Ticketing System, Incident Management**
- Connection with **Notificator** (only for on premise)
  - Defining thresholds and blinking on Dashboard Widgets
- …etc..

Dashboard Pop Up
Alerting when needed



Dashboard Info/alarm Message

- Each Dashboard may have a custom IOT APP to control the data and the general services via APIs.
- The IOT App logic can Turn on/off the **Info Message** and customize its HTML text dynamically on the basis of the problem detected.




https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=Mjg5Nw==


Private Dashboard ChatRoom



Private ChatRoom per Dashboard



Chat Management



Chat Rooms

- **Activated** by the Dashboard creator which can invite a number of users of the platform to
  - Exchange Comments and Pictures
  - access on web and mobile
  - provoke notifications
- Accessible only under authentication
- The administrator can access to the log for review and log of the discussions.
- Chat Room capability is available as an additional appliance

Dashboard Chat Rooms

- Each Dashboard may have only **one separate ChatRoom**
- The Dashboard Owner can
  - Activate the Chat Room on Dashboard header in Edit
  - Add users of the platform to the chat room
- The **Chat** Room
  - Allows to Exchange Comments and Pictures
  - Can be Accessed on web and mobile
  - May Provoke notifications on the header of the Dashboard
  - Is accessible only under authentication
- The Administrators can access to the Log for review of the discussions


Notifications from Dashboard and from any Data Condition





Smart City Monitoring: notifications, alerting

Notification with IOT App may

- Fire on any kind of condition exploiting on IOT App logic
- produce messages/events on
  - **Facebook, Telegram,**
  - **SMS, MMS, IOT Devices, ..**
  - **email, LOGS, FTP, ..**
  - **dashboards**, mobiles, …
  - **Workflow/incident** management system for **ticketing**
  - **video wall** management,
  - etc. etc.












facebook

Smart City Monitoring: Notificator

- **Each single metrics and Widget may activate a notification on Notificator**
- **Notificator** tool is attached to Dashboard Builder and it is available on Premise and for high roles
- **Blinking** on Dashboards




Integration with Ticketing Systems Workflows, Incident Management




Integration with Ticketing Systems Workflow

- **Snap4City is integrated with OpenMaint Ticketing system. An Open Source solution for ticketing and workflow management, incident management.**


- Any ticketing systems can be integrated with Snap4City, by means of IOT Applications and Dashboards
- https://www.snap4city.org/597



Example of Integrated workflow





Consumptions/productions




Events/actions

Dashboards and actions






OpenMaint: BPM Workflow management, team assignement, material control, …











IOT App, Data event firing, event detection and firing Critical event management

Dashboards









- **Snap4City can**
  - Create new tickets
  - Manage steps, workflow
  - Collecting feedbacks and results from teams
  - Manage all phases of the workflow on the fields via IOT Apps and logics
  - The integration if via API and MicroServices into IOT App.

Filters | Search | KQL | Last 1 year | Show dates | Refresh

+ Add filter

ABBATTIMENTO CLORO
ACIDO CLORIDRICO
ACQUA INDUSTRIALE
ARIA SERVIZI E STRUMENTI
CARBONATO DI POTASSIO
CARICO PRODOTTI
CICLO POTASSA CAUSTICA

Impianto: Select...
Specialità: Select...
Tipologia Lavoro: Select...
Siglatura: Select...

Apply changes | Cancel changes | Clear form

1,865
Numero di eventi nel periodo

264.491
50th percentile of ore tra inizio e fine lavoro


673.151
Media ore passate tra inizio e fine lavoro


CLORURO FERRICO STANDARD
CARBONATO DI POTASSIO
CICLO SALAMOIA IPOSODIO
IMPIANTO 3FC CARICO PRODOTTI












Maintenance Intelligence


TOP



Dashboard Other Features

Additional Properties from Edit Dashboard

- **Embedding Dashboards into**
  - a Dashboard
  - third Party Web Page
- **Header** or not
- **Footer** or not
- **Responsive** or not
- **Size**: any
- **Background** Image: any
- Add / change Screenshot (**Thumbnails**)
- **Menu** on left upper corner or not




Dashboard Embedding into third party Web Sites/pages



Dashboard Embedding

- go in Dashboard Edit
  - Get code for embedding
  - Providing domain on which you embed
  - See Iframe preview
- **Dashboard properties**
  - we suggest set Responsive
  - deciding on header On Off
  - Adjust size of Iframe and dashboard for tuning




TOP


Dashboards Listing, Managing, Sharing, Delegation




Dashboard List and Editor




Dashboard Listing and Features





- Edit (open Dashboard Builder)
- Management (see later)
- Clone (clone the Dashboard)
- Delete (delete the Dashboard)
- (add Thumbnail is inside Edit, as snapshot)


Clone Dashboard



- Cloned: Same dash with title having «- Cloned» at the end
  - You can: Clone, change name, pass to your colleague, edit, etc.
- Be carefull that exploited resources are not cloned

Dashboard Management

- Change Ownership
  - Towards any user
  - Knowing the nickname




- Visibility
  - Public or Private
  - please note that data has to be published as well to make them accessible




Dashboard Management

- Delegation access to other users
  - See next example




- Delegation Access to other Groups [Higher roles cross Organization]
  - See next example




Monitoring Dashboard Usage

- **Key Performance Indicators**
  - Number of Accesses
  - Minutes of exposition
- **Time Periods:**
  - Day by Day
  - Week by Week
  - Month by Month
  - 6 months by 6 months
  - Year by Year




TOP

Smart Applications via Dashboard Management





Smart Application


- **For each Dashboard** (Nane, ID, ORG, Users, etc..)
  - W widgets
    - For each Widget
      - Name,
      - A data (1 …N)
  - I IoT Applications
    - ….
- **Thus:**
  - Different Dashboards may share the same data
  - Different Widgets in different Dashboards may share the same data…
  - Critical courses,….. More relevant data….
- **Access from Dashboard Management**




Dashboard Management: Graph of Smart Application







Show Endpoints | Show User Status | Show Relations




TOP

Data Type Management GDPR Compliant

FROM CITY DASHBOARD TO APPLICATIONS
DATA GATHERING AND CITY DATA KNOWLEDGE MANAGEMENT
FORGING & MANAGING OPEN AND FLEXIBLE WEB AND MOBILE APPS
IOT/IOE DEVICES AND NETWORKS
IOT APPLICATIONS, THE LOGIC AND THE SMARTNESS
SMART CITY API, MICROSERVICES, SNAP4CITY API
SNAP4CITY LIVING LAB FOR COLLABORATIVE WORK
SNAP4CITY FOR BEGINNERS
DATA ANALYTICS, BUSINESS INTELLIGENCE, WHAT-IF AND
SNAP4CITY ARCHITECTURE AND ECOSYSTEM. OPENED
TWITTER VIGILANCE: SOCIAL MEDIA ANALYSIS
DECISION SUPPORT SYSTEM AND CITY RESILIENCE
HOW TO ADOPT SNAP4CITY, AND OUR ROADMAP
SNAP4CITY AND KM4CITY PROJECTS
SNAP4CITY THE VIEW OF THE ADMINISTRATORS

EU GDPR COMPLIANT



GDPR: General Data Protection Regulation

Users may decide to:

- provide access to who, for do what, until when consented
- accept terms of use by **signed** consent **for** data management **service**

- Correctness
- Transparency
- Security
- Integrity
- Privacy
- Auditing
- …

From each service, the user is capable to:

- **See** what we collect in terms of Data Type: traces, logs, paths, profiles, accesses, IOT devices, sensors, maps, etc.
- **Download**, **delete**, **inspect** Data
- **Auditing** and **Revoke access** or **grant** access right to each **single Data**
- **Delete all Data in single shot** or singularly (**forget all about me**)


GDPR: General Data Protection Regulation

If personal data are **published by the owner:**


- the data are **released anonymously**,
  → also in this case they can be **revoked at any time**:

Snap4City is also compliant to GDPR **Technical Constraints** as it:

- **Performs Secure connections** in any private data exchange
- **Encrypts** data store for all private data
- **Decouples** data and personal IDs
- **Audits** private data usage



GDPR Compliant



My Personal Data Types

View | Edit | Track | Access control | Convert

This page allows you to access at your Data Types, which are your personal data that we c
most cases, a specific tool and view is provided to manage them.

- My profile data and Blogs
  - to manage your user profile data (name, email,): view, edit, delete
- My Personal Statistics and Bounds: daily or Monthly
  - to access at your statistics about the data access and volume of resources use
    that may depend on the Organization at which one belong and on the role in
- My Personal Data, My KPI and My POI
  - to manage your personal MyKPI, MyPOI and trajectories, if any: view, edit, dele
- My Personal Engagement
  - to manage your personal engagements recevied on the Mobile Apps, auditing
- My IOT Devices
  - to manage your IOT Devices in which it is possible to: edit, delete, make public
- My IOT Applications
  - to manage your IOT Applications in which it is possible to: delete, restart, char
- My Dashboards
  - to manage your Dashboards in which it is possible to: edit, delete, change owr
- My IOT sensor data service URI (for programmers)
  - to manage the Delegations to access at the ServiceURI of the knowledge base
- My IOT sensor data service GraphID (for programmers)
  - to manage the Delegations to access at the a Graph (data set) of the knowled
- My personal data by IOT App (partially deprecated)
  - to manage your MyPersonal Data, if any: view, edit, delete, delegation in acces
- My Annotation data
  - to manage the Delegation to access at the Annotations: delegation in access,
- Auditing Access to My Data
  - to audit the accesses to MyData

Manage Profile and MyPersonalData

For each Data Type:

- Start as private → making them public (anonymous) and revoke
- The Owner is the only one that can: (1) modify values; (2) change the ownership
- Define/revoke Delegation to Access
- Delete/forget per Data Type and “me all”!
- Auditing

GDPR vs Snap4City


GDPR Compliance Verification Features	Verif.	Reqs.
Signed consent	UI	R8
User profile management and control	UI	R13
Data Type private as default	UI	R8
Rights to access per element	UI	R9
Rights to transfer per element	UI	R10
Rights to erase per element and total	UI	R13
Rights to revoke/change per Data Type	UI	R10
An interface for Right management for Data Type	UI	R9
Clear Terms of Use and Privacy Policy	UI	--
Auditing Tools for Data Type	UI	R14
Publish as Anonymous	UI	R9
Encrypt personal users' data	Code	R12
Secure Authentication and Authorization	Code	R3
Data protection by Design	Code	R17
Secure connection	Code	R6
Security Control, data breach control, anonymization, etc.	PEN Test	R15, R16, R18

Details on the paper cited in the following slide

UNIVERSITÀ DEGLI STUDI FIRENZE | DINFO DIPARTIMENTO DI INGEGNERIA DELL'INFORMAZIONE | DISIT DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB

IEEE Access

- C. Badii, P. Bellini, A. Difino, P. Nesi, "Smart City IoT Platform Respecting GDPR Privacy and Security Aspects", accepted for publication on IEEE Access, 2020. 10.1109/ACCESS.2020.2968741 https://ieeexplore.ieee.org/stamp/stamp.jsp?tp=&arnumber=8966344



IEEE Access

Received January 7, 2020, accepted January 19, 2020, date of publication January 22, 2020, date of current version February 6, 2020.

Digital Object Identifier 10.1109/ACCESS.2020.2968741

Smart City IoT Platform Respecting GDPR Privacy and Security Aspects

CLAUDIO BADII, PIERFRANCESCO BELLINI, ANGELO DIFINO, AND PAOLO NESI, (Member, IEEE)

Department of Information Engineering, University of Florence, 50121 Florence, Italy

Corresponding author: Paolo Nesi (paolo.nesi@unifi.it)

This work was supported in part by the European Union's Horizon 2020 Research and Innovation Program under Agreement 688196.

ABSTRACT The Internet of Things (IoT) paradigm enables computation and communication among tools that everyone uses daily. The vastness and heterogeneity of devices and their composition offer innovative services and scenarios that require a new challenging vision in interoperability, security and data management. Many IoT frameworks and platforms claimed to have solved these issues, aggregating different sources of information, combining their data flows in new innovative services, providing security robustness with respect to vulnerability and respecting the GDPR (General Data Protection Regulation) of the European Commission. Due to the potentially very sensible nature of some of these data, privacy and security aspects have to be taken into account by design and by default. In addition, an end-to-end secure solution has to guarantee a secure environment at the final users for their personal data, in transit and storage, which have to remain under their full control. In this paper, the Snap4City architecture and its security solutions that also respect the GDPR are presented. The Snap4City solution addresses the full stack security, ranging from IoT Devices, IoT Edge on premises, IoT Applications on the cloud and on premises, Data Analytics, and Dashboarding, presenting a number of integrated security solutions that go beyond the state of the art, as shown in the platform comparison. The stress test also included the adoption of penetrations tests verifying the robustness of the solution with respect to a large number of potential vulnerability aspects. The stress security assessments have been performed in a piloting period with more than 1200 registered users, thousands of processes per day, and more than 1.8 million of complex data ingested per day, in large cities such as Antwerp, Helsinki and the entire Tuscany region. Snap4City is a solution produced in response to a research challenge launched by the Select4Cities H2020 research and development project of the European Commission. Select4Cities identified a large number of requirements for modern Smart Cities that support IoT/IoE (Internet of Things/Everything) in the hands of public administrations and Living Labs, and selected a number of solutions. Consequently, at the end of the process after 3 years of work, Snap4City has been identified as the winning solution.

INDEX TERMS End-2-end, GDPR, IoT, security, smart city.

I. INTRODUCTION

IoT (Internet of Thing) is becoming a disruptive technology, especially for city users of metropolitan areas. The pervasiveness of IoT Devices, integrated in common objects, is becoming increasingly deeper. The addresses' space for these devices would be enough to point any sensors of any devices at any moment without restrictions. Diffuse products that implement *Low-Power Wide Area Networks* (LPWAN) technologies for IoT introduced by SigFox and Semtech (LoRa, Long Range) have been gaining interest and have been under intense deployment campaigns worldwide [1]. At the same time, *short range* IoT devices (based on technologies such as IEEE 802.15.4 or Bluetooth Low Energy, BLE, [2]) are sold in increasing quantities and are already able to support scenarios for smart homes, energy metering and industrial automation. On the other hand, the start of the diffusion of *5G devices* and services is creating high expectations in networking IoT technologies, as the killer application of previous technologies in metropolitan areas.

The associate editor coordinating the review of this manuscript and approving it for publication was Adnan M. Abu-Mahfouz.

This work is licensed under a Creative Commons Attribution 4.0 License. For more information, see http://creativecommons.org/licenses/by/4.0/


Personal Data Management, GDPR compliant: POI, Data, KPI




Managing Personal: KPI, Data, POIs


Which can be:

- **Acquired from any source:** SQL, SPARQL, API, etc., ODBC, JDBC, etc.
- **Computed** by means of IOT App, Data Analytics, ETL
- **Stored/retrieved** into personal safe or general storage
- **Edited** from tool, or from IOT App
- **Added** Manually or Automatically
- **Shown via Dashboard**





Smart Bench Data Delegation






Management of MyKPI, MyPOI, …







Recalling Exercize number 3





Accessing Multiple Trajectories








You can revoke at any instant from Web and mobile App



MicroApplications: several new







- Personal POI, KPI, Trajectories/trips

Advanced GDPR Aspects

- Snap4City has a model for Group of Smart City Entities that can be:
  - IOT Devices/sensors, My Data, MyKPI, Dashboards, MyPOI, …
- The user can create its own Groups
  - Each Group may contain a number of Smart City Entities
- This allows to delegate in access a complete Scenario with one delegation only. For example:
  - An user registered a set of device of an industrial plant with a 200 variables, some of them Sensors other KPI,
  - The user has also realized 10 Dashboards showing those data and some results from IOT Apps as well
  - The user can group these entities in a GROUP: for example Plant56.
  - Thus the user can delegate in access data of different kinds and Dashboards at a person producing a unique delegation action instead of performing a delegation for each entities that in this case could be hundreds. The same for revoking the access to that user.
  - This will avoid the user to remember all dependencies of a scenario, since they will be all listed. In the future these dependencies could be estimated automatically

Dashboard GDPR Management



Details for Main Data Kinds


- **My Personal Data, My KPI and My POI**
  - to manage your personal MyKPI, MyPOI and trajectories, if any: view, edit, delete, delegation in access, revoke delegation, make public, change ownership
- **My Personal Engagement**
  - to manage your personal engagements received on the Mobile Apps, auditing, if any: view, delete
- **My IOT Devices**
  - to manage your IOT Devices in which it is possible to: edit, delete, make public, delegate in access, revoke delegation, change ownership
- **My IOT Applications**
  - to manage your IOT Applications in which it is possible to: delete, restart, change ownership.
- **My Dashboards**
  - to manage your Dashboards in which it is possible to: edit, delete, change ownership, delegate in access, revoke delegation, see list of delegations, make public.

Smart Bench


Sat 22 Jun 15:45:23



Example: Delegated Dashboard but not all data




Dashboard Delegation





TOP

DevDash: My Data Dashboard based on Kibana and customization



DevDash: My Data Dashboard Kibana






kibana


SNAP4CITY

Business Analysis Dashboards For all kind of users: DevDash

- Dynamic Filtering, Adaptable, …
- Full data details, drill down,…
- Synergic with **Data Inspector** which addresses data relationships, processing and information
- **Only Your Data for**
  - Manager and Area Managers
- **All Accessible Data for**
  - ToolAdmin and RootAdmin




- Multi faceted Search by
  - Devices
  - Organization
  - Drill on Time
  - Drill on Map
  - Value Types
  - Data Type
  - Value name
  - Data table
  - Etc.
- Respect Privacy and GDPR



VALUE_TYPE, DATA_TYPE
SRC, DEVICENAME
DEVICENAME, VALUE_NAME, VALUE_TYPE
VALUE_TYPE, VALUE_UNIT, VALUE_STR
field value
value_type timestamp 122,418 (22.9%)
data_type time 122,418 (100%)
field value
value_type timestamp 122,418 (33.17%)
value_unit s 120,070 (98.08%)
value_str 2020-12-15T07:44:32.000Z 8 (2.49%)
SMARTCITYMAP-v1
Count of sensors
5 – 16,298.25
16,298.25 – 32,591.5
32,591.5 – 48,884.75
48,884.75 – 65,178
© OpenStreetMap contributors

My Data Dashboard Customization

- My Data Dashboards (for Developers and for Managers) can be customized by RootAdmin.
  - Authority for Customizzation can be also extended to other role on Premise solutions
- Customizations is based on Full editing Capabilities of OpenDistro (Kibana Elastic Search 7.1), and with multiple indexes of Snap4City



TOP



Acknowledgements

DISIT lab roadmap vs model and tools' usage

2013
Km4City Ontology 1.1

- Tuscany, Road Graph
- Mobility
- culture, tourism
- Events
- Parking
- Services
- Linked open graph

2014
- Weather Forecast
- Real Time Wi-Fi
- Entertainment
- LOD

- Twitter Vigilance
- Social Media Analytics, Sentiment Analysis

Km4City 1.4

2015
Km4City 1.5

- Resilience Decision Support
- Smart First Aid
- User Behaviour Analysis, predictions
- Risk Analysis

ckan, resolute

H2020 (2015-18)

2016
(2016-21) H2020 REPLICATE

Km4City 1.6.4

- Smart Energy
- Sustainable Mobility
- Control Room
- Dashboard

Km4City 1.6.2

Sii-Mobility (2016-21)

SII-MOBILITY SCN

- Infomobility
- Mobile App
- Routing
- Multimodality

FIWARE

- Sardinia Region Smart City Strategies and plan

GREEN IMPACT C.A.P.A.C.I.T.Y.

GREEN IMPACT
POR FESR 2014-2020

- Industry 4.0
- Critical Plant
- Monitoring

2017
Sii-Mobility

- Origin-Destination and trajectories
- Traffic Reconstruction
- Offer Analysis
- OBU, smart devices

E015 digital ecosystem

(2016-19) GHOST SIR

IOT/IOE

- IOT/IOE, IOT App
- Living Lab
- Maker Support
- IOT Edge
- Smart City IOT
- GDPR,
- Privacy & Security

life weee (2017-20)

- Smart Waste

MOSAiC (2018-20)

- Mobility Demand / Offer Analytics and Strategy

2018
Sii-Mobility

- User engagement
- Bike Sharing
- Data Analytics ++
- Social Predictions
- OBD2

Km4City 1.6.6

Node-RED

SNAP4CITY SELECT for Cities H2020 (2017-19)

SIRIUS

5G (2018-21)

- 5G tech
- Energy
- Industry 4.0
- Synoptics

TRAFAIR CEF (2018-21)

- Traffic and Mobility Impact on Pollution
- NOX predictions

2019
EUROPEAN OPEN SCIENCE CLOUD

LAID Smart Bed

- Smart Health

GREEN FIELD PEAS Soda4.0

- Industry 4.0

bee smart city

- Smart Lonato


Reverberi Enetec Gruppo MPES

Winner of Select4Cities PCP

SELECT for Cities 1° place award to SNAP4CITY

SNAP4CITY

roadmap


2020
JRC EUROPEAN COMMISSION
Interreg Mediterranean HERIT-DATA
- Smart Tourism
- 6 Pilots
- Data Analytics
- Extended platform
Interreg MARITTIMO-IT FR-MARITIME MOBI MART
- Smart Mobility
- PISA, PUMS
- Living lab
Km4City 1.6.7
2021
JRC EUROPEAN COMMISSION
enel X
Contract
PC4City (2020-21)
Monitoring Terrain
Winner of Open Data Challenge of enel X
CAPELON
- Smart Light
- Sweden
Smart Ambulance (2021-22)
Enterprise (2021-22) Industry 4.0
Almafluida Industry 4.0 (2021-22)
AMPERE (2021-22) Industry 4.0
SYN-RG-AI SmartCity
2022
UNI.SYSTEMS SmartCity
PRETTO Industry 4.0

UNIVERSITÀ DEGLI STUDI FIRENZE | DINFO DIPARTIMENTO DI INGEGNERIA DELL'INFORMAZIONE | DIS DISTRIBU AND INTE TECHNO http://ww

Main running instances

- Sii-Mobility → mobility and transport, sustainability
- REPLICATE → ICT, smart City Control room, Energy, IOT
- RESOLUTE → Resilience, ICT, Big Data
- GHOST → Strategies, smart city
- TRAFAIR → Environment & transport
- MOSAIC → mobility and transport
- WEEE Life → Smart waste, environment
- Smart Garda Lake → Castelnuovo del Garda, SMARTEA
- 5G → Industry 4.0 vs SmartCity
- Green Impact → Industry 4.0, Chemical Plant
- SmartBed (Laid) → smart health
- Green Field Peas (Soda) → Industry 4.0, Chemical plant
- MobiMart and PISA Agreement → data aggregation, mobility and transport, Living Lab
- Lonato del Garda → smart parking, environment
- Herit Data → tourism, culture and management
- ISPRA JRC → site management and services
- Capelon (Sweden) → smart light solutions

Acknowledgements

- Thanks to the European Commission for founding. All slides reporting logo of **Snap4City** https://www.snap4city.org **of Select4Cities H2020** are representing tools and research founded by European Commission for the **Select4Cities** project. **Select4Cities** has received funding from the European Research Council (ERC) under the European Union's Horizon 2020 research and innovation Programme (grant agreement n° 688196)
- **TRAFAIR is a CEF** project. All slides reporting logo of TRAFAIR project are representing tools and research founded by the EC on CEF programme http://trafair.eu/
- Thanks to the European Commission for founding. All slides reporting logo of **REPLICATE H2020** are representing tools and research founded by European Commission for the REPLICATE project. **REPLICATE** has received funding from the European Research Council (ERC) under the European Union's Horizon 2020 research and innovation Programme (grant agreement n° 691735).
- Thanks to the European Commission for founding. All slides reporting logo of **RESOLUTE H2020** are representing tools and research founded by European Commission for the RESOLUTE project. **RESOLUTE** has received funding from the European Research Council (ERC) under the European Union's Horizon 2020 research and innovation Programme (grant agreement n° 653460).
- Thanks to the MIUR for co-founding and to the University of Florence and companies involved. All slides reporting logo of **Sii-Mobility** are representing tools and research founded by MIUR for the Sii-Mobility SCN MIUR project.
- **Km4City** *is an open technology and research line of DISIT Lab exploited by a number of projects. Some of the innovative solutions and research issues developed into projects are also compliant and contributing to the Km4City approach and thus are released as open sources and are interoperable, scalable, modular, standard compliant, etc.*

UNIVERSITÀ DEGLI STUDI FIRENZE | DINFO DIPARTIMENTO DI INGEGNERIA DELL'INFORMAZIONE | DISIT DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB

DISIT thanks to

Herit Data: Tourism and Mng. https://herit-data.interreg-med.eu/
Snap4City: IOT/IOE smart city www.snap4city.org
Trafair: CEF project with several Cities http://trafair.eu/
Mosaic: Mobility and transport model
Km4City: http://www.km4city.org
REPLICATE H2020, SCC1, EC flagship
http://replicate-project.eu/
Sii-Mobility SCN MIUR: http://www.sii-mobility.org
Feedback: retail and GDO Big Data analytics
5G with 3G-Wind, Open Fiber, Estra
Coll@bora Social Innovation, MIUR:
http://www.disit.org/5479
RESOLUTE H2020, EC:
http://www.resolute-eu.org
TRACE-IT, RAISSS, TESYSRAIL, …
Mobile Emergency:
http://www.disit.org/5404



SNAP4CITY

REPLICATE

resolute

Sii-Mobility

TRAFAIR

GREEN IMPACT C.A.P.A.C.I.T.Y.

LAID Smart Bed

GREEN FIELD PEAS Soda4.0

5G

MOSAiC

Coll@bora

TESYS RAIL



feedback

Trace-IT

RAISSS

Smart COMMUNITIES Tech Italian Technology Cluster for Smart Communities

Regione Toscana

MIUR

Horizon 2020 European Union Funding for Research & Innovation

Further readings

https://www.snap4city.org/108

- HOW TO: create a Dashboard in Snap4City
- HOW TO: add a device to the Snap4City Platform
- HOW TO: add data sources to the Snap4City Platform
- HOW TO: define privacy rules for personal data, produced by the end-users own device
- HOW TO: Develop Smart Applications, Snap4City development Life Cycle
- HOW TO: HLT vs Ingestion, and HLT vs Widgets
- HOW TO: Develop an IOT Application for Data Ingestion
- HOW TO: Upload data into Knowledge Base, ServiceMap (triple upload)
- HOW TO: Create as set of Devices with BulkProcessing
- HOW TO: Create an IOT Device Model
- HOW TO: Create an IOT Device Instance from IOT Directory tool

TOP

SNAP4CITY

KM 4 CITY

Be smart in a SNAP!



SNAP4
Appliances and Dockers
Installations

CONTACT

DISIT Lab, DINFO: Department of Information Engineering
Università degli Studi di Firenze - School of Engineering

Via S. Marta, 3 - 50139 Firenze, ITALY
https://www.disit.org

www.snap4city.org

Email: snap4city@disit.org

Office: +39-055-2758-515 / 517
Cell: +39-335-566-86-74
Fax.: +39-055-2758570

UNIVERSITÀ DEGLI STUDI FIRENZE | DINFO DIPARTIMENTO DI INGEGNERIA DELL'INFORMAZIONE | DISIT DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB