100% OPEN SOURCE

EU GDPR COMPLIANT

PEN Test Passed

Powered by FIWARE

SNAP4CITY on EUROPEAN OPEN SCIENCE CLOUD MARKETPLACE

Node-RED

SNAP4CITY

KM4CITY

SNAP4 Appliances and Dockers Installations

Be smart in a SNAP!

LIVING LAB

Dashboards Creation and Management

May 2022, Course
https://www.snap4city.org/577

SCALABLE SMART ANALYTIC APPLICATION BUILDER FOR SENTIENT CITIES

UNIVERSITÀ DEGLI STUDI FIRENZE | DINFO DEPARTMENT OF INFORMATION ENGINEERING | DISIT DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB

UNIVERSITÀ DEGLI STUDI FIRENZE | DINFO DIPARTIMENTO DI INGEGNERIA DELL'INFORMAZIONE | DISIT DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB

SNAP4CITY

Powered by KM4CITY

scalable Smart aNalytic APplication builder for sentient Cities: for Living Lab and co-working with Stakeholders

https://www.Snap4City.org



Dashboards Creation and Management

100% OPEN SOURCE

May 2022, Course
https://www.snap4city.org/577

Paolo Nesi, paolo.nesi@unifi.it
https://www.Km4City.org
https://www.disit.org

CC BY NC ND SOME RIGHTS RESERVED

Tools for rapid implementation of sustainable Smart Solutions and Decision Support Systems

www.snap4city.org

100% OPEN SOURCE

Powered by FIWARE

FREE TRIAL

PEN Test Passed

EU GDPR COMPLIANT

SNAP4 Appliances and Dockers Installations

EUROPEAN OPEN SCIENCE CLOUD

Node-RED

JS Foundation

E015 digital ecosystem

NVIDIA

DASHBOARDS AND APPS - CONTROL ROOMS - DECISION SUPPORT SYSTEMS - WHAT-IF ANALYSIS - VISUAL ANALYTICS

PREDICTION - ANOMALY DETECTION - ENVIRONMENTAL MODEL - 3D MODEL
KPI - SIMULATION - EARLY WARNING - SYNOPTIC - DIGITAL TWIN - VIRTUAL REALITY



EXPERT SYSTEM
KNOWLEDGE BASE
STORAGE



BIG DATA ANALYTICS
EXPLAINABLE ARTIFICIAL INTELLIGENCE
BUSINESS INTELLIGENCE
MACHINE LEARNING



DATA FLOWS, DATA DRIVEN
WORKFLOWS, MICROSERVICES
PARALLEL DISTRIBUTED PROCESSING



METHODOLOGIES
LIVING LABS
COURSES AND COMMUNITY
DEVELOPMENT TOOLS

Snap4City/Industry structure

- The **Snap4xxxx** solution is released in Open Source, VM and Docker with fully support of MultiTenant/multiple-Organizations
  - Each Organization may be configured for a separate environment with a set of Maps, Menus, Users, Data, Dashboards, IOT Apps, MicroApplications, Custom Widgets, Models, resources, open data, etc.
- **Https://www.Snap4City.ORG** is the main instance of Snap4xxxx solution managed by DISIT Lab. The main documentation is located and updated on Snap4City.org, GitHUB, dockerHub and Node-Red Library. Snap4City.org is where the last tools are tested and news published.
  - Organizations on Snap4City.org have been created with contracts as for *Platform as a Service*, for testing and for providing *SmartCity as a Service* as well as *Industry 4.0 as a Service*

https://www.Snap4City.org

- > 7 running installations
  - Toscana, Pisa, Sweden, ISPRA, Snap4.eu,
  - Altair, Italmatic, ….
- 13 projects, 12 pilots on 10 Countries
  - >40 cities/area
- **Wide MULTItenant deploy, e.g.,**
  - 18 Organizations / tenant
  - > 7400 users on
  - > 1400 Dashboards
  - > 16 mobile Apps
  - **> 2 Million of structured data per day**
  - > 520 IoT Applications/node-RED
  - > 700 web pages with training
  - > 60 videos, training videos

Main Organizations/areas

- Antwerp area (Be)
- Bologna (I)
- Capelon (Sweden: Västerås, Eskilstuna, Karlstad)
- DISIT demo (multiple)
- Dubrovnik, Croatia
- Firenze area (I)
- Garda Lake area (I)
- Greece (Gr)
- Helsinki area (Fin)
- Livorno area (I)
- Lonato del Garda (I)
- Modena (I)
- Mostar, Bosnia-Herzegovina
- Oslo & Padova (Impetus)
- Pisa area (I)
- Pistoia (I)
- Pont du Gard, Occitanie (Fr)
- Prato (I)
- Roma (I)
- Santiago de Compostela (S)
- Sardegna Region (I)
- Siena (I)
- SmartBed (multiple)
- Toscana Region (I), SM
- Valencia (S)
- Venezia area (I)
- WestGreece area (Gr)



- **Trials in Israel, Brasile, Australia, India, etc……**

Federation of Smart City Services

Knowledge Base
Semantic Reasoners



- Km4City **Semantic Reasoner**
- **ServiceMap** interoperability
- **Seamless for multiple Mobile Apps**
- **Smart City API**
- **Super**:
  - distributed access and sharing services
  - Each city control its own data
  - Final user can pass from one city / area to another in seamless manner: without changing the mobile Apps

Free Trial

- Register on WWW.snap4city.org
  - Subscribe on **DISIT Organization**
- **You can:**
  - Access on basic Tools
  - Access to a large volume of Data
  - Create Dashboards
  - Create IOT Applications
  - Connect your IOT Devices
  - Exploit Tutorials and Demonstrations



IF you need to go more in deep you can ask us to pass at the next Role becoming full AreaManager with full rights of development, also for Data Analytics, machine learning, etc.

https://www.snap4city.org/577

On Line Training Material (free of charge)

	1st part (*)	2nd part (*)	3rd part (*)	4th part (*)	5th part (*)	6th part (*)	7th part (*)
what	General	Dashboards	IOT App, IOT Network	Data Analytics	Data Ingestion processes	System and Deploy Install	Smart City API: Web & Mob. App
PDF							
Inter active							
Video1	✓	✓	✓	✓	✓	✓	✓
Video2	✓	✓	✓	✓	✓	✓	✓
Video3	✓	✓	✓	✓	✓	✓	✓
Video4	✓	✓	✓	none	✓	none	none
duration	2:55	3:16	3:41	2:00	2:48	2:35	1:47

General Overview of the full Course 2021

- ***1st part:*** *General Overview*
- ***2nd part:*** *Dashboards Creation and Management*
- ***3rd part:*** *IOT Applications development, IOT Devices, IOT Networks*
- ***4th part:*** *Data Analytics, in R Studio, in Python, how to Exploit and Manage Data Analytics in IOT Applications*
- ***5th part:*** *Data Ingestion, Data Warehouse, Data Gate, IOT Device Data ingestion, IOT App for Data Ingestion, Interoperability, etc.*
- ***6th part:*** *Snap4City Development, Extension, Administration, and Installation*
- ***7th part****: Smart city API (internal and external) Web and Mobile App development tool kit*

A number of the training sections include exercitations

Updated versions on: https://www.snap4city.org/577

See also courses in ITALIANO: https://www.snap4city.org/485

2nd part Agenda

GO
- **Recall on Snap4City Architecture**
  - Dashboard builder vs Kibana/Grafana

GO
- **Dashboard Usage and Authoring**
  - Dashboard usage vs Widgets, Multi Data Map Widget, Data Kinds vs Graphic Widgets,
  - Special Widgets vs Special Data, Dashboard Menus of Organizations

GO
- **External Services (integration of) your of third party web pages**
  - external service widget and family, Custom Widgets are seen as External Services, Event Driven Custom Widgets, dynamic widgets

GO
- **GIS Data Import, Export and Exploitation**

GO
- **Unified Data Model (for All) and Data Inspection (for Admin)**
  - Data Inspector vs Data Processes Details (for Admin), Digital Twin

GO
- **Dashboard Creation by Wizard & Exercitation**
  - Dashboard Creation, Exercitation, Mechanisms of Selector for the Multi Data Map widget

GO
- **Dashboard Business Logic Via IOT Applications USAGE AND AUTHORING**
  - IOT App Business Intelligence for Dashboards, Web and Mobile Apps
  - Widgets Interacting with IOT Apps virtual Sensors and Actuators
  - Dynamic Widgets data on Dashboard from IOT Applications
  - Synoptics and Custom Widgets Creation

GO
- **Flexible What-If Capabilities as Decision Support System**

GO
- **Dashboard Event Management**
  - Private Dashboard ChatRoom, Notifications from Dashboard and from any Data Condition

GO
- **Dashboard other Features**
  - Dashboard Embedding into third party Web Sites/pages, controlling header and footer, etc.

GO
- **Dashboards Listing, Managing, Sharing, Delegation**
  - Dashboard Listing, Managing, Sharing, Delegation

GO
- **Data Type Management GDPR Compliant**
  - Dashboards GDPR Management, Personal Data Management GDPR Compliant: POI, Data, KPI

GO
- **DevDash: My Data Dashboard based on Kibana**

GO
- **Acknowledgments**

Living Lab Accelerating



Development Life Cycle Smart City Services



TOP

Recall on Snap4City Architecture

URBAN PLATFORM: SMART CITY IOT AS A SERVICE AND ON PREMISE

100% OPEN SOURCE

APPLIANCES CONTAINERS

- LOCAL GOVERN
- STAKEHOLDERS
- CITY USERS
- IN-HOUSE
- ENERGY OPERATORS
- MOBILITY OPERATORS
- COMMERCIAL OPERATORS
- SECURITY OPERATORS
- INDUSTRIES
- RESEARCHERS
- START-UPS
- ASSOCIATIONS

- GDPR
- SECURITY
- PRIVACY
- ASSESSMENT
- AUDITING
- PENTESTED

- OPEN IOT DEVICES
- IOT EDGE
- IOT GATEWAY
- PAX COUNTERS
- IOT BUTTONS

- TEST CASES, SCENARIOUS, VIDEOS, HACKATHONS
- OPEN SOURCES, COMMUNITY OF CITIES
- TRAINING TUTORIALS, COMMUNITY MANAGEMENT

IOT APPLICATIONS - INSTANT APPS

DATA DRIVEN APPLICATIONS • REAL TIME PROCESSING • BATCH PROCESSING • ANY PROTOCOL & FORMAT

DASHBOARDS & APPLICATIONS

CONTROL ROOM • SITUATION ROOM • OPERATOR DASHBORDS • BUSINESS INTELLIGENCE • WHAT-IF ANALYSIS • DECISION SUPPORT • SIMULATIONS • RISK ANALYSIS • RESILIENCE ANALYSIS

MOBILE & WEB APPLICATIONS

DEVELOPMENT KIT • SUGGESTIONS • MOBILE APPS • MONITORING PANELS • PLATFORM UTILITIES • READY TO USE SMART APPLICATIONS

MICROSERVICES & ADVANCED SMART CITY API

LIVING LAB - DEV TOOLS - COWORKING

IOT DIRECTORY • SERVICE MAP • RESOURCE MANAGER • DATA GATE • R STUDIO • ETL

BIG DATA - DATA ANALYTICS



DATA ANALYTICS TOOLS - MICRO-APPLICATIONS



PREDICTIONS • ANOMALY DETECTION • WHAT-IF ANALYSIS • TRAFFIC FLOW RECONSTRUCTION • ORIGIN-DESTINATION MATRICES • SOCIAL MEDIA ANALYSIS • OFFER VS DEMAND ANALYSIS • ENVIRONMENTAL DATA ANALYSIS AND PREDICTIONS • REAL TIME HEATMAPS • ROUTING • ALERTING • EARLY WARNING • PERSONAL AND VIRTUAL ASSISSTANTS • SMART SOLUTIONS • SMART SHARING • PARTECIPATORY

KM4CITY DATA AGGREGAT KNOWLEDGE BASE - EXPERT SYSTEM OF THE CITY – BIG DATA STORE

IOT MNG - DATA MNG - DATA INSPECTOR – PROCESS MNG – USER ENGAGEMENT – GDPR MNG ...

GIS	CITY UTILITIES	OPEN DATA	LEGACY & EXTERNAL SERVICES	PERSONAL DATA	IOT / IOE	BROKERS	KPI	INDUSTRY 4.0	SOCIAL MEDIA

Concept

BIM



KPI, POI, MyKPI, …

API, External Services

Web Scraping

WorkFlow





Node-RED

IOT Apps

Data Analytics,
Artificial Intelligence





IOT Brokers

IOT Broker

IOT Broker

FIWARE

GIS

Big Data

KB

LD, LOD

ckan





Dashboards and Apps

FI-WARE

The usage of IOT Applications

- IOT Applications = Node-RED + Snap4City Libraries
- Used for:
  - **Data Ingestion, Transformation, Extract, Load, and Adaptation** (format and protocol), See Part 5 of the Course
  - **IOT Edge Devices logic**, for implementing logic on IOT Edge, including **IOT Device control** (see on Part 3 of the course)
  - **Business Logic** control of Dashboards, via Web Sockets secure
    - see Part 2 of the Course (this part)
  - **Control and schedule of Data Analytic**, and Machine Learning (see part 4 of the Course)
  - **Firing and condition identification and alerting**.

TOP

DASHBOARDS in Snap4City

Kibana vs Snap4City DashBoard Builder



Two Main Lines for Dashboarding

- **Kibana (DevDash, My Dashboard**
  (Dev) Kibana)

Ready to use

You can customize

Limited details

- **Dashboard Builder of Snap4City**

You need to create / customize

Full Control

Professional details

My Dashboard (Dev) Kibana

- also called DevDash, AMMA, also accessible as Grafana
- For accessing and browsing data on OpenDistro (Elastic Search) storage and other sources supported
- **No Support for real time event driven** widgets/panels, actuators and synoptics, no sophisticated maps, etc.
- **Not suitable for control room**, decision makers, etc.
- **Not integrated with IoT App**, Custom widgets, animation, external services.
- **Oriented to developers**, complex production of custom views, etc.
- **Partial support of GDPR** and deep control of access.

Dashboard Builder of Snap4City

- For accessing and browsing data on: OpenDistro (ElasticSearch), Mongo, MySQL, Smart City API, Super and thus from federated Smart City API, etc.
- **Supports sensors/actuators**: data driven data, maps in extended manner, data driven widgets, large collection of widgets, direct IoT Connections, custom widgets, animated PIN on maps, a large set of panel/widgets, etc.
- **Very simple to be used for control room**, decision makers, situation rooms, operators, etc.
- **Very well integrated with IoT App**, Custom widgets, animation, external services.
- **Very simple to be customized** for non programmers since all the tools are visual.
- **Support for GDPR** and deep control of access.
- Can integrate Kibana/Grafana Views into a Widget

Dashboard Builder: Development



Data Transformation
Business Logic

IOT Applications

Knowledge and Storage
Data from the Field and
City + MyKPI ++

Widget Collection

Micro
Applicat
ions

External
Services

Custom
Widgets/
Synoptics

Dashboard Wizard



Create, save, load,
delegate, grant access,
change ownership



Dashboard Editor



Public
Dashboard
Collection

My Own Dash/App

Snap4City Dashboard Builder vs Kibana

Features	Snap4City Dashboard Builder	Kibana, Grafana
Large Collection of Widgets	YES	Nothing
Custom Widgets SVG of any kind, full defined process for customization	YES	Nothing
Real time event driven widgets and data	YES	Nothing
Business Logic for data transformation with visual programming: Node-RED	YES: visual/coding	coding
Maps with custom PIN, bubbles, animated and moving, etc.	YES	Nothing
Maps with paths, shapes, traffic flow, scenarios, routing, heatmaps, what-if, …	YES	Nothing
Maps with Orthomaps from WFS, WMS, GIS connection, etc.	YES	Nothing
TV camera integration and selection	YES	Nothing
Widgets for business logic integration on real time: buttons, selector, switch, etc.	YES	Nothing
Kiviat, Spider net, Calendar	YES	Nothing
Typical Time Trends: day hours, month week, month days, …..	YES	Nothing
Time Trend Compare: day, eek, month, year	YES	Nothing
Selectors/Menus: text, icons, etc., also in connection with IOT APP, Node-RED	YES	Nothing
Full control of graphic layout, font, colours, refresh per widget, etc.	YES	Nothing
Iframe integration of third party widgets and web pages, nesting dashboards, embedding Kibana	YES	Nothing
Connection among multiple Dashboards and Widgets	YES	Nothing
Synchronization with Video Wall, and Operators Views	YES	Nothing
Multiseries, bar lines, charts, pie, donut, simple selectors, trends, etc., also from business logic	YES	Limited
Single content, string, html, any data, etc.	YES	Limited
Special widgets: Weather forecast, civil protection, road plates, Twitter, etc…	YES	Nothing
Digital Twin Local and Global	YES	Nothing
Faceted search	YES: selectors, forms, buttons	YES

TOP

Snap4City DASHBOARDS: USAGE AND AUTHORING



Public Dashboards (see them on the Portal)

Snap4City

LOGIN

- Dashboards (Public)
- Knowledge and Maps
- Micro Applications
- External Services
- Data Set Manager: Data Gate
- Resource Manager
- Development Tools
- Management
- Help and Contacts
- Documentation and Articles
- Km4City portal
- DISIT Lab portal

Dashboards (Public by (ORG))

Prev 1 ... 12 13 14 15 16 ... 20 Next

Filter by dashboard title

ServiceMap for data comparison
Passive

Public (DISIT)

Servizi agli utenti
Passive

Public (DISIT)

Smart City Control Room Console
Passive

Public (DISIT)

Smart City Control Room Console - new
Passive

Public (DISIT)

Smart City Data Overview
Passive

Public (DISIT)

Smart City Data Overview 2
Passive

Public (DISIT)

Smart Garda Lake
Passive


Public (DISIT)

SmartCity processes
Passive

Public (DISIT)

Snap4City - App dashboard
IOT apps

Public (DISIT)

Snap4City - Buttons with images
Passive

Public (DISIT)

Snap4City - City Operator
IOT apps


Public (DISIT)

Snap4City - City Operator - Cloned
Passive


Public (DISIT)

DEMO Section

Video Wall



From Consolle Operator to the Video Wall

Control Room

https://www.snap4city.org/621

https://www.snap4city.org/511

MAPPA FIRENZE
Fri 19 Oct 17:24:39
Colonnine Ricarica
Colonnine ricarica Fast
Pannelli a Messaggio Variabile
Parcheggi
Piste Ciclabili
Sensori del Traffico
Stazioni ambientali
Stazioni meteo
Traffico Real Time
Varchi ZTL
Wi-Fi
Eventi Traffico a Firenze
Concentration - 7 days
Main

Snap4City - scalable Smart aNalytic APplication builder for sentient Cities



Smart Cities need to set up a flexible Living Lab to cope with the city evolution in terms of services and city users' needs and sustainability. Snap4City solution (https://www.snap4city.org) provides a flexible method and solution to quickly create a large range of smart city applications exploiting heterogeneous data and enabling services for stakeholders by IOT/IOE, data analytics and big data technologies. Snap4City applications may exploit multiple paradigms as data driven, stream and batch processing, putting co-creation tools in the hands of: (i) Smart Living Lab users and developers a plethora of solutions to develop applications without vendor lock-in nor technology lock-in, (ii) final users customizable / flexible mobile Apps and tools, (iii) city operators and decision makers specialized / sophisticated city dashboards and IOT/IOE applications for city status monitoring, control and decision support. Snap4City satisfies all the expected requirements of Select4Cities challenge PCP and much more, and it is 100% open source, scalable, robust, respects user needs and privacy; provides MicroServices and easily replaceable tools; compliant with GDPR; provides a set of tools for knowledge and living lab management, and it is compliant with more than 60 protocols including end-to-end encrypted communication. Snap4City is an official platform of FiWare, an official library of JS Foundation Node-RED, registered on E015, present on EOSC marketplace, and BeeSmartCity MarketPlace, etc. Snap4City obtained the 1st place award by Select4Cities partners and PCP (Antwerp, Copenhagen and Helsinki).

Data vs Visual Representation, Visual Analytics

Snap4City: Builder of Sentient Cities Solutions

Dashboards with data driven IOT Applications enforcing intelligence

IOT and data World

Data Channels

IOT Applications





Big Data Analytics, Artificial Intelligence

Dashboards and Apps



From Data to Visualization

Visual Representations

Sliderwith-multiple-steps-for-KPI


sparklines

kpi

histogram

heatmap

flow-maps

geo-maps

donut-chart

Data-grid

chord

Cone

Bubble-matrix-chart


Bullet


Box-plot

staked-area

Stacked-line-chart

Stacked-combinational-Chart

spider-maps

Sequence-Sunbur

Pivot

pie-chart-1

Pareto-chart

radar

Bubble-maps

waterfall

Sunburst

Sankey



- Visual Representation should provide hints hiding complexity
- **Data vs Representation**
  - Not all data can be represented by all Visual Representation
    - **→ From Data to possible representation and viceversa**

Visual analytics

1. increasing cognitive resources, using a visual resource to ***expand human working memory***,
2. reducing search, r**epresenting a large amount of data in a small space**,
3. enhancing the recognition of patterns, **organize in space and time by relationships**,
4. make **easy perceptual inference of relationships** that are otherwise more difficult to induce,
5. perceptual **monitoring large number of potential events**, and
6. Way to **real time manipulation to explore data space in time and relationships.**

Visual Analytics

Business Logic to change data, and user interface

Dashboards and Apps



Data and relationships

Big Data Analytics, Artificial Intelligence

Editing


3D Multi Data Map - Digital Twin Global - Firenze - newgui
No subtitle
Tue 3 May 20:53:10
Properties
Wizard
Add widget
Separator
Embedding
Theme
Save
Preview
3D Map
15/05/2021 16:00
Maps
GRALheatmap
Heatmap Controls:
24H
Max Opacity:
0.25
< Prev
2022-04-27 23:00:00
Next >
Free street
Fluid traffic
Heavy traffic
Very heavy
Sensor position
FirenzeFIPILITrafficRealtime
Traffic Heatmap Controls:
24H
Max Opacity:
1
< Prev
2022-05-03 20:41:00
© OpenStreetMap contributors
METRO9 - ve...
48
METRO9 - vehicleFlow
1000
500
0
21:00
22:00
23:00
3. May
01:00
02:00
03:00
04:00
05:00
06:00
07:00
08:00
09:00
10:00
11:00
12:00
13:00
14:00
15:00
16:00
17:00
18:00
19:00
20:00

Changing Theme



Dashboards Usage vs Widgets

Helsinki City Overview (H5a)

Please note that the data results are not always based on real data.

Sun 9 Jun 17:07:25



The Life of Helsinki

Documentation

Forum Discussion

Survey

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTQwNg==

Helsinki City Overview (H5a)

Please note that the data results are not always based on real data.

Sun 9 Jun 17:07:25

Selection

- Bus stop
- Ticket sale
- Traffic sensor
- Weather sensor
- Air Temp heatmap
- Humidity Heatmap
- Air Quality Sensors
- Noise sensors
- Noise Heatmap
- PM10 heatmap
- PM2.5 Heatmap
- NO2 heatmap
- Air Quality Index heatmap
- EAQI
- CAQI
- Enfuser pred. AQI
- Enfuser pred. PM10
- Enfuser pred. PM2.5
- Gral pred. PM10
- Gral pred. PM10 (6m)
- PM10 Jatkasaari
- PM2.5 Jatkasaari
- EAQI Jatkasaari
- Appreciated POIs

Temp °C
<-20
-20-0
1-9
10-15
16-18
19-21
22-25
26-30
31-34
>34

AirTemperatureAverage2HourHelsinki

HEATMAP DETAILS

Description	Value
Date & Time:	9/6/2019 15:0:0
Metric Name:	airTemperature
Heatmap Value:	21.58021
Coordinates:	60.17106, 24.92523

AirTemperatureAverage2HourHelsinki
Heatmap Controls: 24H
Max Opacity: 0.25
< Prev 2019-06-09 15:00:00

Widget Map (multi data map)

© OpenStreetMap contributors

The Life of Helsinki Button

Documentation
Forum Discussion
Survey

Buttons

External Content

Weather sen... 9m
20.5
Weather sensor Helsinki Kaisaniemi - airTemperature 9m
3. Jun 4. Jun 5. Jun 6. Jun 7. Jun 8. Jun 9. Jun

Single Content

Time Trend

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTQwNg==

Dashboard Usage & Recipe







- https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTQwNg==
- **Selector Widget**: (of different kinds) present “Information”, according to the HighLevelType (**HLT**), as overlapped layers on Target
  - **Additive**: PIN (POI, sensors, etc.), Cycling Paths, shapes, ...
  - **Mutual Exclusive by group**:
    - Heatmaps,
    - traffic,
    - Scenarios + what-if,
    - etc.
- **MultiDataMap Widget (Target**: (may be of different kind), this one may manage
  - Multiple representations on the same map
  - Each representation may provide specific interaction modalities and controls

Other Widgets in the dashboard

- **Button Widget** may be of different kind and may
  - Open external web pages, services, forum, surveys, etc.
  - Send messages on the field (IOT), etc.
- **External Content**:
  - Web pages (HTML + CSS + etc..), Video Streams
  - Many many other tools see next exercise
- **Single Content**
  - Single value: numeric, string, HTML, etc.
- **Time Trend**
  - Time Series: numeric values over time









Helsinki City Overview (H5a)

Please note that the data results are not always based on real data.

Multi Data Map

The Life of Helsinki Button

9 Jun 17:07:25

Selection

- Bus stop
- Ticket sale
- Traffic sensor
- Weather sensor
- Air Temp heatmap
- Humidity heatmap
- Air Quality Sensors
- Noise sensors
- Noise Heatmap
- PM10 heatmap
- PM2.5 heatmap
- NO2 heatmap
- Air Quality Index heatmap
- EAQI
- CAQI
- Enfuser pred. AQI
- Enfuser pred. PM10
- Enfuser pred. PM2.5
- Local pred. PM10
- Local pred. PM10 (6m)
- PM10 Jatkasaari
- PM2.5 Jatkasaari
- EAQI Jatkasaari
- Appreciated POIs

AirTemperatureAverage2HourHelsinki

HEATMAP DETAILS

Description	Value
Date & Time:	9/6/2019 15:0:0
Metric Name:	airTemperature
Heatmap Value:	21.58021
Coordinates:	60.17106, 24.92523

Heatmap Controls: 24H

Max Opacity: 0.25

< Prev 2019-06-09 15:00:00

Temp °C

<-20
-20-0
1-9
10-15
16-18
19-21
22-25
26-30
31-34
>34

Widget Map (multi data map)

© OpenStreetMap contributors

External Content

Single Content

Weather sen... 9m

20.5

Weather sensor Helsinki Kaisaniemi - airTemperature 9m

3. Jun 4. Jun 5. Jun 6. Jun 7. Jun

Time Trend

XX

Documentation

Forum Discussion

Survey

Buttons

Helsinki vs Florence comparison



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTc0MQ==

Firenze - Trafair - AirQuality Heatmaps

This dashboad contains data derived from actual sensors and predictive values under validation

Sun 9 Jun 18:53:01



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTUzMg==

Antwerp City Overview - A5

Please note that the data results are not always based on real data.

Sun 9 Jun 17:09:04

- Cultural Activity
- Entertainment
- Tourism Service
- Education & Research
- Government Office
- Accommodation
- Air Quality Sensor
- Weather sensor
- PM10 Heatmap
- PM2.5 Heatmap
- Air Temperature Heatmap
- Humidity Heatmap
- NO Heatmap
- NO2 Heatmap
- SO2 Heatmap
- O3 Heatmap
- EAQI
- CAQI
- Biking Safe Heatmap
- Tunnels and Ferry



Multi Data Map

Documentation

Survey

Forum Discussion

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTQwNw==

Unique Dashboard builder Multiple Styles



Widget Multi Data Map

Icons and PINS

Multi Data Map

Multi Data Map

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjM1MA==

Dashboard Usage and recipe: Event map target

- **Selector**
  - **POI, Heatmap, traffic, etc.**
- **Traffic Events:**
  - From gestore (manager)
- **Entertainment events:**
  - From several sources
- **Mobile Operator Events:**
  - From operators with Mobile Apps



Multi-Widget Map - Demo

Sat 29 Jun 16:42:24



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTA2NA==

Multi-Widget Map - Demo

Sat 29 Jun 16:42:24



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTA2NA==

Multi-Widget Map - Demo

Sat 29 Jun 16:42:24



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTA2NA==

Main Single Values Widgets



Single values

- **Single Content**
- **Speedometer**
- **Gauge**
- **Single Bar**









Most of the multi xxxx widgets can show also single values

Speedometers- Gauges



- Coloured custom
- Unit of measure
- Bounds
- ….

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjU0MA==

Time Series, Multi Series Widgets

Time Series

- **Time Trend**



- **Time Trend Compare**
  - Comparing trends of the same time series



https://www.snap4city.org/710



- **Multi Series**
  - Showing multiple trends of multiple time series with same unit





- **Typical Time Trend**
  - Showing the typical trend of a time serie: multiple modalities



https://www.snap4city.org/705

MultiSeries

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjU3NQ==









- **Staked, shaded or regular**,
- Grouped by Value_unit, **linear** or **Logarithmic**
- From historical data and/or **dynamic** data from IOT Applications

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjUzMg=

Time Series Test - Cloned

Fri 3 Apr 09:54:08



Ordered Data Series

- A series or multiple series which are ordered by a number:
  - E.g., 1,2,3,4,5,……N
- For each number (position over X axis, a value on Y axis is provided)
- It is provided from the multiseries widget with setting parameters from MoreOptions
- Series can be also provided from IOT Apps



Time Trend Compare Widgets for Time Series







Single Content

Time Trend Compare

Time Trend Compare







SpeedoMeter

Time Trend Compare

Time Trend Compare



Time Trend Compare

A tool for visual Analytics, Comparing



- **4 hours** wrt those before, or same hours of previous day
- **12 hours** wrt those before, or same hours of previous day
- **Day** wrt day before, or same day of previous week or month
- **Week** wrt to previous week, or
  - week starting on Monday
- **Month** wrt to previous month, or
  - previous month starting 1st day, or
  - same month of the previous year
- **6 Months** wrt to previous 6 months, or
  - Aligned day 1 or same 6 months previous year day 1 or
  - 6 months previous year day 1 aligned 1st or 2nd semester
- **Year** wrt to previous year, or
  - previous year starting 1st day, or
  - previous year starting same month







Calendar Widgets for Time Series



Calendar

https://www.snap4city.org/706

Showing: **Sum, Average or Median** value of a variable as a colored calendar:

- **Year**
  - 1 Year, 12 months, by weeks, per days
  - Time Range: 1D, 7D, 1M, 6M, 1Y
- **Month**
  - 30 days, 24 hours
  - Time Range: 1D, 7D, 1M, 6M, 1Y
- **You can scroll in history**
- **They manage HLT: Sensor, MyKPI and work receiving Dynamic data from IOT App**



Year, 1Y





Month, 6M

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzA4MA==

Dubrovnik Calendar: Tvcamera people counting



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzA4Nw==

Ciao roottooladmin1

Tue 3 May 13:59:05

HERIT-DATA - ACTIVITIES CALENDAR - NEWGUI

Interreg Mediterranean HERIT-DATA

METRO763 VEHICLEFLOW VOLUME

4m



ARPAT_QA_FI-GRAMSCI_SV NO2 VOLUME

4m



METRO762 VEHICLEFLOW (DAY MEAN)

4m



ARPAT_QA_FI-GRAMSCI_SV CO VOLUME

4m



CARPARKSTAZIONEBINARIO16 BUSY SLOTS2 VOLUME

4m



CARPARKSTAZIONEFIRENZES.M.N. BUSY SLOTS VOLUME

4m



CARPARKSTAZIONEBINARIO16 - OCCUPIEDPARKINGLOTS

9m



Typical Time Trend, Visual Analytic on Time Series

https://www.snap4city.org/705

TypicalTimeTrend CO2



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzEzMA==

IoT App




```
msg.payload = { "options":   [
{ "label": "IBIMET_SMART09",
"value": "IBIMET_SMART09"},
{ "label": "IBIMET_SMART27",
"value": "IBIMET_SMART27"},
{ "label": "IBIMET_SMART28",
"value": "IBIMET_SMART28"},
{ "label": "IBIMET_SMART29",
"value": "IBIMET_SMART29"}
],   "selected":
"IBIMET_SMART09"  }return
msg;
```

```
msg.payload =
[ {
 "metricHighLevelType": "Sensor",
"metricName": "CO2",
"smField": "CO2",
"serviceUri": "http://www.disit.org/km4city/resource/"+msg.payload.selected      }
]
return msg;
```

The flows are identical but the different visualization is set via MoreOptions

Typical Time Trend, & dynamic time series

https://www.snap4city.org/705

Typical Time Trend

- They:
  - **need to be computed in advance** on the basis of a Time Serie variable, and a reference period of computation.
  - **represent typical trends of: min, max, average, median**
  - You can change the data on view
- **Formats**:
  - **DayHour**: 7 time trends, one for each day of the week, each hour, 24 values.
    - As DayView or WeekView, start monday
  - **MonthDay**: a value per day, 30 values of the month.
  - **MonthWeek**: a value per day aligned to week days: 28 values, 4 weeks.
    - 1st Monday of the month
    - 3rd Friday, etc.



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzA4NA==

TTT More Options



- DayHour as DayView
- Any TTT which can include the data 16/11/2019
- Each TTT is computed on the basis of a Time range: from-to including that date

TTT: Month Day



- **MonthDay**:
  - a value per day,
  - 30 values of the month.
  - Aligned from the first day of the month
  - computed on the basis of a Time range: from-to including that date
    - e.g.: 2 months
    - As min, max, average, median
    - You can change the data on view

TTT: Month Week



- **MonthWeek**:
  - a value per day,
  - 30 values of the month.
  - Aligned from the first Monday of the first week of the month
  - computed on the basis of a Time range: from-to including that date
    - e.g.: 2 months
    - As min, max, average, median
    - You can change the data on view

Typical Time Trends



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzA5MQ==

Typical Time Trend

- **They can be generated from IOT App**
  - 1) exploit MultiSeries block on Node-RED
  - 2) send sensors ServiceURI, or MyKPI ID or dynamic vector
  - 3) go on dashboard and set the parameters on More Option as described above.
- **They can be used as low costs predictions:** produced with a part of the temporal window in the future. For example,
  - 2 weeks in advance
  - Exploiting the 4 weeks in pasts

Bars, Pies, Donut, Tables Widgets







Barseries



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjQwMA==

- **Staked and grouped** by Value_Name / Value_Type
- **Oriented**: Vertical and Orizontal
- **ordered** by value: crescent, descendent
- From historical data and/or dynamic data from IOT Applications





Pie & Donut



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjUxNw==





https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjUyNw==

- Single level Pie and two levels as Donut
- Grouped ValueType, ValueUnit

Tables

Table - Weather Metrics and Pollutants

value type / value name	airHumidity	airTemperature	PM2_5	PM10	O3	CO
IBIMET_SMART_01	39.9	19	235.38		143.17	0.19
IBIMET_SMART_03	48	13.3	97.96		165.35	0.16
IBIMET_SMART_04	56.6	13.4	0		300	0.17
IBIMET_SMART_06	61.4	10.8	14.47		16.33	0.16
IBIMET_SMART_07	84	10.6	13.32	4.41	244.88	0.15
IBIMET_SMART_08	0	21.9	2.7	2.47		0.14
IBIMET_SMART_09	53.3	9.6	12.03	5.01	54.8	0.12

< 10
10 ⟷ 20
20 ⟷ 30
30 ⟷ 40
40 ⟷ 50
50 ⟷ 60
60 ⟷ 70
70 ⟷ 80
80 ⟷ 90
> 90

Table

value type / value name	chargingState	stationState
eCharging_15EP22T2AA1S000001	AVAILABLE	ACTIVE
eCharging_15EP22T2AA1S000002	FAULT	MAINTENANCE
eCharging_15EP22T2AA1S000003	AVAILABLE	ACTIVE
eCharging_15EP22T2AA1S000004	AVAILABLE	ACTIVE
eCharging_15EP22T2AA1S000006	FAULT	MAINTENANCE
eCharging_15EP22T2AA1S000007	AVAILABLE	ACTIVE
eCharging_15EP22T2AA1S000008	AVAILABLE	ACTIVE
eCharging_15EP22T2AA1S000009	AVAILABLE	ACTIVE

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjUzMw==

- Neutral or Colormapped, the same of heatmaps
- Number/text



Radar, SpiderNet Kiviat





https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjUwNQ==

- Normalized, multiple value units
- Hystorical, KPI and Dynamic from IOT App



Table

Kiviat and Pies

Curved Lines (stacked)

https://main.snap4city.org/view/index.php?iddasboard=Nzc=



https://main.snap4city.org/view/index.php?iddasboard=MTAw



Barlines (stacked)

https://main.snap4city.org/view/index.php?iddasboard=ODM=

OLAP Data Cubes



The Data Cube

- Many different data Cube can be defined







The data cubes

- Using Dashboard Wizard with Widgets all the different transformations may be possible with different representations.
- The IoT App allows to make them Dynamic



Hypercube

- IoT Devices may have multiple Sensors
  - KPI and Sensors may have different ValueUnits (%, Kg, Km, um/m3, ppm, Kw, etc.)
- They are distributed in the maps
  - Multi Data Maps Widget can show multiple values and layers



Hypercube



Longitude

Latitude

Values

Sensors of Devices, KPI, etc.

time



OLAP widget vs Dashboard Wizard

- You can select a mix of:
  - HLT: MyKPI & Sensors (device, sensor_map) & Sensor (ValueName)
  - DataType: Sensor_map, integer, Integer-mykpi, float, float-mykpi
- The cube is created with all data
- The cube is visualized as a 3D multiseries (time) with the first DataType



OLAP widget vs Dashboard Wizard

- The cube is visualized as a 3D multiseries (time) with the first DataType
  - Different DataType can be selected for slicing over TYPE
  - Different Date and Time can be selected for temporal slicing

Slicing on Time



- **Drill down on time**
- **Drill up on time** is performed on More Option on Editing only

View from top: Stream Graph



Please note that if the data are sporadic in the time the streams are visualized as bars

Data Cube 3D Olap



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzIyOA==

Combining Widgets

Mixt per Roma

MENU

Roma Demo3 (Qualità dell'Aria)

Thu 23 Jul 13:35:09

- Mobility and Transport
- Environment
- Social
- Some Services
- Infrastructure
- Quit

Multi Data Map

IT1836A
IT0957A
IT0828A
IT2171A
IT0952A
IT0885A
IT1837A
IT0888A
IT1176A
IT1835A
IT1834A
O3
NO2



Andamento nel Tempo di NO2 rilevato ... Roma



Valori Inquinanti in tempo reale, mappe

value type / value name	O3_	NO2	CO_	SO2
IT0952A	51	11		
IT0957A	7	46		
IT0885A	25	29	200	
IT1837A		63	600	
IT0888A	11	37	200	
IT0956A	34	29		
IT1835A	24	37		
IT2012A	20	29		
IT1906A	15	34		
IT0887A		28		
IT1176A	8	54		
IT1834A		64		
IT2172A	15	61		
IT1836A	29	35		
IT0953A	3	47	300	1.3
IT0889A		34		
IT0825A		58		
IT0884A	96	9		
IT1841A		31		
IT2171A		57	400	
IT0828A		75		

Andamento nel Tempo di O3 rilevato nelle stazioni in Roma (st...



Dati in Tempo reale inquinanti in Roma e provincia



Home Trasporti

Privacy Policy Cookies Policy Terms and Conditions Contact us

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjcyNg==

Match Widget vs Icon













https://main.snap4city.org/view/index.php?iddasboard=OTQw

Monitoring My PAXCounter and Tracks (example)

Please note that the data results are not always based on real data.

Wed 3 Jul 09:18:07



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTc0NQ==

Monitoring My PAXCounter and Tracks (example)

Please note that the data results are not always based on real data.

Sat 29 Jun 23:42:05



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTc0NQ==



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=OTM5


Environment dash
Air quality
Weather sensors
Pollen monitoring
Firenze
20m


Life in Toscana: Dashboard

Citizens Engagement


Energy Dash - Cloned
KM4CITY
TOKEN FOUND

FIRENZE Informative Totem
Pilot
Energy
Environment
Mobility
Social
Resilience


FIRENZE RESILIENCE
Environment
Mobility
Resources

FIRENZE

Tue 16 Oct 16:18:39

INDICI DI CRITICITA' DELLA QUALITA' DELL'ARIA (ICQA) 2 — inviata comunicazione alla cittadinanza

OZONO 200 µ/m³ — superata la soglia di informazione

39492 Utenti WiFi

STATI DI ALLERTA 9m

GENERAL | METEO

MINIMO | BASSO | MEDIO | ALTO

RISCHIO IDRAULICO

RISCHIO TEMPORALI

RISCHIO IDROGEOLOGICO

RISCHIO NEVE

RISCHIO GHIACCIO

Mar 16 Ott
Firenze
Nuvoloso
19°C / 24 °C
Powered by LaMMA

Mer 17 Ott 16°C / 24°C	Nuvoloso
Gio 18 Ott 15°C / 26°C	Nuvoloso
Ven 19 Ott Temp N/A	Sereno
Sab 20 Ott Temp N/A	Sereno

TPL

N	14	57	21
Attesa	3'	8'	5'
Ritardo	2'	0'	2'

COLONNINE RICARICA 9m

180 INSTALLATE

81.1 % ATTIVE

8.9 % IN USO

REPLICATE — DISIT

FLORENCE DASHBOARD

This dashboard is the main entry point to access dashbaords realised in the REPLICATE H2020 EC project.

REPLICATE has received funding from the European Union's Horizon 2020 Research and Innovation Programme under grant agreement No. 691735.

FLUSSI INGRESSO CITTA 9m



TOTALE 9m

141608

VEICOLI

FLUSSI INGRESSO ZTL 9m



TOTALE ZTL 9m

41146

VEICOLI

SITUAZIONE VIABILITA 54s

4 INCIDENTI

0 CHIUSURE AL TRAFFICO (TOT)

0 CHIUSURE PER CANTIERI

0 PROGR. | 0 NON PROG.

0 LIMITAZIONI AL TRAFFICO (TOT)

0 LIMITAZIONI PER CANTIERI

0 NON PROG. | 0 PROGR.

4 TOT. EVENTI SULLA RETE

SMN 9m	BINARIO16 9m	FORTEZZA 9m
63.4 % occupati su 901 posti	83 % occupati su 165 posti	17.9 % occupati su 521 posti
LEOPOLDA 9m	**CALZA 9m**	**S.AMBROGIO 9m**
36.3 % occupati su 300 posti	69.3 % occupati su 218	67 % occupati su 379 posti
PARTERRE 9m	**CAREGGI 9m**	**BECCARIA 9m**
64.9 % occupati su 106 posti	90.4 % occupati su 406 posti	78.6 % occupati su 210 posti

STATO TRIAGE CAREGGI 9m

Red code	Yellow code	Green code	Blue code	White code
3	12	83	37	9

MAPPA

Energy | Environment | Mobility | Social | Resilience

PM10	Riciclo rifiuto	Rifiuto per abitante	PIL residenti	Tasso di disoccupazione	Piste Ciclabili
26 superamenti/anno	56%	0,629 t/pers/anno	23.606 euro/pers	6,8%	19.7% km ciclabili/km totali

Most of the widgets are connected to an URL to jump to other views/dashboards

FIRENZE

Tue 16 Oct 16:18:39

Single Content

Single Content

Civil Protection

SOC

External Content

Meteo

Single Content

Single Content

Single Content

3 Single Content

External Content

Time Trend Compare

Single Content

10 Single Content

9 Single Content

Time Trend Compare

Single Content

6 Buttons

First AID

6 Buttons

Most of the widgets are connected to an URL to jump to other views/dashboards

Mobility and Environment What-IF Analysis

This dashboad contains data derived from actual sensors and predictive values under validation

Mon 14 Oct 00:48:17



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjE5MA==

Multi Data Maps Widget

Multi Data Map Widget

- The most powerful Data Map rendering tool, it supports:
  - **KB Sensor data**: POI, sensors, actuators, etc. (see in the following), moving devices
  - **WFS data** (see in the following)
  - **WMS background maps**
    - Ask to a **RootAdmin** for activating this feature on your MultiDataMap widgets once created the dashboard
    - Maps can come from GIS servers, and WMS
  - **WMS Heatmaps GeoTiFF**
  - **WMS Traffic Flow GeoTIFF**
  - **GTFS data from Public Transport**
  - **Special tools**
    - Scenario (see in the following)
    - What-IF (see in the following)





https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjE5MA==#



Orthomaps


Mobility and Environment What-IF Analysis
This dashboad contains data derived from actual sensors and predictive values under validation
Sun 3 Nov 23:45:37
Maps
airTemperature


Mobility and Environment What-IF Analysis
This dashboad contains data derived from actual sensors and predictive values under validation
Sun 3 Nov 23:47:09
Maps
Default Map
Light Map
Dark Map
Light Map 2
Dark Map 2
Light Buildings Map
Satellite Map
Tuscany Buildings (Volumetric Units)
Tuscany Photographic Orthomap
Tuscany Historical Map (Catasto Inghirami, 1830)
Tuscany Boundaries
Tuscany Provinces
airTemperature

Mobility and Environment What-IF Analysis
This dashboad contains data derived from actual sensors and predictive values under validation
Sun 3 Nov 23:48:22
Maps
Default Map
Light Map
Dark Map
Light Map 2
Dark Map 2
Light Buildings Map
Satellite Map
Tuscany Buildings (Volumetric Units)
Tuscany Photographic Orthomap
Tuscany Historical Map (Catasto Inghirami, 1830)
Tuscany Boundaries
Tuscany Provinces
airTemperature


Mobility and Environment What-IF Analysis
This dashboad contains data derived from actual sensors and predictive values under validation
Sun 3 Nov 23:49:55
Maps
FIRENZE
airTemperature

Orthomaps as graphic layers

- **Orthomaps can be**:
  - Directly exploited from public service via WMS protocol, from some GIS services as GeoServer
  - Loaded into the Snap4City GeoServer
  - Layered if they can be overlapped each other, such as map with gov border above.
- The Dashboard owner can
  - Select the Orthomaps to be used shown as default in the dashboard
- Each organization has its own set of Orthomaps

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjE5MA==

Menu Icon and PINs as Icons



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjM1MA==

Technical Selector: TECH MultiDataMap



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjMxOA==

Unique Dashboard builder Multiple Styles



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjM1MA==

3D views

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjUxMA==

3D views



https://www.snap4city.org/dashboardSmartCity/view/Baloon.php?iddasboard=MzQzMg==

3D views



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjUxMA==

Firenze - Trafair - AirQuality Heatmaps

This dashboad contains data derived from actual sensors and predictive values under validation

Sat 21 Nov 19:13:14

- Air Quality Sensors
- PM10 bars
- Weather Sensors
- PM10 Heatmap
- PM2.5 Heatmap
- CO Heatmap
- CO2 Heatmap
- O3 Heatmap
- NO2 Heatmap
- Europ. AQI Heatmap
- Air Humidity Heatmap
- Air Temp. Heatmap
- Wind Speed Heatmap
- Gral Pred. HM NOX (3m)
- Gral Pred. HM NOX (6m)
- Traffic Sensors
- Traffic Flow
- Cycling Paths
- Accident Heatmap
- Accident Heatmap 2
- Only HRes Anym. Gral
- Green Areas
- Schools
- Recreation areas

Firenze Air quality trends

Trafair Main Dashboard

Multi Map



IBIMET_SMART0... 9m

10 °C

IBIMET_SMART09 - airTemperature 9m



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTUzMg==



https://www.snap4city.org/dashboardSmartCity/view/Baloon-Dark.php?iddasboard=MzQyMw==

Traffic Flow Manager on multiple cities



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzEyNg==

Different Oorigin Destination Matrices



- **Get specific value**
- **Time window**
- **Opacity**
- **Animation**
- **Inflow/outflow**
- **Sequence of OD matrices: next/prev**





Geo shapes as:

- **Shapes**: city, region, territories, etc.
- **MGRS**: 1Km, 10Km, 100Km

Weighted Bubbles



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjcyNQ==

Custom Dynamic Pins



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=Mjk5MA==

Multi Data Map: many kinds of data

- **Orthomaps**: plain maps and overlapped layers
- A range of **Pins Kinds** for marking Services, IOT Devices, etc.
- **Services**:
  - POI, MyPOI, IOT Devices, Sensors, Actuators, IOT Device Moving, etc.
  - Cycling paths
  - Areas shapes: gardens, etc…
  - GIS data
- **Heatmaps**: different types
- **Traffic Flows:** different kinds
- **Special data:**
  - **What-If** analysis: routing, public routing, traffic flow
  - **Routing: private, public, pedestrian, public means**
  - **Scenarios** definition
- **3D** buildings
- ….

Pins on Multi Data Maps (1)

Normal Over

- **Classic**: (default)
  - Text menu or Icon Menu
    - Custom color of the Menu only
  - Fixed on the basis of Nature and Subnature

Normal Over Icon Menu

- **Icon**: (accessible as **Icon Mode** of selector)
  - Also usable with **Text Mode** of the menu
  - Selectable from a large set
  - Coherent with Icon on Menu
  - Custom Color

Pins on Multi Data Maps (2)

Bubble Pins

- **Bubble**:
  - Text Menu or Icon Menu
  - Custom Color
  - Size depending on ServiceURI Attribute, IOT Device ValueName
- **Custom**: (accessible from Alternate View Mode)
  - Can be created by AreaManagers as **Custom Widgets** https://www.snap4city.org/663
  - Selectable from a set
  - Coherent with Menu, also usable with text menu
  - Variable/Dynamic colors/animations associated with ServiceURI Attribute, IOT Dev ValueName



Pins and Menu icons

3D - Multi Data Maps Widget

Global Digital Twin Modeling

- Rendering Maps with 3D shapes of buildings
  - They can be generated from OSM, shapes, and other sources, created by extruded shape from ground shape
  - Full control: pan, zoom, tilt, rotation, etc., simulation of light conditions
    - Plus Full control with right button and wheel of the mouse
  - Full control of pre-setting for direct show in loading
- Addition of multiple
  - Orthomaps below the buildings
  - Heatmaps, over orthomaps, but below buildings
  - Cycling paths and other shapes, polylines
  - Traffic Flows reconstruction models
  - POI, Sensors: PopUps with real time data

3D views



https://www.snap4city.org/dashboardSmartCity/view/Baloon.php?iddasboard=MzQzMg==

Digital Twin Global



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjUxMA==


3D Multi Data Map - Digital Twin Global - Firenze
demonstrator
Thu 16 Sep 17:56:49
3D Map
15/05/2021 13:45
Maps
GRALheatmap
Heatmap Controls:
24H
Max Opacity:
0.25
< Prev
2021-09-16 17:00:00
Next >
Free street
Fluid traffic
Heavy traffic
Very heavy
Sensor position
FirenzeFIPILITrafficRealtime
Traffic Heatmap Controls:
24H
Max Opacity:
1
< Prev
2021-09-16 17:41:00
© OpenStreetMap contributors
METRO9 - vehicl... 5m
360
METRO9 - vehicleFlow
5m
1000
500
0
18:00
19:00
20:00
21:00
22:00
23:00
16. Sep
01:00
02:00
03:00
04:00
05:00
06:00
07:00
08:00
09:00
10:00
11:00
12:00
13:00
14:00
15:00
16:00
17:00
Privacy Policy
Cookies Policy
Terms and Conditions
Contact us

Data Kinds vs Graphic Widgets
HLT, High Level Types

Data Type Coverage

- POI, IOT, shapes,..
- maps, orthomaps, GTFS, GIS WFS/WMS, GeoTiff, ..
- calibrated heatmaps, ..
- traffic flow, typical trends, ..
- trajectories, events, ..
- 3D, BIM, Workflow, ..
- Dynamic icons/pins, ..
- OD Matrices, scenarios, ..
- prediction models, ...
- decision support, ...
- Synoptics, animations, ..
- social media, Routing, ..
- Satellite data, ..
- KPI, personal KPI,..
- etc.









UNIVERSITÀ DEGLI STUDI FIRENZE | DINFO DIPARTIMENTO DI INGEGNERIA DELL'INFORMAZIONE | DISIT DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB

HLT: Unified Classification for Data and Services

- **Data Models**: all devices sprunt from that model
  - IoT Device Model, Mobile Device Model, Data Table Model
- **Devices**: are instances of some model or sprunt from processes
  - IoT Device, Mobile Device, Data Table Device, Sensor Device
- **Variables**, Sensor/sensor-actuator, :
  - IoT Device Variable, Mobile Device Variable, Data Table Variable, Sensor, Sensor-Actuator
  - **Dashboard-IOT App:** messages from GUI to Business Logic on IoT App
- **MyKPI**: dynamic GPS, info, single variable, Time Series, (Classification)
  - **KPI:** former KPI model
  - **MyPersonaData/MyData**: safes in which specific personal data are saved.
- **POI**: static GPS, info about a location, (Classification),
  - **MyPOI**: personal POI that can be leveraged to standard POI by administrator
- **Heatmaps**: matrices on some area, Time Series, (Classification)
- **Traffic Flow**: road segments with flow density, Time Series, (Classification)
- **OD Matrices**: origin destination matrices, Time Series, (Classification)
- **Complex events:** emergency, alarm, entertainment, CAP, … special widgets



HLT: Unified Classification for Data and Services

- **External Service**: third party visualization tools, iFRAMED…
  - Also TV CAMs are rendered here, and substantially all the other Services
- **Synoptics**: graphic representations with animation connected to variables and/or MyKPI and/or IoTApp, etc.
- **BIM representations**: Digital Twin Local, …
- **Micro Applications**: Snap4City, Km4City micro applications, iFRAMED
- **Special Widget**: a set of special visualization tool with their dedicated data type
- **WFS**: a specific tool for WFS GIS rendering, please note almost the same kind of data type can be visualized as Data above described



Data Inspector: HLT classification



HLT: Unified Classification for Data and Services

IoT Device Variable, Sensor Device	All selected (15)	All selected (48)	All selected (27)		All selected (1499)	All selected (159)	All selected (15)	All selected (63)		All selected (2)		All selected (2)
High-Level Type	Nature	Subnature	Device/Model	Broker	Value Name	Value Type	Data Type	Value Unit	Last Date / Last Value	Healthiness	Last Check	Ownership
IoT Device Variable	IoTDevice	IoTSensor	devicetest1	orionUNIFI	temperature	temperature	float	°C			2021-10-15 10:01:02	private (My Own)
IoT Device Variable	IoTDevice	IoTSensor	devicetest1	orionUNIFI	humidity	humidity	float	#			2021-10-15 10:01:02	private (My Own)
IoT Device Variable	IoTDevice	IoTSensor	MyThermometer_001	orionUNIFI	temperature	temperature	float	°C			2021-10-15 10:01:01	private
IoT Device Variable	IoTDevice	IoTSensor	MyThermometer_001	orionUNIFI	humidity	humidity	float	#			2021-10-15 10:01:01	private
IoT Device Variable	IoTDevice	IoTSensor	adminTest1	orionUNIFI	temperature	temperature	string	°C	2018-05-31 19:16:05		2021-10-15 10:01:00	private (My Own)
IoT Device Variable	IoTDevice	IoTSensor	adminTest1	orionUNIFI	humidity	humidity	string	%	2018-05-31 19:16:05		2021-10-15 10:01:00	private (My Own)
IoT Device Variable	IoTDevice	IoTSensor	newmarcodev1	orionUNIFI	temperature	temperature	float	°C			2021-10-15 10:00:59	private
IoT Device Variable	IoTDevice	IoTSensor	newmarcodev1	orionUNIFI	humidity	humidity	float	%			2021-10-15 10:00:59	private

Hide columns | Reset filters | Selected rows: 1 | Previous 1 2 3 4 5 ... 2466 Next | Search

High Level Types

Nature

SubNature

Semantic Classific.

Dev/Model name

Broker name

Technical Source

Value Name

Value Type

Data Type

Value Unit

Variables, names

Last Date/Time

Last Value

Real Time

Healthiness

Last Check

Status

Ownership

Organization

For Admin

How the Dashboards exchange data (2022)

Snap4City BigData Storage and KB

IOT Broker Orion Quantum Leap

ServiceMap Super ServiceMap

- Req. ServiceURI

Metric, KPI

MyKPI, MyPOI, …

- Req. KPI, Metric ID
- Req. MyKPI ID

API, External Services, MicroApp

- Traffic Flow, MAPS, Heatmaps
- GIS, HTTPs URLs



- ServiceURI (ID)
- MyKPI, Metric (ID)
- Dynamic Data, computed into IOT Application
- Rx. Dynamic Data
- Event Driven Synoptics
- Actions, Show

Dashboards





IOT Application

What the Dashboards can directly exploit (2022)

IOT Broker

IOT Device

IOT Edge

Sensors/ Actuators

GIS data, Maps, …

Snap4City BigData Storage and KB

External Data Stores

LD, LOD

API, External Services

DataGate

Web Scraping

IOT Application

Dashboards

From IOT App to Dashboard

From Dashboard to IOT App

Big Data Analytics, Artificial Intelligence Access to all data

HLT: POI

High Level Types





Single POI

Categories

- Accommodation +
- Advertising +
- AgricultureAndLivestock +
- CivilAndEdilEngineering +
- CulturalActivity +
- EducationAndResearch +
- Emergency +
- Entertainment +
- Environment +
- FinancialService +
- GovernmentOffice +
- HealthCare +
- IndustryAndManufacturing
- IoTDevice +
- MiningAndQuarrying +
- ShoppingAndService +
- TourismService +
- TransferServiceAndRenting +
- UtilitiesAndSupply +
- Wholesale +
- WineAndFood +

EducationAndResearch -
- Educational_support_activities
- Higher_education
- Language_courses
- Performing_arts_schools
- Post_secondary_education
- Pre_primary_education
- Primary_education
- Private_high_school
- Private_infant_school
- Private_junior_high_school

POI: static GPS, info about a location, (Classification),
MyPOI: personal POI that can be leveraged to standard POI by administrator

HLT: data

High Level Types

- **Data Models**: all devices sprunt from that model
  - IoT Device Model, Mobile Device Model, Data Table Model
- **Devices**: are instances of some model or sprunt from processes
  - IoT Device, Mobile Device, Data Table Device, Sensor Device
- **Variables**, Sensor/sensor-actuator, :
  - IoT Device Variable, Mobile Device Variable, Data Table Variable, Sensor, Sensor-Actuator
  - **Dashboard-IOT App:** messages from GUI to Business Logic on IoT App
- **MyKPI**: dynamic GPS, info, single variable, Time Series, (Classification)
  - **KPI:** former KPI model
  - **MyPersonaData/MyData**: safes in which specific personal data are saved.





Real Time
Event Driven
Historical Data

HLT: data

High Level Types







Data / Station	Wind speed (km/h)	Direction	Temperature (°C)	Humidity (%)	Rain today (mm)	Pressure (mbar)
Sesto Fiorentino	50	N	7	32	0	922
Livorno	65	NE	5.5	37	0	876
Grosseto	78	E	4	22	0	1022
Vada	42	S	6	0	34	895
Follonica	102	N	7.2	23	0	913
Giglio	97	O	3	19	0	957



Real Time

Event Driven



Historical Data

• Trajectories

High Level Types

- **Variables**, Sensor/sensor-actuator, :
  - **Mobile Device Variable, Data Table Variable, Dashboard-IOT App**: messages from GUI to Business Logic on IoT App
- **MyKPI**: dynamic GPS, info, single variable, Time Series, (Classification)



- **Real Time Tracking**
- **Hystorical Tracks**
- **MicroApplications**

MyKPI: Time Series over GSP locations





Moving Sensors
Moving devices
Tracking

MyKPI: Tracking of Devices and Mobiles

- Real Time Trajectories for
  - Mobile Phone
  - Moving IOT Devices
  - OBU, Vehicular Kits
  - Multiple tracks
  - Day by day
- Micro Application





MyKPI, MyPOI: Management as GDPR





HLT: Heatmaps

High Level Types

ColorMaps For Calibrated

EAQI
Index
1. Good
2. Fair
3. Moderate
4. Poor
5. Very poor

Type: calibrated





Safety on bike density
Very bad
Bad
Not so good
Neutral
Good
Very good
Excellent

Multi Data Map

Noise LAEQ dBA
<44.3
44.4-48.8
48.9-53.3
53.5-57.7
57.8-62.1
62.2-66.6
66.7-71
71.1.75.5
75.6-79.9
>79.9

Type: Gaussian

Heatmaps (flexible Data Analytics)

- **Main:**
  - **Heatmaps are Time series**
- **A) Gaussian Heatmaps**
- **B) Calibrated heatmaps**
  - From KmxKm to 4x4 mt
  - PM10, PM2.5, SO2, NO2, Noise, NO, O3, Enfuser, **GRAL**,…. Copernicus
  - Any programmed ColorMap
  - Animations
  - Piking values in any place, values on their position.
  - On Web and Mobile App



HeatMap Manager: managing, colormaps

- Historical data, time series
- Huge amount of data and points per heatmap
- Data coming from: sensors, IOT App, Copernicus Satellite, …
- Multiple formats
- High speed computing
- WMS (GIS) compliant
- Animations
- Color maps: from few (5) to dense color scale (1000)
- Picking any place
- Smart City API to get them
- MicroServices for IOT Applications

HLT: WFS (GIS)

High Level Types





-Points
-Shapes, paths
-Heatmaps
-.....

Snap4City WFS WMS Tools

HLT: WFS (GIS)

High Level Types

- **POI (Point of Interest)**
- **Wfs (GIS)**



GIS WFS Servers

Multi Data Map

SNAP4CITY KM4CITY

HLT: Special Tools

High Level Types

- **Scenarious**
  - Full text search of roads and geolocations.
  - Multiple areas, days
  - Global map of OSM
- **What-IF**
  - Conditional routing
  - Dynamic routing
  - Multiple paths
- **Traffic Flows**







https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjE5MA==

Special Widgets vs Special Data

HLT: Complex events

High Level Types

Operator



Traffic Events



Entertainment Events





Multi Data Map

HLT: Special Widgets

High Level Types











Dom 1 Mar
Firenze
Nuvoloso
8°C / 15 °C
Powered by LaMMA
Lun 2 Mar
8°C / 13°C
Pioggia debole
Mar 3 Mar
10°C / 15°C
Pioggia debole
Mer 4 Mar
Temp N/A
Pioggia e schiarite
Gio 5 Mar
Temp N/A
Poco nuvoloso

Dom 1 Mar
Arezzo
Velato
7°C / 14 °C
Powered by LaMMA
Lun 2 Mar
6°C / 12°C
Pioggia moderata o forte
Mar 3 Mar
8°C / 13°C
Pioggia debole
Mer 4 Mar
Temp N/A
Pioggia e schiarite
Gio 5 Mar
Temp N/A
Poco nuvoloso



Sun 1 Mar
Powered by LaMMA
Arezzo
Bleary
7°C / 14 °C
Mon 2 Mar
6°C / 12°C
Moderate or strong rain
Tue 3 Mar
8°C / 13°C
Light rain
Wed 4 Mar
Temp N/A
Rain and sunny intervals
Thu 5 Mar
Temp N/A
Bit cloudy

Firenze
Cloudless
3°C / 8 °C
Wed 14 Feb
Thu 15 Feb
-4°C / 9°C
Fri 16 Feb
Temp N/A
Bit cloudy
Cloudless
Cloudy

Firenze
Powered by LaMMA
Nuvoloso
8°C / 15 °C
Lunedì 2 Marzo
Pioggia debole
8°C / 13°C
Martedì 3 Marzo
Pioggia debole
10°C / 15°C
Mercoledì 4 Marzo
Pioggia e schiarite
Temp N/A
Giovedì 5 Marzo
Poco nuvoloso
Temp N/A

Sun 1 Mar
Powered by LaMMA
Lucca
Cloudy
9°C / 15 °C
Mon 2 Mar
9°C / 12°C
Moderate or strong rain
Tue 3 Mar
9°C / 15°C
Moderate or strong rain
Wed 4 Mar
Temp N/A
Cloudy
Thu 5 Mar
Temp N/A
Cloudless

The Organization and its Dashboard menu

Dashboard Menu a Short Cut for other…..

- **Each Organization** on Snap4City may define its own Menu on Dashboards
  - The Menu can be activated or not in each single Dashboard of the ORG
- **Definition includes a** list of Items and Subitems, each of which with
  - colors & icons
  - Links to web pages/dashboards to be activated and modality
  - User Roles at which it has to be proposed
  - Etc.



TC 1.23 – Dashboard Menu management per Organization

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjE5MA==

Mixt per Roma

MENU

Roma Demo3 (Qualità dell'Aria)

Thu 23 Jul 13:35:09

- Mobility and Transport
- Environment
- Social
- Some Services
- Infrastructure
- Quit

Multi Data Map

IT1836A
IT0957A
IT0828A
IT2171A
IT0952A
IT0885A
IT1837A
IT0888A
IT1176A
IT1835A
IT1834A
O3
NO2



Andamento nel Tempo di NO2 rilevato [illegible] Roma 2m



Valori Inquinanti in tempo reale, mappe 2m

value type / value name	O3_	NO2	CO_	SO2
IT0952A	51	11		
IT0957A	7	46		
IT0885A	25	29	200	
IT1837A		63	600	
IT0888A	11	37	200	
IT0956A	34	29		
IT1835A	24	37		
IT2012A	20	29		
IT1906A	15	34		
IT0887A		28		
IT1176A	8	54		
IT1834A		64		
IT2172A	15	61		
IT1836A	29	35		
IT0953A	3	47	300	1.3
IT0889A		34		
IT0825A		58		
IT0884A	96	9		
IT1841A		31		
IT2171A		57	400	
IT0828A		75		

Andamento nel Tempo di O3 rilevato nelle stazioni in Roma (st[illegible] 2m



Dati in Tempo reale inquinanti in Roma e provincia 2m



Home Trasporti

Privacy Policy Cookies Policy Terms and Conditions Contact us

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjcyNg==

Video Streams from TV Cameras

Settings for RootAdmin Only

TV Cameras

- **Two main modalities**
  - **Image frames**, periodically updated
    - Format: JPG
    - Protocols: http/https (with and without autentication)
    - Via **IPCAM Service**
  - **Video Stream**
    - Formats: MP4, H264,
    - Protocol: RTSP, ONVIF (with and without autentication)
    - Via **TVCam Manager**
      - ***based on Kurento, TURN, WebRTC***

IPCAM Service

- Examples:
  - https://main.snap4city.org/cam/ipCam.php?IP=www.meteofirenzehoteldavid.com/webcam/pontevecchio.jpg
  - https://main.snap4city.org/cam/ipCam.php?IP=www.meteofirenzehoteldavid.com/webcam/Firenze-HotelDavid.jpg
  - https://main.snap4city.org/cam/ipCam.php?IP=192.168.0.240/tmpfs/auto.jpg
  - https://main.snap4city.org/cam/ipCam.php?IP=www.cagliarimeteo.it/images/webcam/1/Cam1.jpg
  - …
  - To access with credentials you need to add setting on an IP Cam Table on Dashboard Builder!
  - Use https://main.snap4city.org/cam/ipCams.php?IP= for IP CAM with HTTPS connections

TVCam Manager



RTSP
ONVIF

TVCam Streaming Servers

WebRTC



TOP

Digital Twin Global and Local BIM Server

- Data, my Data, OpenData
  - Data Inspector
  - MyKPI, MyData, MyPOI
  - My Groups of Entities
  - View/Set MyPOI on Tuscany
  - Data Table Loader (Excel)
  - POI Loader (Excel)
  - Harvest Satellite Copernicus Dat...
  - BIM Server old
  - BIM Server New
  - BIM Srv New: Add
  - BIM Srv new: View
  - OpenData Manager: Data Gate
  - OpenData Manager: Data Gate
  - Doc: Data Table Loader



Snap4BIM: from 3D model to real time data

BIM as Digital Twin in Snap4City

- You can create 3D BIM representation by using standard tools mainly for IFC format but also in other different formats as AutoDesk.
  - They can be loaded into a BIM Servers
- **Snap4BIM is an application for**
  - Connecting BIM models with ServiceURI data into Snap4City, Snap4Industry, so that they can be: IoT Devices, POI, etc.
    - Observing PIN from any view
    - Positioning PIN in any place of the 3D space
  - Accessing to any element of the 3D model and to any position with the 3D interactive viewer.
  - Controlling the user interface interaction.
  - Showing the data, and selecting the 3D elements
- **Snap4City/Industry** can pass from any PIN on map to BIM / Digital Twin Local and related data in click

Snap4BIM: from 3D model to real time data



BIM view of the Altair Chemical Plant



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzA1NA==

Snap4BIM interctive editor





Digital Twin Local, 3D vs Real

BIM Integration for Digital Twin

Tue 8 Jun 11:04:55

ALTAIR Adm Office

Altair Production Line

device list

Valve 786 with trend

Selector - Map



BIM view



Last Value

17557.00 #

Time Trend Chart: totale_casi - 6 months



Privacy Policy | Cookies Policy | Terms and Conditions | Contact us

Smart Building

DIDA data 2

Thu 28 Oct 18:17:39



Privacy Policy Cookies Policy Terms and Conditions Contact us

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzI4OA==

Snap4BIM: how it works



Wizard
Data Inspector

IOT Directory





ServiceMap Discovery

Get ServiceURI

Attach the
SURI at the
BIM details or
Coordinates



Define view
details

Snap4BIM manager

Wizard
Data Inspector



Making Dashboard



information

- HOW To: Manage BMP and BIM: main features of openMAINT, BMP, BIM
- BIM integration in Snap4City: Digital Twin Local
- Digital Twin (local and global): Snap4City view
- DOC: Global Digital Twin for Florence by Snap4City, 3D city view

TOP

External Services (integration of) your of third party web pages

Dashboard Usage and Recipes

- https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTc3NA==
- **External Content Widget (optional zoom feature):**
  - **External Services**: Web Pages, web sites, web tools (registered or not)
    - **Tools**: Twitter Vigilance, Origin Destination Matrices, WiFi Tool, …
    - **GIS & MAPs**: ServiceMap, ArcGIS, ServiceMap3D, GoogleMap, etc. etc.
    - **TV CAM** Proxy adapted, VideoCam Streams, …
  - **MicroApplications**
    - More than 300 micro applications based on Snap4City and Km4City Tech.
  - **Synoptics and Custom widgets**
  - **Snap4City pages**: Form discussion, help desk, user manual, …
  - **Snap4City Dashboards** for nested views, MultiDashboards views
    - Ultra HD screens, UHD or even wider….
- **Selector WEB**
  - Anything that can be shown on External Content WG, one or more







External Services (registered)



HLT: External Services

High Level Types











External Services

Nature

- **Twitter Vigilance:**
  - Daily and real time
  - Volume and sentiment analysis
- Services on Maps, GIS, ArcGIS
- Real time sensors on 3D
- Web HTML5 Applications
- Origin Destination Matrix
- Real Time fleets
- Routing, Multimodal tools
- **IPCAM** connector
- **Synoptics**
- **Third party tools!**
- **…..**
- **Other tools also internal**
  - Traffic Flow Reconstruction
  - User behaviour monitoring
  - Tracking tools
  - Heatmaps tools
  - Trajectories tools



















HLT: MicroApplications

High Level Types









MicroApplications



MIcroApplications for Dashboards









HTML5 MicroApplications















See many others on web

Special data are managed with Special Tools

- GTFS, also on MDM



- Origin Destination Matrices



HLT: MicroApplications, ExternalServices

External Services

- Are **Web Pages** *by you or by Third Parties*. They can be embedded into an **External Content Widget** only if they:
  - are HTTPS page for the limitation of the browser,
  - do not present limitations to be “iframed” imposed by third party, that is always possible to be imposed by the page owner.

- You can **exploit/integrate External Services** by:
  - put them into an External Content Widget
  - Call them from a Widget Button to be open into another Tab of the browser or into an External Content Widget.
  - Call them from a Selector Web Widget, if you have multiple of them with a menu you can make a selection among several of them to be open into an External Content Widget
  - Call of them from the Dashboard Menu, to be open into the current or separate Tab of the Browser

IPCAM Service

- Examples:
  - https://main.snap4city.org/cam/ipCam.php?IP=www.meteofirenzehoteldavid.com/webcam/pontevecchio.jpg
  - https://main.snap4city.org/cam/ipCam.php?IP=www.meteofirenzehoteldavid.com/webcam/Firenze-HotelDavid.jpg
  - https://main.snap4city.org/cam/ipCam.php?IP=192.168.0.240/tmpfs/auto.jpg
  - https://main.snap4city.org/cam/ipCam.php?IP=www.cagliarimeteo.it/images/webcam/1/Cam1.jpg
  - …
  - To access with credentials you need to add setting on an IP Cam Table on Dashboard Builder!
  - Use https://main.snap4city.org/cam/ipCams.php?IP= for IP CAM with HTTPS connections

First aids overview - Tuscany

Service status of main first aid

Thu 25 Ma







Careggi hospital (Florence) - 9m

Priority\Status	Red code	Yellow code	Green code		
Addressed	1	4	3	0	0
Waiting	0	2	9	2	0
In visit	1	9		3	0
In observation	4	19	2	0	0
Totals	6	34	32	5	0

First AID

Santa Chiara hospital (Pisa) - D

Priority\Status	Red code	Yellow code	Green code		
Waiting	0	1	7	9	3
In visit				1	6
Totals	0	8	8	10	9

First AID

Other hospitals - Sum 9m

Priority\Hospitals	Red code	Yellow code	Green c		ode
PS SAN GIOVANNI DI DIO TORREGALLI	1	16	20	1	0
PS SANTA MARIA NUOVA	1		22	3	0
PS AO CAREGGI	6	34	32	5	0
PS SANTA MARIA ANNUNZIATA	1	8	11	1	0
RGO ENZO	0	3	3	4	0
PS OSPEDALI RIUNITI	3	8	18	1	1
PS CASENTINO	No data available for this hospital				
PS SANTA CROCE	No data available for this hospital				
PI PO CORTONA	No data available for this hospital				
PS CIVILE PIOMBINO	No data available for this hospital				
	No data available for this hospital				

First AID Multi

Careggi hospital (Florence) - Map



Santa Chiara hospital (Pisa) - Map



https://main.snap4city.org/view/index.php?iddasboard=MTIy

UNIVERSITÀ DEGLI STUDI FIRENZE | DINFO | DISIT

Firenze Social and Social Media new

Demo cams

Sun 11 Mar 16:24:55

External Content TwitterVigilanceRT

External Content TwitterVigilance

External Content Traffic Flow

Twitter Trend

Twitter quotes

Events

Buttons

External Content CAMStream

https://dashboard.km4city.org/view/index.php?iddasboard=MjY3

Life in Toscana: Dashboard

Sat 29 Jun 23:32:24



- Line of Transport
- Public Transport
- Travel Plan
- Traffic Flow FIPILI
- Air Quality
- Weather
- Origin Dest. Matrix
- Typical Trajectories
- People Flow WIFI
- Cultural Activities
- Forum Discussion
- CAM

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTc3NA==

Life in Toscana: Dashboard

Sat 29 Jun 23:32:24

Selector web

- Line of Transport
- Public Transport
- Travel Plan
- Traffic Flow FIPILI
- Air Quality
- Weather
- Origin Dest. Matrix
- Typical Trajectories
- People Flow WIFI
- Cultural Activities
- Forum Discussion

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTc3NA==

Helsinki White Dashboard

Please note that the data results are not always based on real data.

Thu 13 Jun 23:37:56



Selector web

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTgwNw==

Life in Toscana: Dashboard

Wed 3 Jul 15:07:54



Real Time
BUS Tracking

- Line of Transport
- Public Transport
- Travel Plan
- Traffic Flow FIPILI
- Air Quality
- Weather
- Origin Dest. Matrix
- Typical Trajectories
- People Flow WIFI
- Cultural Activities
- Forum Discussion
- Busses

Roma example



Real Time BUS Tracking

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjcyNA==

https://main.snap4city.org/view/index.php?iddasboard=MTY2

Real Time Sensors via ServiceMap3D

3D data rendering

Sat 1 Dec 16:57:33

Button

Firenze

Button

Airport

Button

Empol

External Content

Airport

- Hide Menu

Car park: freeParkingLots | Road sensor: avgTime | Pollen: value | Air Quality: SO2 | firstAid: blueCode

CESIUM bing © 2018 Microsoft Corporation - © 2018 HERE - © 2018 Digital



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTUxMQ==

https://main.snap4city.org/view/index.php?iddasboard=MTY2

Parking Monitoring Firenze

Tue 21 May 15:23:09



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTE3MA==

Synoptics, Custom Widgets as External Services

Demo UC5 GIDA



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjIyNg==

Custom Widgets

Custom Dashboards and Widgets (interactive, Animations, etc.)

-- SVG for graphic design

-- MyKPI for collecting data









Special Custom Widgets

- Smart parking
- Smart Energy
- Smart Light
- Smart ….
- Energy View
- Custom Controls













Other examples



- **Virtual Actuators (sensor-actuator)**
  - From: Dashboard
  - To: IOT App, MyKPI, other Synoptics





- **Virtual Sensors**
  - From: MyKPI, Sensors, IOT App, other Synoptics
  - To: Dashboards









######.##

https://www.snap4city.org/663

Snap4Home 5G Demo

Thu 11 Jun 18:07:32

Privacy Policy Cookies Policy Terms and Conditions Contact us

open fiber WIND 3 ZTE estra

Smart Lonato del Garda

Sat 9 Nov 17:20:59

Slot 1
Slot 2
Slot 3
Slot 4
Slot 5
Slot 6
Slot 7
Slot 8
Slot 16
Slot 17
Slot 18
Slot 19
Slot 20
Slot 21
Slot 22
Environment
other

Selector - Map

Multi Data Map

TEST1_AIRSENSEUR_RVB01

VALUE NAME: TEST1_AIRSENSEUR_RVB01

DETAILS | DESCRIPTION | RT DATA

		Last value	Last 4 hours	Last 24 hours	Last 7 days	Last 30 day
dateObserved	4:18:33 PM					
humidity	66.347755					
pressure	987.0833					
temperature	14.078355					





NumFreeSlo... 9m

XX

NumFreeSlots - Slots 9m



SmartParkingLonato_1 ... 9m

XX

0

status

temperature - Day 9m



NumFreeSlots - Slots 9m



pressure 9m	humidity % 9m	temperature 9m
987.1	66.3	14.1
mm	%	

XX XX

Slot ID 9m	Max Present Duration 9m
14	19 ore e 11 minuti
slot ID	

XX

TEST1_AirSensEUR_RVB01 - temperature 9m



Privacy Policy | Cookies Policy | Terms and Conditions | Contact us





cazione lidata)	Energia (PUN)	Altri Parametri	Pianificazione	Esito Pianificazione	In Produzione
0-01 09:32:54	2020-10-01 23:00:00	2020-07-24 18:43:00	2020-10-01 09:33:27	completato	NO
9-30 17:20:50	2020-09-30 23:00:00	2020-07-24 18:43:00	2020-09-30 17:21:00	completato	Sì
9-30 16:24:57	2020-09-30 23:00:00	2020-07-24 18:43:00	2020-09-30 16:27:23	completato	No
9-30 14:54:11	2020-09-30 23:00:00	2020-07-24 18:43:00	2020-09-30 14:56:22	completato	No
9-30 13:43:47	2020-09-30 23:00:00	2020-07-24 18:43:00	2020-09-30 13:43:57	completato	No
9-29 19:03:27	2020-09-30 23:00:00	2020-07-24 18:43:00	2020-09-29 19:03:43	completato	No
9-28 18:30:13	2020-09-29 23:00:00	2020-07-24 18:43:00	2020-09-28 18:30:23	completato	No
9-28 17:57:14	2020-09-29 23:00:00	2020-07-24 18:43:00	2020-09-28 17:57:23	completato	No
9-28 15:50:21	2020-09-28 23:00:00	2020-07-24 18:43:00	2020-09-28 15:50:45	completato	No
9-25 18:46:02	2020-09-26 23:00:00	2020-07-24 18:43:00	2020-09-25 18:47:46	completato	Sì



Event Driven Custom Widgets

https://www.snap4city.org/663 for the manual

Alert Registration



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzA0OQ==

From-To Custom Widgets / Synoptics to Storage in WS

MyKPI

Sensors

MyKPI

Sensor

[ ]

New Shared Variables

Constant Values



















Web Socket Secure

Other examples

- **Virtual Actuators (sensor-actuator), Read and Write Variable**
  - From: Dashboard; To: IOT App, MyKPI, other Synoptics
  - And from IOT App to Dashboard











Other examples

- **Virtual Sensors (only Read Variable)**
  - From: MyKPI, Sensors, IOT App, constants, other Synoptics
  - To: Dashboards















15MinCityIndex Firenze



- https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjkzOA==

15MinCityIndex on Bologna

prototype



https://www.snap4city.org/dashboardSmartCity/view/Baloon-Dark.php?iddasboard=MzQxMg==

Bologna Metropolitan Area Dashboard



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzA1OA==

TOP



GIS Data Import, Export and Exploitation

Interoperability ESRI

- **Snap4City is interoperable with**
  - ESRI ArcGIS Enterprise, Portal, Pro/MAP, ...
  - other GIS tools supporting WFS, WMS, GeoJSON, GML
- **Snap4City is interoperable since:**
  - **Provides** info/data in WFS, WMS
  - **Exploits** data/info from WFS, WMS
  - **Import** data/info from WFS/WMS



- The Snap4City platform can be installed on premise using **Snap4City Appliance** https://www.snap4city.org/471
  - **StartSNAP4CITYVM** includes the Dashboard Builder that is capable to work with WFS WMS protocols for the integration with GIS platforms as ESRI ArcGIS, QGIS, directly or using **Snap4City GIS player**.
  - **KBSSMVM** includes the Smart City API and WFS API which can be used to data harvest from any GIS servers and GIS desktop tool

Case ESRI ArcGIS

GIS Server can be: ESRI ArcGSI Enterprise, QGIS, GeoServer, ..
GIS Player can be: ESRI ArcGIS Pro, ArcGIS Portal, Snap4City WFS player, ...



- **GIS:**
  - Geographic Information System
- **WMS:**
  - Web Map Service
- **WFS:**
  - Web Feature Services

(A) ArcGIS ESRI as External Service

- DISIT Lab has ESRI ArcGIS Enterprise 10.6 installed
- ArcGIS Portal accesses to ArcGIS Enterprise server
  - https://arcgis.km4city.org/arcgisportal/apps/Embed/index.html?webmap=5774fa9d0f7f4a2fb2d7cd52dffcd8c9&extent=12.3144,45.4276,12.3461,45.4419&home=true&zoom=true&previewImage=false&scale=true&search=true&searchextent=true&details=true&legendlayers=true&active_panel=details&basemap_gallery=true&disable_scroll=true&theme=light
- Snap4City Dashboard uses as External Service: ArcGIS ESRI Portal
- https://main.snap4city.org/view/index.php?iddasboard=OTkw



(B) GIS data on Dashboard via Snap4City GIS Player

- DISIT Lab has ESRI ArcGIS Enterprise 10.6 installed
- Snap4City has its WFS Player https://main.snap4city.org/widgets/venezia/index.php
- Snap4City Dashboard uses as External Service: Snap4City GIS viewer via WFS/WMS: https://main.snap4city.org/view/index.php?iddasboard=MTIxNg==



(C) Dash with Snap4City GIS widget and Selector

- DISIT Lab has ESRI ArcGIS Enterprise 10.6 installed
- Snap4City has its WFS / WMS widget / Player
- Snap4City Dashboard shows WFS/WMS data via Special GIS Widget Map:
  - https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTQwMw==
- Snap4City can use **Selector** to select WFS / WMS sources to be shown from ESRI ArcGIS (as well as from any other WFS service) on Widget map



The Snap4City Widget Map allows to **mixt WFS GIS sources with Smart City API**
https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTM5NA==

(D) Dashboard with Orthomaps and shapes layers based on WMS, GeoJSON

- DISIT Lab has ESRI ArcGIS Enterprise 10.6 installed, and GeoServer
- Snap4City main MultidataMap Widget can load WMS background images and shapes, the Orthomaps
- Also Heatmaps calibrated are provided from GeoServer using WMS protocol
- Maps in this case are directly **taken from ESRI Server, free of charge**
- https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MTQwNg==#



(E) Snap4City via WFS on top of Smart City API provide data to ESRI ArcGIS Enterprise or ArcGIS Pro, and thus the data become accessible on ArcGIS ESRI Portal

- Snap4City provides a WFS service on top of SmartCity API. Thus providing data to any GIS/WFS client, including ESRI ArcGIS Enterprise, ArcGIS Pro, QGIS, etc.
- In the example, our ingested Helsinki Data have been harvested from ESRI ArcGIS via WFS.
- Once ingested on ESRI ArcGIS can be visualized, by using ArcGIS Portal
  - https://arcgis.km4city.org/arcgisportal/apps/Embed/index.html?webmap=fbcec7055a3446e29fc1e9c55cb53d79&extent=24.8335,60.1465,25.013,60.1965&zoom=true&previewImage=false&scale=true&legendlayers=true&disable_scroll=false&theme=light
- Snap4City Dashboard can show ESRI ArcGIS Portal **(A)** as External Services in a dashboard.
  - https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjIwNg==



(EA) ArcGIS ESRI Pro as GIS / WFS play

To test you need to have installed ArcGIS pro on your pc and connect with Snap4City WFS/WMF server or with ArcGIS server which has done the same connection with our server WFS/WMS

On PC:

(i) Get data via WFS connected to ESRI ArcGIS Enterprise or other sources

(ii) Download data via WFS … from…



(EA) ArcGIS ESRI Pro as GIS / WMS play

To test it you need to have installed ArcGIS pro on your pc and connect with our WFS/WMF server or with ArcGIS server which has done the same connection with our server WFS/WMS

Heatmap taken from Snap4City GeoServer via WMS protocol



ESRI ArcGIS has an IOT solution based on ESRI GeoEvent, for real time data

- **You need to have**
  - **ArcGIS Enterprise + GeoEvent Server + SpatioTemporal Big Data Store**
- **Limitations on the number of protocols addressed**
- **Snap4City solution solves the limitations** by ingesting data from a plethora of protocols and sources and
  - (a) posting the IOT data into their **Spatio-Temporal Big Data Store**
  - (b) collecting data from several protocols and posting them into **ESRI GeoEvent in MQTT**,
  - (c) making them available via WFS protocol.

Snap4City vs GIS, WFS/WMS

- GIS data:
  - Ingested via WFS/WMS protocols, and then managed as the other data. Data ingestion from GIS server can be performed via ETL processes, or directly from Dashboards
  - Shown on Dashboards via third party GIS tools as External Services
  - Shown on Dashboards using Special GIS Widget Map which directly access to GIS data via WFS/WMS
  - Heatmaps and Maps are distributed via a GeoServer
- Snap4City can interact with ArcGIS Real Time Events via MQTT protocol as well

Maps, etc.





MultiDataMap: Heatmaps and special tools (as cycling paths, traffic flow, what if scenario, routing), MyData, MyKPI (not RT), MyPOI, POI, Sensors (include selector new, or tech (with some limitations)

- they may also include maps, orthomaps, and 3D (in beta), please ask to Snap4City Staff to activate those features in your widget/dashboard



WFS: WFS, POI (manually added) (include selector)

ServiceMap: POI, with integrated menu (usable with selector web)



Web page https://www.snap4city.org/408

- IOT App: means that the widget data can be created and manipulated dynamically from the IOT App
- All the X represent feature available from Wizard production of Dashboard
- (*) means that the production is still manual and not via wizard
- (X) in progress
- "sensors" are data ingested via IOT Brokers, or ETL that in any case are indexed into the KB, may be on HBASE or on OpenDistro (Elastic Search)
- "MyKPI" are data ingested via Mobile Apps, IOT Apps, manually, etc.; They may be on MySQL, and recently are coming to OpenDistro (Elastic Search)
- "MyPersonalData" are ingested via IOT Apps, or manually; They may be on MySQL only
- "KPI, Metrics" are ingested via SQL, NoSQL queries (ODBC, JDBC, Mongo, SPARQL, etc.) from Database sources and are on MySQL
- etc.

TOP

Unified Data Model, Digital Twin and Data Inspector



Data Inspector: all you need to know about data, data sources and ingestion processes



Data Inspector (open on your left side menu)

- **Cross Filtering on the basis of**:
  - MAP: pan and zoom → lock , center on GPS coordinates of the user
  - Data Source Classification:
    - faceted filtering
    - full text search
  - Click on data source to see it on map, and see the graphics representation, just to learn how widgeting it.
- **Selecting a Data Source on Map**: on its Pin you can see:
  - Real time data
  - Time trend: 4 hours, 12 hours, 1 day, 1 week, 30 days.
  - Full status and description (only for Administrators)



HLT: Unified Classification for Data and Services

IoT Device Variable, Sensor Device	All selected (15)	All selected (48)		All selected (27)	All selected (1499)	All selected (159)	All selected (15)	All selected (63)		All selected (2)		All selected (2)
High-Level Type	Nature	Subnature	Device/Model	Broker	Value Name	Value Type	Data Type	Value Unit	Last Date / Last Value	Healthiness	Last Check	Ownership
IoT Device Variable	IoTDevice	IoTSensor	devicetest1	orionUNIFI	temperature	temperature	float	°C			2021-10-15 10:01:02	private (My Own)
IoT Device Variable	IoTDevice	IoTSensor	devicetest1	orionUNIFI	humidity	humidity	float	#			2021-10-15 10:01:02	private (My Own)
IoT Device Variable	IoTDevice	IoTSensor	MyThermometer_001	orionUNIFI	temperature	temperature	float	°C			2021-10-15 10:01:01	private
IoT Device Variable	IoTDevice	IoTSensor	MyThermometer_001	orionUNIFI	humidity	humidity	float	#			2021-10-15 10:01:01	private
IoT Device Variable	IoTDevice	IoTSensor	adminTest1	orionUNIFI	temperature	temperature	string	°C	2018-05-31 19:16:05		2021-10-15 10:01:00	private (My Own)
IoT Device Variable	IoTDevice	IoTSensor	adminTest1	orionUNIFI	humidity	humidity	string	%	2018-05-31 19:16:05		2021-10-15 10:01:00	private (My Own)
IoT Device Variable	IoTDevice	IoTSensor	newmarcodev1	orionUNIFI	temperature	temperature	float	°C			2021-10-15 10:00:59	private
IoT Device Variable	IoTDevice	IoTSensor	newmarcodev1	orionUNIFI	humidity	humidity	float	%			2021-10-15 10:00:59	private

Hide columns | Reset filters | Selected rows: 1 | Previous 1 2 3 4 5 ... 2466 Next | Search

High Level Types

Nature

SubNature

Semantic Classific.

Dev/Model name

Broker name

Technical Source

Value Name

Value Type

Data Type

Value Unit

Variables, names

Last Date/Time

Last Value

Real Time

Healthiness

Last Check

Status

Ownership

Organization

For Admin

Unified Data and Services Model/Classification



- Exists a Dictionary for the 4 categories
- They are related each other and not all values are possible
- Right setting lead to right rendering on graphs and automated combinations and processing
- The Disctionary is used by many tools

For example

Technical meaning



Link to Friend Sensor as ServiceURI:



Main HLT diff.

- **HLT: MyKPI**
- **Nature: Industry and manufacturing**
- **Subnature: Chemical**
- **Value Name**: CloroParaffine
- **Value Type: Density percentage**
- **Value Unit: %**
- **Data Type**: float mykpi
- **Last Date**: 2019-02-25 *«DateTime»*
- **Last Value**: 87.0
- **Healthiness**:
- **Last Check**: 2020-04-03 10:28:12
- **Ownership**: private for xyz…
- **Organization**: Firenze

Single Variable for MyKPI

- **HLT: IoT Device, Sensor Device, Data Tab Devic**
- **Nature: Industry and manufacturing**
- **Subnature: Chemical**
- **Value Name**: Irrigator fioriera Gag
- **Value Type: Battery Level**
- **Value Unit: V**
- **Data Type**: float
- **Last Date**: 2020-04-01 12:59:00 *«dateObserved»*
- **Last Value**: 5.18
- **Healthiness**:
- **Last Check**: 2020-04-03 03:28:12
- **Ownership**: public/private
- **Organization**: Firenze

This Section is repeated for each variable

an IoT Device may have multiple Sensors/variables

How to Ingest

All of them can be shown on Dashboards, what about manipulate them!!!!

HLT, High Level Types++	GPS	Static	Dynamic	MacroCat	Single	Time Series	Trajectory	HTTP	How to ingest/change/manage
IoT Device Model	--			Yes		Yes			Broker, IOT App, Data Table, API, UserInterf,
Mobile Device Model	--			Yes		Yes	Yes		Broker, IOT App, Data Table, API, UserInterf,
Data Table Model	--			Yes		Yes	Yes		Data Table, then as IoT Device
IoT Device	Yes	Yes	Yes	Yes	Yes	Yes			Broker, IOT App, Data Table, API, UserInterf,
IoT Device Variable									Into the corresponding device
Mobile Device	Yes	Yes	Yes	Yes	Yes	Yes	Yes		Broker, IOT App, Data Table, API, UserInterf,
Mobile Device variable									Into the corresponding device
Data Table Device	Yes	Yes	Yes	Yes	Yes	Yes	Yes		Data Table, then as IoT Device
Data Table device Variable									Into the corresponding device
Sensor Device	Yes	Yes	Yes	Yes	Yes	Yes	Yes		Dashboard, IOT App, UserInterf, API, …
Sensor / Sens. Actuator									Into the corresponding device
MyKPI	Yes	Yes	Yes		Yes	Yes	Yes		Dashboard, IOT App, UserInterf, API, …
KPI (metrics) data		Yes	Yes		Yes	Yes			Dashboard, IOT App, API, Metrics SQL calls
My Personal Data		Yes	Yes		Yes	Yes			Dashboard, IOT App, UserInterf, API, …
POI (Point of Interest)	Yes	Yes		Yes	Yes				DataGate, ETL, IOT App, API, …
MyPOI data	Yes	Yes		Yes	Yes				Dashboard, IOT App, UserInterf, API, …
Dashboard-IOT App (msg)		Yes	Yes		Yes	Yes			Dashboard, IOT App, API, …
Complex Event (msg)	Yes	Yes	Yes	Yes	Yes	Yes			Dashboard, ETL, Special, IOT App, …

How to cope

All of them can be shown on Dashboards, what about manipulate them!!!!

HLT, High Level Types++	GPS	Static	Dynamic	MacroCat	Single	Time Series	Trajectory	HTTP	How to ingest/change/manage
Heatmap matrix	Yes	Yes	Yes		Yes	Yes			IOT App, MicroService, UserInterf, API, …
Traffic Flow	Yes	Yes	Yes		Yes	Yes			IOT App, MicroService, UserInterf, API, …
OD Matrix	Yes	Yes	Yes		Yes	Yes			IOT App, MicroService, UserInterf, API, …
External Service (web pag)		Yes	--					Yes	ETL, Special, IOT App, Web Scraper, …
Synoptics (groups)		Yes	(Yes)		(Yes)	(Yes)		Yes	Special, API, …
BIM View		Yes	Yes		(Yes)	(Yes)		Yes	Special, API, …
BIM Device		Yes	Yes		Yes	Yes		Yes	Special, API, …
MicroApplication (webapp)		Yes	--					Yes	Dashboard, IOT App, API, FTP, …
Special Widget (complex)		Yes	Yes		Yes	Yes		Yes	ETL, special, IOT App, API, …
WFS/WMS (GIS data)	Yes	[yes]	[yes]	Yes	Yes			Yes	GIS tools, or GeoServer, IOT App, …
Tools (functional)	(Yes)		(Yes)		(Yes)		(Yes)	MDM	Scenario, What-If, etc.

Data Inspector vs Data Processes Details

(some features are only accessible to *Admin roles)

Advanced Features of the Data Inspector

- Some features accessible only for the Owner and *Admin, such as:
  - Specific information on the basis of the High Level Type
  - Values connected to the data (structure of the single data)
  - Details regarding the ingestion process
  - Eventual image representing the City Entity, for example the sensor
  - Ownership (licensing) details regarding the data owner
- So that you can access on all of them in the Snap4City version if you install on premise.
- A part of these features can be activated for the Organization Managers, namely: «ToolAdmin» roles.



- Click with the mouse on it

HLT: Sensor

Knowledge Base view





HLT: Sensor

- Specific values of selected
- Information of the values of the other sensors on the same device
- View Trends, marking problems, healthiness by point according to a Fuzzy model
- Marking problems for future machine learning processes (separate tool)

Data sources Details

Device | Values | Healthiness | Process | Image | Licensing | User

Last Date: 2020-07-21 19:00:00

Last Value:

Value Type	Healthy	Delay (s)	Reason	Healthiness Criteria	Refresh Rate (s)	Data type	Unit	Value	Time Trend
dateObserved	●	61890	undefined	undefined	300	time	timestamp	2020-07-21T17:00:00.000Z	VIEW
deceduti	●	61890	undefined	undefined	300	integer	#	16797	VIEW
dimessi_guariti	●	61890	undefined	undefined	300	integer	#	71775	VIEW
isolamento_domiciliare	●	61890	undefined	undefined	300	integer	#	6838	VIEW
nuovi_attualmente_positivi	●	61890	undefined	undefined	300	integer	#	-131	VIEW
ricoverati_con_sintomi	●	61890	undefined	undefined	300	integer	#	151	VIEW
stato	●	61890	undefined	undefined	300	string	#	ITA	VIEW
tamponi	●	61890	undefined	undefined	300	integer	#	1212468	VIEW
terapia_intensiva	●	61890	undefined	undefined	300	integer	#	21	VIEW
totale_attualmente_positivi	●	61890	undefined	undefined	300	integer	#	7010	VIEW
totale_casi	●	61890	undefined	undefined	300	integer	#	95582	VIEW
totale_ospedalizzati	●	61890	undefined	undefined	300	integer	#	172	VIEW
codice_regione	●	61890	missing value	undefined	300	integer	status		VIEW
denominazione_regione	●	61890	missing value	undefined	300	string	status		VIEW

Cancel



HLT: Sensor Healthiness



- Two different criteria
  - **H1**: at least an event i nthe last 24 hours
  - **H2**: machine learning for most of Sensors devices

Some functionalities are limited to certain roles

HLT: Sensor Healthiness



- Two different criteria
  - **H1**: at least an event i nthe last 24 hours
  - **H2**: machine learning for most of Sensors devices

Some functionalities are limited to certain roles

Details regarding the IOT Ingestion process







- For IOT Device data
- IOT Broker details

Some functionalities are limited to certain roles

HLT: Sensor

Details regarding the Ingestion process



- For ETL processes
- Scheduling details and status

DISCES Process Scheduler view

Some functionalities are limited to certain roles

HLT: Sensor

Image of the Devices and Licensing





Some functionalities are limited to certain roles

HLT: From Dashboard to IOT APP



- Click with the mouse on it

HLT: Dashboard-IOT App (From Dashboard to IOT APP)



HLT: Sensor-Actuator (From Dashboard to IOT Device)



HLT: MyKPI



- Click with the mouse on it

Some functionalities are limited to certain roles

HLT: External Service

Data sources Details

Device | Values | Image | Ownership

GPS Coordinates: 51.222744, 4.405380

High-Level Type: External Service

Nature: Environment

Subnature: Antwerpen (park Spoor Noord) Air Pollution:

Value Name: ExternalContent

Datasource: Special Process

Ownership: public

Organizations: ['DISIT', 'Antwerp', 'Other']

Link to External Service

Data sources Details

Device | Values | Image | Ownership

Value Type:

Data Type: webpage

Last Date:

Last Value: Antwerp

Value Type | Healthy | Delay (s) | Reason | Health

Data sources Details

Device | Values | Image | Ownership



Data sources Details

Device | Values | Healthiness | Process | Image | Licensing | User

User Creator: angelo.difino.dubrovnik

Status:

E-mail creator:

Cancel

The fields shown may be present or not depending on the HLT and on the information received

Data Inspector recent and future features

- Specific views for the HLT
- Details on Healthiness
- More details on the Ingestion Process
- Capabilities of setting and changing the Healthiness criteria
- For data related to IOT App vs Dashboard, how the link to them
- A view about the data relationships, precisely to show the data used in dashboard, and used in IOT App, etc.
- For Sensors: a link to DevDash to see the time trend and relationships with other sensors and devices on the same Organization (for all in the case of RootAdmin)
- A reverse link from the SmartAppGraph to the Data Inspector data of various kind

TOP

DASHBOARD CREATION by Wizard



Snap4City: Builder of Sentient Cities Solutions

Dashboards with data driven IOT Applications enforcing intelligence

IOT and data World

IOT Applications





Big Data Analytics, Artificial Intelligence

Dashboards and Apps



Dashboard Development



IOT Applications

Knowledge Base, Km4City

Knowledge and Storage Data from the Field and City + MyKPI ++

Widget Collection

Micro Applications

External Services

Custom Widgets/ Synoptics

Dashboard Wizard



Create, save, load, delegate, grant access



Dashboard Editor





Public Dashboard Collection

My Own Dash/App

Dashboard List and Editor



From Templates to Wizard and Dashboards



- to create a new Dashboard
- to add widgets and/or groups of them on any Dashboard


Wizard
Dashboard features
Data and widgets
Map
Carmignano
Fiesole
Aeroporto Firenze Amerigo Vespucci
Signa
Lastra a Signa
Firenze
Pontassieve
Scandicci
Bagno a Ripoli
SR69
Montelupo Fiorentino
© OpenStreetMap contributors
Single data widgets
Multi data widgets
Data sources
All selected (10)
All selected (55)
All selected (776)
All selected (315)
All selected (47)
All selected (2)
High-Level Type
Nature
Subnature
Value Type
Value Name
Data Type
Last Check
Ownership
Special Widget Environment Weather Forecast Previ_Meteo special weather 2018-07-08 16:00:18 public
Vergemoli
Vaglia
Vagli sotto
Special Widget Environment Weather Forecast Previ_Meteo special weather Vagli di sotto 2018-07-08 16:00:18 public
Uzzano
Hide columns
Selected rows: 0
Previous 1 2 3 4 5 1081 Next
Search
Choosen data sources
Value Name
Data Type
Last Date
Last Value
Healthiness
Remove
Wizard
Select the area of your interest: panning and zooming
Select the
graphic aspect of your interest, or
High Level Type of your interest, or
Make a search if you a have a precise idea or
Act on filters: nature, subnature, type, name, value, date, health, owner, …
Combine them as you like
Select the lines of your interest
Then click on Next and get the Dashboard by wizard
RULE OF THUMB
Close
SNAP4CITY

ICONS of Widgets

Single data



Multi data



Map Controls

Dashboard Wizard





The Wizard helps you in selecting only possible combinations of data and graphic representations

Wizard



CONTEXTUAL MENU to edit features

Use Wizard to add more widgets

Manual Addition of Widgets



Dashboards summary and further exercises

- **Suitable** as: City Dashboard, App interface, and Control Room Dashboards, Situation Room Dashboard, Operator Dashboard
- **Created** visually compounding graphic Widgets
  - Each widget can be set to have an autonomous update
  - Each metric/data-source may have associated with an alarm: blinking and sending events to people and machines in different manners
- **Can be**: public or private, private dash can be delegated or passed in ownership
- See https://main.snap4city.org/management/dashboards.php?linkId=dashboardsLink&fromSubmenu=false&sorts[title_header]=1
- See the following tutorials
  - **HOW TO: create a Dashboard in Snap4City**
  - **HOW TO: add data sources to the Snap4City Platform**
  - **US1. Using City Dashboards**
  - **US2. Using and Creating Snap4City Applications with Dashboards**
  - **US4. Creating City Dashboards and related Event Monitoring and Actions**

Dashboards Creation Exercitation

DEMO Section

To Start we are going to use Direct Dashboards

Dashboards accessing data available on Platform, including your own data coming from Mobile App, already registered!!!



My IOT/IOE Devices

IOT and City data World

Dashboards Applications

In this exercitation we are going to use the main Dashboard Templates



Exercitation on dashboard building

1. Create a Dashboard for the visualization of sensors values: actual and their trend
2. Create a Dashboard for the visualization of geolocated services (POI, Sensors, heatmap, etc.) and their selection on Map, with eventual target to see the time trend
3. Create a Dashboard for the visualization of MyKPI regarding my trajectories and eventually those of other users.

Nikname:.....

1) Create a Dashboard for the visualization of sensors values: actual and their trend

- The sensors to be selected should
  - Be located downtown in Florence around a POINT of YOUR interest: home, work, study, etc.
  - Report data regarding: environment, traffic, parking, pollution, etc.
- **We suggest to:**
  - Understand how to work with data by using the Data Inspector
  - Create a new Dashboard by Wizard
  - Customize look and fill of the Dashboard and widgets
- Time: 20 minutes



Identify your Widgets

1) Create a Dashboard for the visualization of sensors values: actual and their trend

- The sensors to be selected should
  - Be located downtown in Florence around a POINT of YOUR interest: home, work, study, etc.
  - Report data regarding: environment, traffic, parking, pollution, etc.
- **We suggest to:**
  - Understand how to work with data by using the Data Inspector
  - Create a new Dashboard by Wizard
  - Customize look and fill of the Dashboard and widgets
- Time: 10-20 minutes









Result could be similar to

- You can add more Widgets by:
  - Wizard
  - Editor manually



Nikname:.....

2) Create a Dashboard for the visualization of geolocated services (POI, Sensors, heatmap, etc.) and their selection on Map, with eventual target to see the time trend

- **The HLT to be selected** should
  - Be located downtown in Florence
  - Could be of different kind **of** nature. At least 5 of them
  - Data regarding: environment, traffic, parking, pollution, etc.
- **We suggest to:**
  - Start creating the New Dashboard by Wizard
  - Customize look and fill of the Dashboard and widgets
- Time: 10-20 minutes
- There are different modalities to get similar results



Identify your Widgets

2) Create a Dashboard for the visualization of geolocated services (POI, Sensors, heatmap, etc.) and their selection on Map, with eventual target to see the time trend

- The HLT to be selected should
  - Be located downtown in Florence
  - Could be of different kind HLType, and nature. At least 5 of them
  - Data regarding: environment, traffic, parking, pollution, etc.
- **We suggest to:**
  - Start creating the New Dashboard by Wizard
  - Customize look and fill of the Dashboard and widgets
- Time: 10-20 minutes
- There are different modalities to get similar results





Result could be similar to

- Not all combinations provide the same effective result
- You can
  - customize the resulting dash
  - add other widgets by wizard
  - see how a Selector is built
  - …..



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjYxMg==

Nikname:.....

3) Create a Dashboard for the visualization of MyKPI regarding my trajectories and [eventually those of other users]

- **We suggest to:**
  - Open Dashboard Wizard
  - Search for your trajectory on mobile looking for MyKPI
  - Create a Dashboard exploiting the Widget Tracker
  - Customize look and fill of the Dashboard and widgets, change color of the header, etc.
- Time: 10-15 minutes



Identify your Widgets

3) Create a Dashboard for the visualization of MyKPI regarding my trajectories and [eventually those of other users]

- **We suggest to:**
  - Open Dashboard Wizard
  - Search for your trajectory on mobile looking for MyKPI
  - Create a Dashboard exploiting the Widget Tracker
  - Customize look and fill of the Dashboard and widgets, change color of the header, etc.
- Time: 10-15 minutes



Result could be similar to



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjYxNA==

MyKPI: Tracking of Devices and Mobiles

- Real Time Trajectories for
  - Mobile Phone
  - Moving IOT Devices
  - OBU, Vehicular Kits
  - Multiple tracks
  - Day by day
- Micro Application



IOE – Vehicle Monitoring

CANBUS sniffer

Bluetooth







Tuscany in a Snap Mobile App on Android





Real time device tracking

Start

moving device

Multi Data Map

Selector

start

DISIT:orionUNIFI:MyMobileDeviceTest

movit it

movit it

Selector - Map

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzA1Ng==

Moving and changing Dynamic PIN

How to create moving devices with dynamic pin

1. IOT Device Mobile is needed
2. Updates on Latitude and Longitutude have to arrive into the platform
3. Dashboard
   - MultiDataMap has to activate the Connection to WS service on MoreOptions
   - Selector on the specific PIN has to be set as





https://servicemap.disit.org/WebAppGrafo/api/v1/?serviceUri=http://www.disit.org/km4city/resource/iot/orionUNIFI/DISIT/MyMobileDeviceTest&format=json&fromTime=3-day



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjYwOA==

my example of dashboard

Sat 18 Apr 00:49:24



Table 3m

value type / value name	PM2_5	PM10	O3	airHumidity	airTemperature
IBIMET_SMART19	17.85	20.63	107.51		
IBIMET_SMART12	6.81		44.95	47.1	17.3
IBIMET_SMART17			300	0	0
IBIMET_SMART29				90.1	14.6





Privacy Policy Cookies Policy Terms and Conditions Contact us

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjYxNQ==

Mobility and Environment What-IF Analysis

This dashboad contains data derived from actual sensors and predictive values under validation

Mon 14 Oct 00:48:17

- Air Quality Sensors
- Weather Sensors
- PM10 Heatmap
- PM2.5 Heatmap
- CO Heatmap
- CO2 Heatmap
- O3 Heatmap
- NO2 Heatmap
- Europ. AQI Heatmap
- Air Humidity Heatmap
- Air Temp. Heatmap
- Wind Speed Heatmap
- Gral Pred. HM NOX (3m)
- Gral Pred. HM NOX (6m)
- Traffic Sensors
- Traffic Flow
- Cycling Paths
- Accident Heatmap
- Only HRes Anym. Gral
- Scenarious
- What-if analysis

Firenze Oggi

Air Temperat... 6m



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjE5MA==

Mobility and Environment What-IF Analysis

This dashboard contains data derived from actual sensors and predictive values under validation

Fri 22 May 18:19:41

- Air Quality Sensors
- Weather Sensors
- PM10 Heatmap
- PM2.5 Heatmap
- CO Heatmap
- CO2 Heatmap
- O3 Heatmap
- NO2 Heatmap
- Europ. AQI Heatmap
- Air Humidity Heatmap
- Air Temp. Heatmap
- Wind Speed Heatmap
- Gral Pred. HM NOX (3m)
- Gral Pred. HM NOX (6m)
- Traffic Sensors
- Traffic Flow
- Traffic Bubble
- Cycling Paths
- Accident Heatmap
- Only HRes Anym. Gral
- Scenarious
- What-if analysis

Firenze Oggi

Air Temperat... 9m





Dashboards

- **Suitable** as: City Dashboard, App interface, and Control Room Dashboards, Situation Room Dashboard, Operator Dashboard
- **Created** visually compounding graphic Widgets
  - Each widget has an autonomous update
  - Each metric/data-source may have associated with an alarm: blinking and sending events to people and machines in different manners
- **Can be**: public or private, private dash can be delegated or passed in ownership
- See https://main.snap4city.org/management/dashboards.php?linkId=dashboardsLink&fromSubmenu=false&sorts[title_header]=1
- See the following tutorials
  - **HOW TO: create a Dashboard in Snap4City**
  - **US1. Using City Dashboards**
  - **US2. Using and Creating Snap4City Applications with Dashboards**
  - **US4. Creating City Dashboards and related Event Monitoring and Actions**

Mechanisms of Selector for the Multi Data Map widget

The Selector for Multi Data Maps

- **Different styles**
  - Icon and Text menu
  - Custom Menu Icon
  - Icon Menu buttons
  - Etc.
- **Features**
  - Removable header
  - Colours custom
  - Transparencies
  - Mixed modalities
- **Note:**
  - Manus can be realized also with a set of Buttons

The Selector is the Map Controller

Custom Dynamic Pins



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=Mjk5MA==

UNIVERSITÀ DEGLI STUDI FIRENZE | DINFO DIPARTIMENTO DI INGEGNERIA DELL'INFORMAZIONE | DIS DISTRIBUT AND INTER TECHNOL

More Options of the Selector

- Setting:
  - Heatmaps
  - Bubbles
  - Icons
  - Custom
  - Traffic flow
  - Cycling path
  - What-if
  - Etc. etc.



The More Option data and table are automatically created / inizialized by Wizard

It can be adjusted for:

-- adding more selections

-- tuning the services

-- exploiting nicer views

MoreOptions (below part)

Specific widget properties

Map widgets Selector Ma

Active rows font color rgba(0,0,0,1)

Icon/Text Mode Icon Only

Map Pin Icon Pin Icon

Default	Symbol mode	Symbol choice	Symbol preview	Symbol color	Description	Query	Color1	Color2	Data widgets	Default View Mode	Map Icon color	Alternate View Mode	Variable Name	Order	
Yes	Auto				Traffic Bubbl...	https://se...	rgba(1!	rgba(1!	Nothing se			Bub	vehicleFl	1	✖
No	Auto				Psvgb_X-val3	https://se...	rgba(1(	rgba(1(	METRO19	Pir		Cus	val3	2	✖
No	Auto				Psvgb_X-val1	https://se...	rgba(2!	rgba(2!	METRO19	Pir		Cus	val1	3	✖
No	Auto			rgba((	Psvgb_X-val4	https://se...	rgba(2!	rgba(2!	METRO19	Pir		Cus	val4	4	✖
No	Auto			rgba(!	recharging st...	https://se...	rgba(2!	rgba(2!	METRO19		Symbol (	Cus	stationSt	5	✖
No	Auto	PM 2.5	PM 2.5		PM2_5 Heatmap	https://wm...	rgba(8:	rgba(8:	Nothing se					Empty	✖
No	Auto				Traffic Flow	https://fi...	rgba(2!	rgba(2!	Nothing se					Empty	✖
No	Auto				Cycling Paths	https://se...	rgba(2!	rgba(2!	Nothing se					Empty	✖
No	Auto				Scenario	/scenario/	rgba(0,	rgba(1!	Nothing se					Empty	✖
No	Auto	WHAT-IF	WHAT-IF		What-IF	/whatif/	rgba(5:	rgba(1!	Nothing se					Empty	✖

You may need to save and reopen the MoreOptions more than once to pass on different kinds of configurations

The Selector is the Map Controller

MoreOptions

Specific widget properties

Selector - Map

Active rows font color rgba(0,0,0,1)

Icon/Text Mode

Default	Symbol mode	Symbol choice	Symbol preview	Symbol color	Description	Query
Yes	Auto				Traffic Bubbl...	https://se...
No	Auto				Psvgb_X-val3	https://se...
No	Auto				Psvgb_X-val1	https://se...
No	Auto			rgba((	Psvgb_X-val4	https://se...
No	Auto			rgba((	recharging st...	https://se...
No	Auto	PM 2.5	PM 2.5		PM2_5 Heatmap	https://wm...
No	Auto				Traffic Flow	https://fi...
No	Auto				Cycling Paths	https://se...
No	Auto				Scenario	/scenario/
No	Auto	WHAT-IF	WHAT-IF		What-IF	/whatif/

More Options Edit

- Query ID
- REST CALL
- Command
- Heatmap



Knowledge base
Semantic reasoners

Indexing and aggregating
Elastic search

Search and Query, Smart City API
Facet, semantic search

- ***The Query is produced by Wizard but can be manually changed***

How to Get the «Query» used in More Options (1)

- **Query ID**
  - only Read and Read/Write of the query
- **REST CALL of the Smart City APIs**
  - JSON
  - HTML (do not use into MoreOptions)



The example of email from ServiceMap

snap4city@gmail.com

a me

Thanks a lot for using Service Map by DISIT at http://servicemap.disit.org

Your query "Service FI-MOSSE" has been saved.

Description:No description provided.

You can access to the query results on Service Map by clicking on these links:

Link for read only result in format json: 'https://servicemap.disit.org/WebAppGrafo/api/v1/?queryId=c33d6672968a1d5db83f27cf00c0e919&format=json'

Link for read only result in html: 'https://servicemap.disit.org/WebAppGrafo/api/v1/?queryId=c33d6672968a1d5db83f27cf00c0e919&format=html'

Link for overwrite this query on Service Map: 'https://servicemap.disit.org/WebAppGrafo/api/?queryId=f75d163130b1c8af9c7927cc7b857d70'

Link to obtain results in format json : 'https://servicemap.disit.org/WebAppGrafo/api/v1/?serviceUri=http://www.disit.org/km4city/resource/ARPAT_QA_FI-MOSSE_SV&format=json'
Link to obtain results in format html : 'https://servicemap.disit.org/WebAppGrafo/api/v1/?serviceUri=http://www.disit.org/km4city/resource/ARPAT_QA_FI-MOSSE_SV&format=html'

or copy paste it on your browser.

You can share the link with your friends.

Best regards
ServiceMap.disit.org team
You can contact us at info@disit.org or visit our web page at http://www.disit.org

How to Get the «Query» used in More Options (2a)

- **REST CALL by category → JSON (Options in RED), they are REST ASCAPI calls**
  - **Requesting a category, so that to see all Services of the same category (subNature)**
    - http://svealand.snap4city.org/ServiceMap/api/v1/?selection=59.581458578537955;16.71183586120606;59.62875017053684;16.875171661376957&categories=Street_light&maxResults=100&format=json
      - Please note that in the MoreOption dashboard the GPS area is neglected
    - https://servicemap.disit.org/WebAppGrafo/api/v1/?selection=43.64471;11.005751;43.89471;11.505751&categories=Green_areas&maxResults=200&format=json
      - Please note that in the MoreOption dashboard the GPS area is neglected
    - Custom PINS note: "selection" coordinates are used for collecting attributes in custom PINS. Other options such as "maxDists" cannot be used in custom PIN. All parameters can be used in other cases.
    - Different KB links are identified by their ASCAPI links: svealand.snap4city.org, servicemap.disit.org, ….
  - **Requests to SuperServiceMap for the network of Federated KBs** by using /api/…….

    Without prefixed KB to obtain merged results from more KBs. For example as:
    - /api/v1/?categories=Air_quality_monitoring_station&format=json
    - Please note that the direct links to the superservicemap can be of the form:
      - https://www.disit.org/superservicemap/api/v1/? ……

How to Get the «Query» used in More Options (2b)

- **REST CALL by ServiceURI → JSON (ServiceURI in RED), they are ASCAPI calls**
  - **Requesting single Service**
    - https://servicemap.disit.org/WebAppGrafo/api/v1/?serviceUri=http://www.disit.org/km4city/resource/ARPAT_QA_FI-BOBOLI&format=json
    - https://servicemap.disit.org/WebAppGrafo/api/v1/?serviceUri=http://www.disit.org/km4city/resource/ARPAT_QA_FI-MOSSE_SV&format=json
      - Different KBs links are identified by their ASCAPI links: svealand.snap4city.org, servicemap.disit.org,
  - **Requesting all IoT Devices that have been produced by the same Model**
    - **https://www.disit.org/superservicemap/api/v1?selection=59.36535064975547;13.457822799682619;59.39031474260852;13.566999435424806&model=SmartLightCapelon**&format=json
      - Please note that in this case the call is performed on the superservicemap, you can change to go directly on the right KB
      - You can specific both category and model to be more precise and focused.
    - **https://www.disit.org/superservicemap/api/v1/?selection=36.8092847020594;12.216796875000002;42.71473218539458;32.036132812500001&categories=Travel_information&format=json&fullCount=false&maxResults=500&model=DOMESTICMOVEMENTS2013-2018_1620304406**
      - In this case, we have a double filtering for model and for categories, plus other constraints
      - Please note that in the MoreOption dashboard the GPS area is neglected

How to Get the «Query» used in More Options (2c)

- **Requesting view on map single device**
  - **Request to see the single device:**
    - https://svealand.snap4city.org/ServiceMap/api/v1/?serviceUri=http://www.disit.org/km4city/resource/iot/orionCAPELON-UNIFI/CAPELON/5C0272FFFE894AF7&format=json&fromTime=3-day
    - **With ServerURI:** http://www.disit.org/km4city/resource/iot/orionCAPELON-UNIFI/CAPELON/5C0272FFFE894AF7
    - **From KB:** https://svealand.snap4city.org

- **REST CALL into the query of the more options for GIS services**
  - **Requests from GIS servers** by using WFS API and services
    - https://os.cittametropolitana.fi.it/imobi-ds/trafficsensors/1758EB9B47A3904E05673BFEEE61AB1776C4C0050E7BD7FB195EA33CC56767BE/ows?service=WFS&version=1.1.0&request=GetFeature&typeName=TrafficSensors

How to Get the «Query» used in More Options (3)

- **ServiceMap (specific KB) and Query service**
  - The Query performed is saved and can be recalled with a QueryID, valid for that specific KB, and not accessible via SuperServiceMap / Federated KB
  - The QueryID is communicated via email
  - Specific REST Call with HTML is also provided to change the Query in server associated with the QueryID received

- **Query ID (only Read and Read/Write of the query)**
  - https://servicemap.disit.org/WebAppGrafo/api/v1/?queryId=1c8111893d40a2bb07a2078ffe299ced&format=json
  - Cannot be used for Custom PINs.
  - **Cannot be used to get data via ServiceMap since the Query ID is KB based**

Special Commands in «Query» of More Options (4)

- **Commands for Special Tool**:
  - **Traffic Flow** tool: https://firenzetraffic.km4city.org/trafficRTDetails/roads/read.php
  - **Scenario** tool: /scenario/
  - **Whatif** tool: /whatif/
- **Heatmaps**, see Data Analytic part of the training for the several versions which can be used:
  - https://wmsserver.snap4city.org/geoserver/Snap4City/wms?service=WMS&layers=PM2_5Average24HourFlorence
  - https://wmsserver.snap4city.org/geoserver/Snap4City/wms?service=WMS&layers=denseNO2_Firenze_IDW
  - WMSServer that is a GeoServer may be different for different installations of Snap4City

The Selector is the Map Controller

MoreOptions



- *Targeting the data to be shows on other data Widgets*



TOP

DASHBOARDS Business Logic Via IOT Applications USAGE AND AUTHORING



IOT App as Business Logic of Dashboards



IOT Data Driven



IOT App Business Intelligence for Dashboards, Web and Mobile Apps

How the Dashboards exchange data

Snap4City BigData Storage and KB

IOT Broker Orion Quantum Leap

ServiceMap Super ServiceMap

- Req. ServiceURI

Metric, KPI

MyKPI, MyPOI, …

- Req. KPI, Metric ID
- Req. MyKPI ID

API, External Services, MicroApp

- Traffic Flow, MAPS, Heatmaps
- GIS, HTTPs URLs



IOT Application

- ServiceURI (ID)
- MyKPI, Metric (ID)
- Dynamic Data, computed into IOT Application

- Rx. Dynamic Data
- Event Driven Synoptics
- Actions, Show

Dashboards





Advanced IOT Applications

- **Synoptics can ……**
  - **do all ☺**
- **Widgets can**
  - send/receive dynamic data,
  - change data sources, etc.
  - Provide interactive maps
- **HTML pages** can
  - be dynamically generated
  - provide forms to produce data for IOT Applications
  - Collect files on web and system
  - produce files on web ad system
  - have CSS and AJAX control



Synoptics
Custom
Widgets



Widgets
Maps
Buttons
Keypads
Controls
..



HTML pages
HTML Forms
Tables
..



https://www.snap4city.org/394

https://www.snap4city.org/596

IOT App with Dynamic Web Pages





- **HTML pages** can
  - be dynamically generated from the IOT App
  - provide forms to produce data to the IOT App, also including interactive elements
  - collect file from users, and produce files to web and to the system
  - have CSS and AJAX controls

From IoT App to HTML pages




```
<html>
<style>table, th, td {  border:1px solid black;}</style>
<head></head>
<body>
<h1>This is a table</h1><table style="width:100%">
      <tr>
        <th>Person 1</th>   <th>Person 2</th>   <th>Person 3</th>
      </tr>
      <tr>
        <td>Emil</td>   <td>Tobias</td>   <td>Linus</td>
      </tr>
      <tr>
        <td>16</td>   <td>14</td>   <td>10</td>
      </tr>
</table>
</body> </html>
```



Edit “HTTP IN NODE” as above, also to get the ID of your IoT APP.
The ID is used in the URL of the generated page



HTML & Tables on Dashboards

- HTML page can expose forms to collect data for the IoT App.
- The table can be
  - constructed with the style you prefer according to HTML, CSS, etc.
  - dynamically generated on the basis of the values you collect/generate, receive, recover from storage in the flow
  - updated by send a message on the node
  - show on Dashboard by using the link (URL) into an External Content Widget
- In alternative there is to the Widget Table with less flexibility

Snap4City: Builder of Sentient Cities Solutions

Dashboards with data driven IOT Applications enforcing intelligence

IOT and data World

Data Channels

IOT Applications





Big Data Analytics, Artificial Intelligence

Dashboards and Apps



Alert Registration



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzA0OQ==

City Dashboard + IOT App

Control Room Operator

Would like to:

- **Monitor** traffic flow, Environment, Car parking, Cycling, First aid, temp., …
- **Act and monitor** Dynamic Plates
- **Act and monitor** red lights



Driver, Policeman

Would like to:

- **Monitor** traffic, Parking, env., speed limit, …
- **Act and monitor** red lights



IOT Application with City Dashboard Simple development





-Virtual Sensors and Virtual Actuators
-From Dashboard to IOT App and viceversa
-From Dashboard to IOT Brokers/Devices and viceversa


Traffic Sensors
First Aid
Air Quality
Parking Status
Meteo Sensor
Cycle paths
© OpenStreetMap contributors
Free parking
9m
60
45
30
15
0
18. Mar
03:00
06:00
09:00
12:00
15:00
Air Temp
9m
Air Humidity
18s
Morgagni
9m
82.4%
30
10s
Request Green
20s




Snap4City - Mobility Operator
Demo
Fri 23 Feb 20:38:44
Traffic sensors
First aid
Meteo sensor
Pollination
Parking
Smart bench
Cycle paths
Map
Speed limit
Europa
Morgagni
Lavagnini
Statuto
45
OFF
Green
Temperature
Arno
Humidity
5.057
80.025
City parkings
Parcheggi
Più vicini
Posti liberi
Garage Oriuolo S.R.L.
Parcheggio S. Lorenzo
Firenze Parcheggi Tornabuoni Srl Unipersonale
Air temperature
Park free Station - 4 hours
5.1


Fiware Orion
event-log
json
get Limit
delay 1s
delay 5s
delay 8s
delay 10s
setLimit
event-log
Morgagni
Lavagnini
Statuto
Europa

IoT Applications

- **Data ingestion**: more than 70 protocols IOT and Industry 4.0, web Scraping, external services, any protocol database, etc.
- **Data access**: save/retrieve data, query search on expert system, georeverse solution, search on expert system Km4City ontology, etc.
- **Data Transformation/transcoding:** binary, hexadecimal, XML, JSON, String, any format
- **Integration**: CKAN, Web Scraping, FTP, Copernicus satellite, Twitter Vigilance, Workflow OpenMaint, Digital Twin BIMServer, any external service REST Call, etc.
- **Manipulation of complex data**: heatmaps, scenarios, typical time trend, multi series, calendar, maps, etc.
- **Access to Smart City Entities and exploitation of Smart City Services**: transport, parking, POI, KPI, personal data, scenarios, etc.
- **Data Analytic**: managing Python native, calling and scheduling Python/Rstudio containers as snap4city microservices (predictions, anomaly detection, statistics, etc.)
- **User interaction on Dashboard**: get data and message from the user interface, providing messages to the user (form, buttons, switches, animations, selector, maps, etc.)
- **Custom Widgets**: SVG, synoptics, animations, dynamic pins on maps, etc
- **Event management**: Telegram, Twitter, Facebook, SMS, WhatsApp, CAP, etc.
- **Hardware Specific Devices**: Raspberry Pi, Android, Philips, video wall management, etc.

UNIVERSITÀ DEGLI STUDI FIRENZE | DINFO DIPARTIMENTO DI INGEGNERIA DELL'INFORMAZIONE | DISIT DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB

April 2022 collection

Two Snap4City Libraries

SNAP4CITY | Node-RED

https://flows.nodered.org/search?term=snap4city



UNIVERSITÀ DEGLI STUDI FIRENZE | DINFO DIPARTIMENTO DI INGEGNERIA DELL'INFORMAZIONE | DISIT DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB

April 2022 collection

Two Snap4Citv Libraries

SNAP4CITY | Node-RED

https://flows.nodered.org/search?term=snap4city

We suggest also to install:

AND: From Resource Manager



IOT Applications vs Dashboards

- **IOT Applications**, realized by using Snap4City Node-RED and integrated with Snap4City Nodes/MicroServices block, can be behind dashboards to get data from them with Virtual Sensors and Actuators.
  - Dashboards may be connected to multiple IOT Applications and IOT devices
  - IOT Applications may be connected with multiple Dashboards and IOT devices
- **A network of Dashboards, IOT Apps and IOT Devices** and data is easily realized exchanging data via secure connections.
- **Training Cases**:
  - US2. Using and Creating Snap4City Applications with Dashboards
  - US9. Creating Snap4City IOT Applications, different formats, protocols, brokers, communications

Widgets Interacting with IOT Apps virtual Sensors and Actuators

HLT: Sensors-Actuators

High Level Types

- **Complex Event**
- **Dashboard-IOT App**
- **External Service**
- **Heatmap**
- **KPI (Key Performance Indicator)**
- **MicroApplication**
- My Personal Data
- MyKPI
- MyPOI
- **POI (Point of Interest)**
- **Sensor**
- **Sensor Actuator**
- **Special Widget**
- Wfs (GIS)



Dashboard Widgets vs IOT Apps

- IOT App may create new Dashboards with new Widgets inside
- Some of the Dashboard Widgets interacting with IOT App can be ONLY created by starting from the IOT App
  - The creation is performed by putting the Node/Block in the IOT App and creating the widget in a Your Dashboard
- The removal of the Node/Block is removing the Widget as well. While the removal of the Widget in Dashboard is not removing the Node/Block into the IOT App
- The change of name of the Widget in Dashboard and/or in IOT App may create disconnections each other

From Dashboard to IOT Devices/App

- **Widgets:**
  - Impulse Button
  - Button
  - Switch
  - Dimer/Knowb
  - KeyPad
  - Geolocator
  - Selection/Dropdown
  - Form
  - Map Picking
- **Registered** on some IOT brokers with NGSI mutual authentication



Dashboard-IOT App





MapClick

MyKPI variable onchange

Synoptics



From Dashboard to IOT App



IOT Application

SVG Custom Widgets Examples 2

Tue 17 Nov 18:46:47

SVG shucko plug



Schuko switch



Charging Station Status



Legenda

Charging Station Status

Set on the keypad one of the following values

0 = ERROR (RED)

1 = AVAIBLE (GREEN)

2 = BOOKED (YELLOW)

3 = CHARGING

9999 = white icon

Charging Station status

New | Last confirmed: None

7	8	9
4	5	6
1	2	3
0	.	Canc
Confirm		

Underpass

Set tunnel st...

Traffic Light



Traffic Light status set

YELLOW LIGHT

Speed Limit Set

New | Last confirmed: None

7	8	9
4	5	6
1	2	3
0	.	Canc
Confirm		

Dynamic Speed Limit Sign

Speed Limit Explaination

Speed Limit Custom Widget example

Write the speed limit by using the keypad and click CONFIRM.

9999 = white sign.

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=Mjk4Ng==

Geolocation of Mobile Device



- Complete message
  - Returns a JSON containing all information about geolocation
- Latitude
  - Returns the latitude
- Longitude
  - Returns the longitude
- Accuracy
  - Returns the accuracy of latitude and longitude
- Altitude
  - Returns the altitude
- Altitude Accuracy
  - Returns the altitude accuracy
- Heading
  - Returns the heading
- Speed
  - Returns the speed

Web Browser GPS data rendering the Snap4City Dashboard can be passed to IOT Applications and saved ☺

UNIVERSITÀ DEGLI STUDI FIRENZE | DINFO DIPARTIMENTO DI INGEGNERIA DELL'INFORMAZIONE | DISIT DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB

Nature

SNAP4CITY | Node-RED

Dashboard-IOT App

From IOT App to Dashboard



IOT Application

- gauge chart
- single content
- speedometer
- horizontal single bar
- vertical single bar
- web content
- time trend
- bar series
- radar series
- pie chart
- curved line series
- table content
- calendar
- speak synthesis
- synoptic write
- Selector - Map





















Single Content Widget (flexibility)

From Dashboard Editor and IOT Applications, accepts in input:

- Numbers
- String
- HTML code



https://www.snap4city.org/578

HTML forms vs IOT App data
Getting data from Dashboards

DropDown Selector



- Selecting MSG to be sent on the Business Logic IOT Application





HTML

```
msg.payload = {value:JSON.parse(msg.payload).selected};
return msg;
```

Form

```
msg.payload ={ "form": { "options": [
{ "label": "enter text", "value": "", "type": "text", "required": true },
{ "label": "enter number", "value": "", "type": "number", "required": false },
{ "label": "enter email", "value": "", "type": "email", "required": false },
{ "label": "enter password", "value": "", "type": "password", "required": false },
{ "label": "enter check", "value": "checked", "type": "checkbox", "required": false },
{ "label": "enter check2", "value": "", "type": "checkbox", "required": false },
{ "label": "enter switch", "value": "on", "type": "switch", "required": false },
{ "label": "enter switch2", "value": "", "type": "switch", "required": false },
{ "label": "enter date", "value": "", "type": "date", "required": false },
{ "label": "enter time", "value": "", "type": "time", "required": true }
 ], "selected": [] } }
return msg;
```





HTML

Form

```
msg.payload ={ "form": { "options": [
{ "label": "enter text", "value": "", "type": "text", "required": true },
{ "label": "enter number", "value": "", "type": "number", "required": false },
{ "label": "enter email", "value": "", "type": "email", "required": false },
{ "label": "enter password", "value": "", "type": "password", "required": false },
{ "label": "enter check", "value": "checked", "type": "checkbox", "required": false },
{ "label": "enter check2", "value": "", "type": "checkbox", "required": false },
{ "label": "enter switch", "value": "on", "type": "switch", "required": false },
{ "label": "enter switch2", "value": "", "type": "switch", "required": false },
{ "label": "enter date", "value": "", "type": "date", "required": false },
{ "label": "enter time", "value": "", "type": "time", "required": true }
 ], "selected": [] } }
return msg;
```



HTML

"selected":["a text","123", "paolo.nesi@unifi.it","aaaaaa", "checked","","on","","2021-03-19","09:38"]

speak synthesis

Send Voice Messages on Dashboards

- **Connectable** on all «String» Variables
- **Controllable** from IoT Applications
- Play button on Dashboard

- **Configurable** as:
  - Voice Language and male, female, …
  - rate, pitch
  - ..





Send Voice Messages on Dashboards

- Connectable on all «String» Variables
- Controllable from IoT Applications
- Simple Play button on Dashboard Widget
- Configured as:
  - Voice Language
  - Voice timbre: male, female, …
  - Voice Tone
  - Voice Volume
  - ..

Widgets MAP with business intelligence on IOT Apps

Maps Business Logic vs IOT Apps

Any Snap4City data and sources: IoT Devices, Variables, Heatmaps, traffic, tools, KPI, etc.

data

data

Data, changed data

References, commands, directives, selections

Selector





selections, positions, ServiceURI

IoT App, Node-RED nodes: IoT App vs Dashbords

- **Coordinates From Map:**
  - Get GPS click from Map
  - Get Selected ServiceURI from Map
- **SelectorMap:**
  - Send commands, references, data to Maps

- **Dashboard Map provides:**
  - **All Features of**
    - **Coordinate From Map:**
    - **SelectorMap:**



***SelectorMap* and *Coordinates From Map* will be Deprecated from Snap4City Library in late 2022**

Dashboard Map is the only one supported since April 2022, Ver 0.9.17 of Snap4City user library on Node-RED

Multi Data Map GPS Location Picking vs IOT App



1) Click



2) GET event with:
-- Lat,Long
-- ServiceURI

- 3) The click on the map passes GPS coordinates into IOT App. Thus you can use them to:
  - search for location
  - picking the value of one or more heatmaps
  - dynamically change data on widgets and dashboards
  - Etc.

Multi Data Map ServiceURI selection vs IOT App



1) Click on PIN



2) GET event with:
- Lat,Long
- **ServiceURI**

- 3) The click on the map passes GPS coordinates into IOT App and the ServiceURI. Thus you can use them to:
  - search for location
  - picking the value of one or more heatmaps
  - dynamically change data on widgets and dashboards
  - Get all the ServiceURI information and exploit them on Business Logic
  - Etc.

Selector Map

Controlling Maps from IOT Apps



- User manual: https://www.snap4city.org/774
- To control Multi Data Map from IOT App
  - Add/remove a Category/SubCategory of Entities, via ***more option query***
  - Add/remove a single Device/PIN, MyPOI, MyKPI, Dynamic Pins, moving devices, etc.....
  - Add/remove cycling paths
  - Add/remove OD Matrix
  - Add/remove an Heatmap, a Traffic Flows, …
  - Add/remove multiple entities with multiple More Option Queries
  - Add/remove Special Tools: scenarios, whatif, etc.
  - Add/remove a set/single temporary GeoInfoPin






```
msg.payload = {
"type": "addSelectorPin",
"target": "w_Map_956_widgetMap32131",
"passedData": {
        "desc": "my studio temperature - GP -",
        "query": "datamanager/api/v1/poidata/17055853",
        "color1": "#ffdb4d",
        "color2": "#fff5cc",
        "display": "pins",
        "queryType": "MyPOI",
        "pinattr": "square",
        "pincolor": "#959595",
        "symbolcolor": "undefined",
        "iconTextMode": "text",
        "altViewMode": "None",
        "bubbleSelectedMetric": ""
        }
};
return msg;
```

Add MyKPI
Add MyPOI



Add Heatmap

```
msg.payload = {
"type": "addHeatmap",
"target": "w_Map_956_widgetMap32131",
"passedData":"https://wmsserver.snap4city.org/geoserver/Snap4City/wms?service=WMS&layers=FirenzeTrafficRealtime&trafficflowmanager=true",
"passedParams": {
    "desc": "Traffic Heatmap",
    "color1": "rgba(0,179,61,0)",
    "color2": "rgba(114,235,133,1)"
    }}
```

Remove Heatmap

```
msg.payload = {
"type": "removeHeatmap",
"target": "w_Map_956_widgetMap32131«,
"isTrafficHeatmap": true
}
}
```



Add OD Matrix

payload : {
"type": "addOD",
"target": "w_Map_956_widgetMap32131",
"passedData" : "https://odmm.snap4city.org/api/get?precision=communes&from_date=2017-10-19%2000:00:00&organization=Tuscany&inflow=True&longitude=11.257123947143556&latitude=43.771837562821375",
"passedParams": {
"desc": "OD Matrix Toscana",
"color1": "rgba(172,82,254,1)",
"color2": "rgba(172,82,254,0.46)",
}}

Remove OD Matrix

payload = {
"type": "removeOD",
"target": "w_Map_956_widgetMap32131",
}



Add GeoInfoPin set of

```
payload : {
"type": "addGeoInfoPin",
"target": "w_Map_956_widgetMap32131",
"passedData": [{
      "id": "GeoInfoPin-01",
      "eventType": "GeoInfoPin",
      "textHtml": "<b>Title</b><br>Text Info2.<br><br><a href='http://www.disit.org/' target='_blank'>DISIT Lab</a>",
      "lat": " 43.76950",
      "lng": "11.125835"   }, … ]
}
```

Remove GeoInfoPin set of

```
payload : {
"type": "removeGeoInfoPin",
"target": "w_Map_956_widgetMap32131",
"passedData": [{
      "id": "GeoInfoPin-01",
      "eventType": "GeoInfoPin",
      "lat": " 43.76950",
       "lng": "11.125835"
      }, ….]
}
```



Deprecated for Snap4City IOT App since 2022, but usable

Controlling Maps from IOT Apps





https://iot-app.snap4city.org/nodered/nrve0e3/ui/#!/0

- Show points on maps
- Get Points
- Tracks
- See examples on:

https://www.snap4city.org/409

https://www.snap4city.org/417



Dashboards vs IOT Applications

- See a lot of more detailed examples into the Tutorial on IOT Applications
  - https://www.snap4city.org/577

Dynamic Widgets data on Dashboard from IOT Applications



How the Dashboards exchange data

Snap4City BigData Storage and KB

IOT Broker Orion Quantum Leap

ServiceMap Super ServiceMap

- Req. ServiceURI

Metric, KPI

MyKPI, MyPOI, …

- Req. KPI, Metric ID
- Req. MyKPI ID

API, External Services, MicroApp

- Traffic Flow, MAPS, Heatmaps
- GIS, HTTPs URLs

Dashboards





- ServiceURI (ID)
- MyKPI, Metric (ID)
- Dynamic Data, computed into IOT Application

- Rx. Dynamic Data
- Event Driven Synoptics
- Actions, Show

IOT Application

Dynamic Widget data


```
▾0: object
    metricId: "http://www.disit.org/km4city/resource/tusc_weather_sensor_ow_3166540"
    metricHighLevelType: "Sensor"
    metricName: "tusc_weather_sensor_ow_3166540"
    metricType: "airTemperature"
▾1: object
    metricId: "https://servicemap.disit.org/WebAppGrafo/api/v1/?
    serviceUri=http://www.disit.org/km4city/resource/tusc_weather_sensor_ow_3182522&format=json"
    metricHighLevelType: "Sensor"
    metricName: "tusc_weather_sensor_ow_3182522"
    metricType: "airTemperature"
▾2: object
    metricId: "17056320"
    metricHighLevelType: "MyKPI"
    metricName: "SiiMTuscanyTrackerLocation"
    metricType: "Velocity"
▾3: object
    metricId: ""
    metricHighLevelType: "Dynamic"
    metricName: "BatteryTemperatureGalaxyNote"
    metricType: "Gradi Centigradi"
    metricValueUnit: "°C"
    measuredTime: "2019-11-21T14:51:00Z"
    value: 6.688898111364505
▾4: object
    metricId: ""
    metricHighLevelType: "Dynamic"
    metricName: "BatteryTemperaturemia"
    metricType: "Gradi Centigradi"
    metricValueUnit: "°C"
    measuredTime: "2019-11-21T14:51:00Z"
    value: 62.8502788741156
```


ServiceURI (ID)

ServiceURI (ID)

MyKPI (ID)

Dynamic

Dynamic





- **ServiceURI** (ID)
- **MyKPI (ID)**, Metric (ID)
- **Dynamic** Data in JSON (single or Vector), computed into IOT Application

[TC4.9: New Support Widgets for Bars, Barseries, Trend, and Series, on Dashboards and IOT Applications]

UNIVERSITÀ DEGLI STUDI FIRENZE | DINFO DIPARTIMENTO DI INGEGNERIA DELL'INFORMAZIONE | DISIT DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB

Dynamic (4/22)

SNAP4CITY | Node-RED

Widgets ICONS	Widget Name, Description	IOT App	Dashboard-IOT App	KPI (metric)	MyPersonalData	MyData	My KPI	Sensor
XX	Single Content	X (cs)	X (DD)	X	X	X	X	X
50	Speed Limit (see custom widget for more)			X				X
	Speedometer	X (cs)	X (DD)	X	X	X	X	X
	Gauge	X (cs)	X (DD)	X	X	X	X	X
	Single Bar, V/H	X	X (DD)	X				
	Single and Multiple Bars, stacked or not, ordered	X (cs)	X (DD)	X	X	X	X	X
	MultiSeries, shaded, staked and non staked, TTT	X (cs)	X (DD)	X	X	X	X	X
	Time Trend (single)	X	X (DD)	X	X	X	X	X
	Time Trend Compare			X			X	X
	SpiderNet, radar, Kiviat	X (cs)	X (DD)	X	X	X	X	X
	Pie, Donut, 2 layers Donut	X (cs)	X (DD)	X	X	X	X	X
	Table	X (cs)	X (DD)	X	X	X	X	X
	Calendar	X (cs)	X (DD)				X	X
	Speak Synthesis	X (cs)	X (DD)				string	string
	Maps	X (cs)	X (DD)	Many High Level Types			X	X

DD: Data Driven

Legenda

- **IOT APP column in previous table:**
  - **X**: means that from the IOT App you can send a new value or array to the widget directly, without the need to have is stored into Sensor or MYKPI variable, etc.
  - **CS, widget supports Change Source**, in the sense that: from the IOT App is possible to send a command to the Widget to change the data source. E.g., selecting sources among: Sensors (service URI), MyKPI (ID), any value produced on the IOT App directly. (cs) recent additions
- **Dashboard IOT App column in previous table**:
  - **X:** there is a MicroService / node on IOT App to act on those widgets on dashboard. The data are visualized.
  - **DD, widget is Data Driven**, in the sense that new data in push can be sent and the widget is updated in real time on web page without web page realoading

TC4.9: New Support Widgets for Bars, Barseries, Trend, and Series, on Dashboards and IOT Applications (partially obsolete)

Synoptic, Custom Widgets and PINS Creation

Special Custom Widgets

- Smart parking
- Smart Energy
- Smart Light
- Smart ….
- Energy View
- Custom Controls













Custom Widget / Synoptic / PIN Development



IOT Applications

Knowledge Base,
Km4City

Knowledge and Storage Data from the Field and City

SVG Symbols Collection



Inkscape editor on your computer



Create, save a Custom Widget in SVG

Create, save, load, delegate, grant access



Public Dashboard Collection



My Own Dash/App

1. Create and Load a Custom SVG
2. Select/Reuse an SVG
3. Make and Instance of Synoptic by Associate Variables with MyKPI
4. Create on Dashboard a Widget based on Synoptic HLT such as Ext. Srv.:
   - https://www.snap4city.org/synoptic/v2/synoptic.html?id=xxxx



How to create a custom Widget

- [User manual on: https://www.snap4city.org/595](https://www.snap4city.org/595)

CW with a single READ Variable are automatically usable as PINS

Create, save a Custom Widget in SVG



SVG Symbols Collection

From any open library

Upload as Custom Widget Template



select



Select MyKPI and Sensor Data for Synoptics cases



List of Custom Widgets / Synoptics



Instantiate as Custom Widgets / Synoptics Connect with WebSockets



Dashboard Editing/wizard





Final Dashboard

Help on Custom Widgets

Custom Widget name and image	*Explanation*	*Variable(s)*	*Accepted values*
Activate in Time new SVG	Set the begin and the end hours by using the small + and – buttons. Click SET to send the defined hours to the server.	s4csvg_begin (read and write variable) Default value: ##:##	starting hour in the form HH:mm to be set by clicking the + and – button
		s4csvg_finish (read and write variable) Default value: ##:##	ending hour in the form HH:mm to be set by clicking the + and – button
Air Conditioner SVG	Change the image according to the value received.	s4csvg_airconditioner_status (read variable) Default value: undefined state, the SVG shows the overlapped cold and hot images.	0 = OFF, 1 = cold, 2 = hot
Blinking Alarm SVG	The image blink or stop to blink according to the value received. Example: https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=Mjc4NQ==	s4csvg_blinking_alarm (read variable) Default value: 1, blinking	0 = OFF (fixed image), 1 = blinking
Double Pole Isolator SVG 	By clicking the SVG, the status of the switch changes accordingly and the corresponding value is sent to the server. Example: https://main.snap4city.org/view/index.php?iddasboard=Mjk4Ng==	s4csvg_isolator_onoff (read and write variable) Default value: undefined state, the SVG shows the overlapped position up and position down images.	0 = OFF (position down), 1 = ON (position up)
Faces Widget	By clicking a coloured face the corresponding value is sent to the server. Examples: https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjU0NA==	s4csvg_userFeedback: value sent to the server by clicking the corresponding face (write variable). Default value: no value sent. The SVG shows the five	-2 = very bad, -1 = bad, 0 = so-and-so, 1 = quite-good, 2=good

From-To Custom Widgets / Synoptics to Storage in WS

MyKPI

Sensors

MyKPI

Sensor

[ ]

New Shared Variables

Constant Values



















Web Socket Secure

Select the Sensors and MyKPI to be used on Synoptics



Custom Widgets Templates

Instantiating a Custom Widget Synoptic





- **[ ]**
  - **leave it empty to connect later direcly from/to IOT APP**
- **MyKPI**
  - Read/write data, your KPI, and real time values
- **Sensors**
  - Your data collected as sensors only rendering data
- **New Shared Variables**
  - ….. Only for Case 3: Synoptic vs Synoptic Communications
  - No protection of data value

Custom Widgets

Custom Dashboards and Widgets (interactive, Animations, etc.)

-- SVG for graphic design

-- MyKPI for collecting data











https://www.snap4city.org/504

GIDA 5G demo

Sat 12 Oct 23:52:54



Temperatura GIDA 7m | Pressione - GIDA 7m | Umidità - GIDA 7m

16.1 °C | 1023 bar | 82 %





Privacy Policy | Cookies Policy | Terms and Conditions | Contact us

Smart Lonato del Garda

Sat 9 Nov 17:20:59

Slot 1
Slot 2
Slot 3
Slot 4
Slot 5
Slot 6
Slot 7
Slot 8
Slot 16
Slot 17
Slot 18
Slot 19
Slot 20
Slot 21
Slot 22
Environment
other

Selector - Map

Multi Data Map

TEST1_AIRSENSEUR_RVB01

VALUE NAME: TEST1_AIRSENSEUR_RVB01

DETAILS | DESCRIPTION | RT DATA

		Last value	Last 4 hours	Last 24 hours	Last 7 days	Last 30 day
dateObserved	4:18:33 PM					
humidity	66.347755					
pressure	987.0833					
temperature	14.078355					





SVG

NumFreeSlo... 9m
XX

NumFreeSlots - Slots 9m



SmartParkingLonato_1 ... 9m
XX
0
status

temperature - Day 9m



NumFreeSlots - Slots 9m



pressure 9m
987.1
mm
XX

humidity % 9m
66.3
XX

temperature 9m
14.1
XX

Slot ID 9m
14
slot ID
XX

Max Present Duration 9m
19 ore e 11 minuti

TEST1_AirSensEUR_RVB01 - temperature 9m



Privacy Policy | Cookies Policy | Terms and Conditions | Contact us

UNIVERSITÀ DEGLI STUDI FIRENZE | DINFO | DISIT | SNAP4CITY

Dashboard on Browser

Internet

Storage and IOT App on cloud or on Premise



Case 1



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=Mjc4NA==

10 WS messages per second



Case 2: Event Driven 100%



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=Mjc4NQ==

40 messages per second





WS Server
on cloud or
on Premise

New Shared Variables

2500 Msg/s



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjgyNg==

Case 3/4

Snap4City

User: roottooladmin1, Org: DISIT
Role: RootAdmin, Level: 7

LOGOUT

My Snap4City.org
Dashboards
My Dashboards in All Org.
Dashboards of My Organization
My Dashboards in My Organization
Notificator
Data Inspector
My Data, KPI, POI
My Groups of Entities
IOT Applications
IOT Directory and Devices
Knowledge and Maps
Micro Applications
External Services
Data Set Manager: Data Gate
Synoptics
Resource Manager: Process Loader
Development Tools
Management
Settings
User Management and Auditing
Help and Contacts
Documentation and Articles

Dashboards

Cards | Prev 1 2 3 ... 89 Next | Filter by dashboard title | New dashboard

- Energy -
Passive

comunedashres: Private - Firenze
Edit Management Clone Delete

- Environment -
Passive

comunedashres: Private - DISIT
Edit Management Clone Delete

- Mobility -
Passive

comunedashres: Private - Firenze
Edit Management Clone Delete

- Smart Lonato del Garda -
IOT apps

disit_lonatodelgarda: Private - LonatoDelGarda
Edit Management Clone Delete

- Social -
Passive

comunedashres: Private - Firenze
Edit Management Clone Delete

0 - Dashboard new
Passive
nicola.mitolo: Private - DISIT
Edit Management Clone Delete

3D Map beta Testing
Passive

gpantaleo1: Public - DISIT
Edit Management Clone Delete

3D Map beta Testing 2
Passive
gpantaleo1: Private - DISIT
Edit Management Clone Delete

3D Map test 2
Passive
gpantaleo1: Private - DISIT
Edit Management Clone Delete

a
IOT apps
djqjq@163.com: Private - Antwerp
Edit Management Clone Delete

AA-DASHBOARD-TEST-01
Passive
andrea antonini: Private - DISIT
Edit Management Clone Delete

AA-DASHBOARD-TEST-02
Passive
andrea antonini: Private - DISIT
Edit Management Clone Delete

TOP

Flexible What-If Capabilities as Decision Support System



Mobility and Environment What-IF Analysis

This dashboad contains data derived from actual sensors and predictive values under validation

Mon 14 Oct 00:48:17

- Air Quality Sensors
- Weather Sensors
- PM10 Heatmap
- PM2.5 Heatmap
- CO Heatmap
- CO2 Heatmap
- O3 Heatmap
- NO2 Heatmap
- Europ. AQI Heatmap
- Air Humidity Heatmap
- Air Temp. Heatmap
- Wind Speed Heatmap
- Gral Pred. HM NOX (3m)
- Gral Pred. HM NOX (6m)
- Traffic Sensors
- Traffic Flow
- Cycling Paths
- Accident Heatmap
- Only HRes Anym. Gral
- Scenarious
- What-if analysis

Firenze Oggi

Air Temperat... 6m



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjE5MA==

What-If Analysis Concepts

- What is going to happen at Services if certain conditions/ cases are going to occur
  - Formalize: Conditions/cases, Services
  - Scenarios of Cases+Services Vs Solutions are Studios
  - to define, save, load:
    - Scenarios and Studios
    - Save and compare several effects
    - Comparison on the basis of KPI



Scenario

Impact on Routing

- Scenario with multiple shapes
- Conditional Routing
  - avoiding areas or
  - reducing traffic in those areas
  - Multiple stop points



Computation of Traffic Flow Evolution



Traffic Flow Manager on multiple cities



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzEyNg==

What happen to Public Transport



What-If Analysis

Available data and techniques	What happened	What is going on now	What is going to happen	What-If: what is going to happen if a scenario occurs in the future	Which is the best solution
Historical Data, HD	Yes	No	No	No	No
Real Time Data, RTD	No	Yes	No	No	No
HD + RTD + Short term Predictions, STP(.)	Yes	Yes	Yes	No	No
HD + RTD + Analytical Model, AM(.) + Scenario Model, SM(.)	Yes	Yes	Yes	(Yes)	No
HD + RTD + Short and Very Long Term Predictions, SVLTP(.) + AM(.) + SM(.) + Simulation, S(.)	Yes	Yes	Yes	Yes	No
HD + RTD + SVLTP(.) + AM(.) + SM(.) + S(.) + KPI(.) based Decision	Yes	Yes	Yes	Yes	Yes

Decision Support System and Resilience via FRAM

External Services, WebPages

- Decision Support Systems
  - Smart City Control Room
  - Workflow Management Ticketin...
  - Altair Maintenance
  - Altair Ticket Management
  - Altair Ticket Close Event
  - Workflow Management, Ticketin...
  - BIM Management and Dashboa...
  - DORAM Public Transport Analyz...
  - Doc: DORAM Pub Transp. Analyz...
  - Twitter Vigilance
  - Twitter Vigilance Real Time
  - Twitter Vigilance Antwerp
  - Twitter Vigilance Helsinki
  - Twitter Vigilance WestGreece
  - Twitter Vigilance Valencia
  - Twitter Vigilance Firenze HeritD...
  - Twitter Vigilance Pont Du Gard
  - Twitter Vigilance Dubrovnik
  - Twitter Vigilance Notes
  - What-If Analysis
  - Doc: What-If Analysis
  - Origing Destination Matrices
  - Traffic Flow Reconstruction
  - High Res. Pollutant Predictions
  - Resilience Decision Support Sys...
  - Smart Decision Support Sys
  - Doc: Smart & Resilience DSS

Main Approach

- Three main layers
- Complex System modeling: function, processes, resources, time, events, etc.
  - Functional Resonance Analysis Method, FRAM
  - Resilience Analysis Grid, RAG
- Decision Support System, DSS
  - System Thinking, Goal Models
  - Risk analysis
  - UTS/ITS decision supports
- Data, big data access and exploitation
  - Data Analytics, Internet of Things, sensors, flows
  - People flow and behavior
  - Social Media



Improve city resilience, reducing risks and decision support

- **assessing** city **resilience** level
- **improving** city **resilience**, providing objective hints
- **improving** city users **awareness** with personal city assistants and participatory tools



RESOLUTE Dashboard 4XHD v5

Wed 21 Jun @ 12:49:14

ESB

Alarms

TEST - ALLUVIONE MUGNONE
MAJOR
07/08/2017 12:45:54

ALLUVIONE ARNO COVERCIANO
CRITICAL
15/08/2017 15:47:31

ALLUVIONE ARNO VIA PETRIOLO
MAJOR
07/08/2017 16:48:11

TEST - SCONTRI ALLO STADIO
CRITICAL
15/08/2017 09:50:04

Traffic events

SEVERE ACCIDENT
SERIOUS ACCIDENT(S)
21/08/2017 11:24:01 5

ROAD WORKS
ROADWORKS
21/08/2017 11:24:10 6

ORD 2017-001302 - SP NÃ°17 Ã??ALTO VALDARNOÃ??IST...
RESTRICTIONS
13/08/2017 00:00:00 5

INTERVENTO URGENTE PUBLIACQUA
CLOSED AHEAD
20/08/2017 10:00:00 10

Evacuation plans

PLAN N.1497263867
IN_PROGRESS
12/06/2017 - 11:37:47 PATHS: 3

PLAN N.2000000000
PROPOSED
16/08/2017 - 09:42:06 PATHS: 2

PLAN N.1497604404
PROPOSED
16/08/2017 - 11:06:47 PATHS: 1

Tram position

TRAM/1
21/08/2017 11:32:27

TRAM/2
21/08/2017 11:32:31

Network Analysis

FM0495
(NORMALIZED) NODE BETWEENNESS
1.0000

FM0496
(NORMALIZED) NODE BETWEENNESS
0.8091
ON MAP

FM0500
(NORMALIZED) NODE BETWEENNESS
0.7878

FM2276
(NORMALIZED) NODE BETWEENNESS
0.7856

FM0497
(NORMALIZED) NODE BETWEENNESS
0.7825

FM0701

Environment

PROTEZIONE CIVILE

GENERAL | METEO

NULLO BASSO MEDIO ALTO

RISCHIO IDRAULICO
RISCHIO TEMPORALI
RISCHIO IDROGEOLOGICO
RISCHIO NEVE
RISCHIO GHIACCIO
RISCHIO VENTO
RISCHIO MAREGGIATE

Anemomet...
221

Ground Te...
22 C°

Temperatu...
24 C°

Umidity
20 %

Pluv. Flore...
24 mm

Pluviometer Florence City - last 24h

Hydromete...
20 m.s.z.l.

Hydrometer Arno Nave di Rosano - Last 24h

Hidromete...
24 m.s.z.l.

Hydrometer Arno Florence Uffizi - Last 24h

Hydromete...
24 m.s.z.l.

Hydrometer Mugnone Ponte alle Mosse - Last 24h

Mobility

Bus Lines Status

STATO | LINEE MONITORATE | DATE

ULTIMO AGGIORNAMENTO: 2016-08-04 23:59:03

Underpass Viale Mariti Aperto

Underpass Viale Talenti closed

Underpass Fortezza Aperto

Parterre Pa...
76.2%
23.8%

SMN
65.7%
34.3%

Fortezza Fi...
37.2%
62.8%

Mercato Ce...
65.4%
34.6%

Resources

Planned events

E 1966 - 2016 - LA BELLEZZA SALVATA - PROROGATA FINO AL 2
2016-12-01 to 2017-07-02
VIA CAMILLO CAVOUR 3

NE SPLORATI.LE BIBLIOTECHE DELL'UNIVERSITÀ DI FIRENZE IN
2017-02-15 to 2017-06-23
PIAZZA DI SAN LORENZO 9

BIBLIOTECHE DELL'UNIVERSITÀ DI FIRENZE IN MOSTRA - PROR
2017-02-15 to 2017-09-29
PIAZZA DI SAN LORENZO 9

Ambulance...
20 num.

Ambulance...
33

Voluntiers
33 num.

Florence main first aids status

Priority\ Hospitals	Red code	Yellow code	Green code	Blue code	White code
PS SANTA MARIA NUOVA	1	7	14	1	0
PS SAN GIOVANNI DI DIO TORREGALLI	2	10	24	2	0
PS AO CAREGGI	10	27	31	10	2
PS SANTA MARIA ANNUNZIATA	2	9	22	4	0

TRENDS | QUOTES

#FIRENZE
#NEWS #FIRENZE
#FIRENZE #RIFIUTI
#UFFIZI
#PONTEVECCHIO
#BARGELLO
#AEROPORTO #FIRENZE
#DUOMO #FIRENZE
#VIAGGI #FIRENZE
#CRONACA #FIRENZE

@MUSEOFIRENZE
@COMUNEFI
@NAZIONE_FIRENZE
@PROTCIVCOMUNEFI
@UNI_FIRENZE
@HUBFIRENZE
@NOVEDAFIRENZE
@ILSITODIFIRENZE
@FIRENZETURISMO
@BIBLIO_COMUNEFI

Parking anailability (%)
28:2

TV-RT Firenze

Twitter Vigilance Real Time Dashboard
Last crawling: 2017-06-21 12:44:30
Menu On | Login

Home > Channel statistics > Channel sentiment analysis

Channel active from 2016-06-27 to 2017-06-21 12:35:00
Data processed from 2016-06-28 08:10:00 to 2017-06-21 12:35:00
NLP SA

Sentiment trends in channel Firenze

Zoom 1H 3H 6H 12H 1D 1W 1M Y

Tweets score | Tweets score pos | Tweets score neg | Retweets score | Retweets score pos | Retweets score neg | T+RT score | T+RT score pos | T+RT score neg

Hide All

Most Significant Tweets for Sentiment

Last tweets per channel Firenze

@GiorgiaLodi - 2017-06-21 12:13:45
RT @emanuelegeri: Primo giorno d'#Estate: pubblicato aggiornamento luoghi freschi https://t.co/isKeZoeGhw su #opendatafirenze @comunefi

TV Firenze

Twitter Vigilance Dashboard
Last crawling: 2017-06-21 12:44:49
Menu On | Login

Home > Channel statistics > Statistics on single Channel

Channel active from 2009-02-27 to today
Data processed from 2015-05-22 to 2017-02-24
NLP SA

Search related to channel Firenze

Zoom 1m 3m 6m YTD 1y All
From May 21, 2017 To Jun 21, 2017

#Aeroporto #Firenze | #Aeroporto #Firenze #unifi | #Aeroporto #Firenze
#americani #firenze | #bargello | #cronaca #firenze | #cultura #firenze
#duomo #firenze | #expo2015 #firenze | #Expo2015Firenze | #firenze
#firenze #abusivi | #firenze #allafacciadaidiviati | #firenze #bottiglia
#firenze #centrostorico | #firenze #docorourbano | #firenze #rifiuti
#firenze #souvenir | #firenze #turisti #coda | #firenze #turisti #folla
#firenze @UNESCO | #firenzecard | #Florence #smartcity | #LiberiamoFirenza
#lorociuffonna | #lungarnofirenza | #meteo #neve #Firenze | #news #Firenze
#notiziafirenza | #ODDIT15 #Firenza | #opendata firenze | #OpenDataDay #Firenze
#opendatafirenze | #pontevecchio | #previsionimeteo #Firenze

Hide All

Daily mumber of tweets/retweets for channel: Firenze

ESB events

Show Menu | Hide Menu

Firenze

Leaflet | Map data © OpenStreetMap contributors, CC-BY-SA, Imagery © Mapbox

Firenze Wi-Fi - Access Points Clusters Coverage Map

Firenze Wi-Fi: Access Points Clusters Coverage Map
DISIT - Distributed Systems and Internet Technologies Lab
Firenze - Wednesday June 21 2017 12:49:12

Show Legend

Leaflet | Map data © OpenStreetMap contributors, CC-BY-SA, Imagery © Mapbox

Firenze Wi-Fi - APs Streaming Realtime

Firenze Wi-Fi: APs Streaming Realtime
DISIT - Distributed Systems and Internet Technologies Lab
Firenze - Wednesday June 21 2017 12:49:12

Show Legend

Leaflet | Map data © OpenStreetMap contributors, CC-BY-SA, Imagery © Mapbox

UNIVERSITÀ DEGLI STUDI FIRENZE | DINFO DIPARTIMENTO DI INGEGNERIA DELL'INFORMAZIONE | DISIT DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB

SN

resolute

Dashboarding City Resilience









ResilienceDS Tool

http://resilienceds.km4city.org

- **FRAM Model**
  - Macro FRAM processes
  - Metrics for Process complexity assessment
  - Operational Semantic for executing FRAM model
  - Connection with SmartDS
  - Connection with BigData open to multiple sources of data and workgroup results, Km4City
- **Collaborative work, web tool**
- **Open for all**
- **Validated on ERMG: European Guidelines**





Functional Resonance Analysis Method

Time:
This is simultaneously a resource and a constraint

Controls:
That which supervises or adjust function performance

Input:
That which engages function operation and is used to produce the function output

FRAM
Functional Resonance Analysis Method

- Understand system interdependencies
- Monitor sources of variability
- Investigate system architecture and events

Output:
That which is produced by the function and becomes the input for other functions

Preconditions:
System conditions that must be met before function can be carried out

Resources:
That which is needed and/or consumed by the function to process the input

Fram Model: *Functional Resonance Analysis Method*

- Success and failure are equivalent in the sense that they both emerge from performance variability.
- Variability, intended as a way for people to adjust tools and procedures to match operating conditions.
- Emergence of either success or failure is due to unexpected combination of variability from multiple functions.
- The unexpected “amplified” effects of interactions between different sources of variability are at the origin of the phenomenon described by functional resonance.



- Success and failure are equivalent in the sense that they both emerge from performance variability.
- Variability, intended as a way for people to adjust tools and procedures to match operating conditions.
- Emergence of either success or failure is due to unexpected combination of variability from multiple functions.
- The unexpected "amplified" effects of interactions between different sources of variability are at the origin of the phenomenon described by functional resonance.





Smart Decision Support , system thinking

- **Smart Decision Support System** based on System Thinking plus
- Actions to city reaction, resilience, smartness, …
- Enforcing Mathematical model for propagation of decision confidence..
- Collaborative work, …
- Processes connected to city data: DB, RDF Store, Twitter, etc.
- Production of alerts/alarms
- Data analytics process
- Twitter Processes
- reuse, copy past, …



http://smartds.km4city.org

TOP

Dashboard Event Management

Alerting and events evidence on Dashboards

- Pop Up **Alarming** at the opening of the Dashboard, exploiting API and MicroService call when you need
- **Calling on the private Chat Room** of the dashboard.
- **Alerting via IOT Apps**, which may assess the firing conditions on the data and on the values/actions performed on Dashboards
  - Sending alerts via several channels
  - Blinking on Single Content Widgets, or on SVG Alarm of any shape
- Connection with **Ticketing System, Incident Management**
- Connection with **Notificator** (only for on premise)
  - Defining thresholds and blinking on Dashboard Widgets
- …etc..

Dashboard Pop Up Alerting when needed

Dashboard Info/alarm Message

- Each Dashboard may have a custom IOT APP to control the data and the general services via APIs.
- The IOT App logic can Turn on/off the **Info Message** and customize its HTML text dynamically on the basis of the problem detected.



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=Mjg5Nw==

Private Dashboard ChatRoom

Private ChatRoom per Dashboard



Chat Management



Chat Rooms

- **Activated** by the Dashboard creator which can invite a number of users of the platform to
  - Exchange Comments and Pictures
  - access on web and mobile
  - provoke notifications
- Accessible only under authentication
- The administrator can access to the log for review and log of the discussions.
- Chat Room capability is available as an additional appliance

Dashboard Chat Rooms

- Each Dashboard may have only **one separate ChatRoom**
- The Dashboard Owner can
  - Activate the Chat Room on Dashboard header in Edit
  - Add users of the platform to the chat room
- The **Chat** Room
  - Allows to Exchange Comments and Pictures
  - Can be Accessed on web and mobile
  - May Provoke notifications on the header of the Dashboard
  - Is accessible only under authentication
- The Administrators can access to the Log for review of the discussions

Notifications from Dashboard and from any Data Condition

Smart City Monitoring: notifications, alerting

Notification with IOT App may

- Fire on any kind of condition exploiting on IOT App logic
- produce messages/events on
  - **Facebook, Telegram,**
  - **SMS, MMS, IOT Devices, ..**
  - **email, LOGS, FTP, ..**
  - **dashboards**, mobiles, …
  - **Workflow/incident** management system for **ticketing**
  - **video wall** management,
  - etc. etc.







facebook

Smart City Monitoring: Notificator

- **Each single metrics and Widget may activate a notification on Notificator**
- **Notificator** tool is attached to Dashboard Builder and it is available on Premise and for high roles
- **Blinking** on Dashboards



Integration with Ticketing Systems Workflows, Incident Management



Integration with Ticketing Systems Workflow

- **Snap4City is integrated with OpenMaint Ticketing system. An Open Source solution for ticketing and workflow management, incident management.**

- Any ticketing systems can be integrated with Snap4City, by means of IOT Applications and Dashboards
- https://www.snap4city.org/597



Example of Integrated workflow



Consumptions/productions



Events/actions

Dashboards and actions





OpenMaint: BPM Workflow management, team assignement, material control, …





IOT App, Data event firing, event detection and firing Critical event management

Dashboards









- **Snap4City can**
  - Create new tickets
  - Manage steps, workflow
  - Collecting feedbacks and results from teams
  - Manage all phases of the workflow on the fields via IOT Apps and logics
  - The integration if via API and MicroServices into IOT App.

Filters | Search | KQL | Last 1 year | Show dates | Refresh

+ Add filter

- ABBATTIMENTO CLORO
- ACIDO CLORIDRICO
- ACQUA INDUSTRIALE
- ARIA SERVIZI E STRUMENTI
- CARBONATO DI POTASSIO
- CARICO PRODOTTI
- CICLO POTASSA CAUSTICA

Impianto: Select...

Specialità: Select...

Tipologia Lavoro: Select...

Siglatura: Select...

Apply changes | Cancel changes | Clear form

1,865
Numero di eventi nel periodo

264.491
50th percentile of ore tra inizio e fine lavoro

673.151
Media ore passate tra inizio e fine lavoro

CLORURO FERRICO STANDARD
CARBONATO DI POTASSIO
CICLO SALAMOIA IPOSODIO
IMPIANTO 3FC CARICO PRODOTTI



FERMATA DI IMPIANTO
ORDINARIO
EMERGENZA
FERMATA GENERALE DI STABILIMENTO

- CARBONATO DI P...
- CLORURO FERRIC...
- CICLO SALAMOIA
- ACIDO CLORIDRICO
- IPOSODIO
- IMPIANTO 3FC
- CARICO PRODOTTI
- POTASSA A SCAG...
- CLORURO FERRO...
- TAS
- CLORO PARAFFINA
- PRODUZIONE VA...
- SERVIZI
- CICLO POTASSA ...
- CICLO SALAMOIA...



Maintenance Intelligence

TOP

Dashboard Other Features



Additional Properties from Edit Dashboard

- **Embedding Dashboards into**
  - a Dashboard
  - third Party Web Page
- **Header** or not
- **Footer** or not
- **Responsive** or not
- **Size**: any
- **Background** Image: any
- Add / change Screenshot (**Thumbnails**)
- **Menu** on left upper corner or not



Exmaple of Dashboard without header

- To embed a dashboard without the header you can use the command
  - https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzMxNw==&embedPolicy=auto
  - embedPolicy can be: auto | manual
- Then:
  - header will be hiddend
  - footer will be reduced to the logo only, centered in the view

Dashboard Embedding into third party Web Sites/pages

Dashboard Embedding

- go in Dashboard Edit
  - Get code for embedding
  - Providing domain on which you embed
  - See Iframe preview
- **Dashboard properties**
  - we suggest set Responsive
  - deciding on header On Off
  - Adjust size of Iframe and dashboard for tuning



TOP

Dashboards Listing, Managing, Sharing, Delegation

Dashboard List and Editor



Dashboard Listing and Features





- Edit (open Dashboard Builder)
- Management (see later)
- Clone (clone the Dashboard)
- Delete (delete the Dashboard)
- (add Thumbnail is inside Edit, as snapshot)

Clone Dashboard

- Cloned: Same dash with title having «- Cloned» at the end
  - You can: Clone, change name, pass to your colleague, edit, etc.
- Be carefull that exploited resources are not cloned

Dashboard Management

- Change Ownership
  - Towards any user
  - Knowing the nickname



- Visibility
  - Public or Private
  - please note that data has to be published as well to make them accessible

Dashboard Management

- Delegation access to other users
  - See next example



- Delegation Access to other Groups [Higher roles cross Organization]
  - See next example



Monitoring Dashboard Usage

- **Key Performance Indicators**
  - Number of Accesses
  - Minutes of exposition
- **Time Periods:**
  - Day by Day
  - Week by Week
  - Month by Month
  - 6 months by 6 months
  - Year by Year



TOP

Smart Applications via Dashboard Management



Smart Application

- **For each Dashboard** (Nane, ID, ORG, Users, etc..)
  - W widgets
    - For each Widget
      - Name,
      - A data (1 …N)
  - I IoT Applications
    - ….
- **Thus:**
  - Different Dashboards may share the same data
  - Different Widgets in different Dashboards may share the same data…
  - Critical courses,….. More relevant data….
- **Access from Dashboard Management**



Dashboard Management: Graph of Smart Application







Show Endpoints | Show User Status | Show Relations



TOP

Data Type Management GDPR Compliant



EU GDPR COMPLIANT



GDPR: General Data Protection Regulation

Users may decide to:

- provide access to who, for do what, until when consented
- accept terms of use by **signed** consent **for** data management **service**

- Correctness
- Transparency
- Security
- Integrity
- Privacy
- Auditing
- …

From each service, the user is capable to:

- **See** what we collect in terms of Data Type: traces, logs, paths, profiles, accesses, IOT devices, sensors, maps, etc.
- **Download**, **delete**, **inspect** Data
- **Auditing** and **Revoke access** or **grant** access right to each **single Data**
- **Delete all Data in single shot** or singularly (**forget all about me**)

GDPR: General Data Protection Regulation

If personal data are **published by the owner:**

- the data are **released anonymously**,
  → also in this case they can be **revoked at any time**:

Snap4City is also compliant to GDPR **Technical Constraints** as it:

- **Performs Secure connections** in any private data exchange
- **Encrypts** data store for all private data
- **Decouples** data and personal IDs
- **Audits** private data usage



GDPR Compliant



My Personal Data Types

View | Edit | Track | Access control | Convert

This page allows you to access at your Data Types, which are your personal data that we c
most cases, a specific tool and view is provided to manage them.

- My profile data and Blogs
  - to manage your user profile data (name, email,): view, edit, delete
- My Personal Statistics and Bounds: daily or Monthly
  - to access at your statistics about the data access and volume of resources use
    that may depend on the Organization at which one belong and on the role in
- My Personal Data, My KPI and My POI
  - to manage your personal MyKPI, MyPOI and trajectories, if any: view, edit, dele
- My Personal Engagement
  - to manage your personal engagements recevied on the Mobile Apps, auditing
- My IOT Devices
  - to manage your IOT Devices in which it is possible to: edit, delete, make public
- My IOT Applications
  - to manage your IOT Applications in which it is possible to: delete, restart, char
- My Dashboards
  - to manage your Dashboards in which it is possible to: edit, delete, change owr
- My IOT sensor data service URI (for programmers)
  - to manage the Delegations to access at the ServiceURI of the knowledge base
- My IOT sensor data service GraphID (for programmers)
  - to manage the Delegations to access at the a Graph (data set) of the knowled
- My personal data by IOT App (partially deprecated)
  - to manage your MyPersonal Data, if any: view, edit, delete, delegation in acces
- My Annotation data
  - to manage the Delegation to access at the Annotations: delegation in access,
- Auditing Access to My Data
  - to audit the accesses to MyData

Manage Profile and MyPersonalData

For each Data Type:

- Start as private → making them public (anonymous) and revoke
- The Owner is the only one that can: (1) modify values; (2) change the ownership
- Define/revoke Delegation to Access
- Delete/forget per Data Type and “me all”!
- Auditing

GDPR vs Snap4City

GDPR Compliance Verification Features	Verif.	Reqs.
Signed consent	UI	R8
User profile management and control	UI	R13
Data Type private as default	UI	R8
Rights to access per element	UI	R9
Rights to transfer per element	UI	R10
Rights to erase per element and total	UI	R13
Rights to revoke/change per Data Type	UI	R10
An interface for Right management for Data Type	UI	R9
Clear Terms of Use and Privacy Policy	UI	--
Auditing Tools for Data Type	UI	R14
Publish as Anonymous	UI	R9
Encrypt personal users' data	Code	R12
Secure Authentication and Authorization	Code	R3
Data protection by Design	Code	R17
Secure connection	Code	R6
Security Control, data breach control, anonymization, etc.	PEN Test	R15, R16, R18

Details on the paper cited in the following slide

UNIVERSITÀ DEGLI STUDI FIRENZE | DINFO DIPARTIMENTO DI INGEGNERIA DELL'INFORMAZIONE | DISIT DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB

IEEE Access

- C. Badii, P. Bellini, A. Difino, P. Nesi, "Smart City IoT Platform Respecting GDPR Privacy and Security Aspects", accepted for publication on IEEE Access, 2020. 10.1109/ACCESS.2020.2968741 https://ieeexplore.ieee.org/stamp/stamp.jsp?tp=&arnumber=8966344



IEEE Access

Received January 7, 2020, accepted January 19, 2020, date of publication January 22, 2020, date of current version February 6, 2020.

Digital Object Identifier 10.1109/ACCESS.2020.2968741

Smart City IoT Platform Respecting GDPR Privacy and Security Aspects

CLAUDIO BADII, PIERFRANCESCO BELLINI, ANGELO DIFINO, AND PAOLO NESI, (Member, IEEE)

Department of Information Engineering, University of Florence, 50121 Florence, Italy

Corresponding author: Paolo Nesi (paolo.nesi@unifi.it)

This work was supported in part by the European Union's Horizon 2020 Research and Innovation Program under Agreement 688196.

ABSTRACT The Internet of Things (IoT) paradigm enables computation and communication among tools that everyone uses daily. The vastness and heterogeneity of devices and their composition offer innovative services and scenarios that require a new challenging vision in interoperability, security and data management. Many IoT frameworks and platforms claimed to have solved these issues, aggregating different sources of information, combining their data flows in new innovative services, providing security robustness with respect to vulnerability and respecting the GDPR (General Data Protection Regulation) of the European Commission. Due to the potentially very sensible nature of some of these data, privacy and security aspects have to be taken into account by design and by default. In addition, an end-to-end secure solution has to guarantee a secure environment at the final users for their personal data, in transit and storage, which have to remain under their full control. In this paper, the Snap4City architecture and its security solutions that also respect the GDPR are presented. The Snap4City solution addresses the full stack security, ranging from IoT Devices, IoT Edge on premises, IoT Applications on the cloud and on premises, Data Analytics, and Dashboarding, presenting a number of integrated security solutions that go beyond the state of the art, as shown in the platform comparison. The stress test also included the adoption of penetrations tests verifying the robustness of the solution with respect to a large number of potential vulnerability aspects. The stress security assessments have been performed in a piloting period with more than 1200 registered users, thousands of processes per day, and more than 1.8 million of complex data ingested per day, in large cities such as Antwerp, Helsinki and the entire Tuscany region. Snap4City is a solution produced in response to a research challenge launched by the Select4Cities H2020 research and development project of the European Commission. Select4Cities identified a large number of requirements for modern Smart Cities that support IoT/IoE (Internet of Things/Everything) in the hands of public administrations and Living Labs, and selected a number of solutions. Consequently, at the end of the process after 3 years of work, Snap4City has been identified as the winning solution.

INDEX TERMS End-2-end, GDPR, IoT, security, smart city.

I. INTRODUCTION

IoT (Internet of Thing) is becoming a disruptive technology, especially for city users of metropolitan areas. The pervasiveness of IoT Devices, integrated in common objects, is becoming increasingly deeper. The addresses' space for these devices would be enough to point any sensors of any devices at any moment without restrictions. Diffuse products that implement *Low-Power Wide Area Networks* (LPWAN) technologies for IoT introduced by SigFox and Semtech (LoRa, Long Range) have been gaining interest and have been under intense deployment campaigns worldwide [1]. At the same time, *short range* IoT devices (based on technologies such as IEEE 802.15.4 or Bluetooth Low Energy, BLE, [2]) are sold in increasing quantities and are already able to support scenarios for smart homes, energy metering and industrial automation. On the other hand, the start of the diffusion of *5G devices* and services is creating high expectations in networking IoT technologies, as the killer application of previous technologies in metropolitan areas.

The associate editor coordinating the review of this manuscript and approving it for publication was Adnan M. Abu-Mahfouz.

This work is licensed under a Creative Commons Attribution 4.0 License. For more information, see http://creativecommons.org/licenses/by/4.0/

Personal Data Management, GDPR compliant: POI, Data, KPI

Managing Personal: KPI, Data, POIs

Which can be:

- **Acquired from any source:** SQL, SPARQL, API, etc., ODBC, JDBC, etc.
- **Computed** by means of IOT App, Data Analytics, ETL
- **Stored/retrieved** into personal safe or general storage
- **Edited** from tool, or from IOT App
- **Added** Manually or Automatically
- **Shown via Dashboard**



Smart Bench Data Delegation





Management of MyKPI, MyPOI, …





Recalling Exercize number 3



Accessing Multiple Trajectories





You can revoke at any instant from Web and mobile App



MicroApplications: several new





- Personal POI, KPI, Trajectories/trips

Advanced GDPR Aspects

- Snap4City has a model for Group of Smart City Entities that can be:
  - IOT Devices/sensors, My Data, MyKPI, Dashboards, MyPOI, …
- The user can create its own Groups
  - Each Group may contain a number of Smart City Entities
- This allows to delegate in access a complete Scenario with one delegation only. For example:
  - An user registered a set of device of an industrial plant with a 200 variables, some of them Sensors other KPI,
  - The user has also realized 10 Dashboards showing those data and some results from IOT Apps as well
  - The user can group these entities in a GROUP: for example Plant56.
  - Thus the user can delegate in access data of different kinds and Dashboards at a person producing a unique delegation action instead of performing a delegation for each entities that in this case could be hundreds. The same for revoking the access to that user.
  - This will avoid the user to remember all dependencies of a scenario, since they will be all listed. In the future these dependencies could be estimated automatically

Dashboard GDPR Management

Details for Main Data Kinds

- **My Personal Data, My KPI and My POI**
  - to manage your personal MyKPI, MyPOI and trajectories, if any: view, edit, delete, delegation in access, revoke delegation, make public, change ownership
- **My Personal Engagement**
  - to manage your personal engagements received on the Mobile Apps, auditing, if any: view, delete
- **My IOT Devices**
  - to manage your IOT Devices in which it is possible to: edit, delete, make public, delegate in access, revoke delegation, change ownership
- **My IOT Applications**
  - to manage your IOT Applications in which it is possible to: delete, restart, change ownership.
- **My Dashboards**
  - to manage your Dashboards in which it is possible to: edit, delete, change ownership, delegate in access, revoke delegation, see list of delegations, make public.

Smart Bench

Sat 22 Jun 15:45:23



Example: Delegated Dashboard but not all data



Dashboard Delegation



TOP

DevDash: My Data Dashboard based on Kibana and customization

DevDash: My Data Dashboard Kibana





kibana

SNAP4CITY

Business Analysis Dashboards For all kind of users: DevDash

- Dynamic Filtering, Adaptable, …
- Full data details, drill down,…
- Synergic with **Data Inspector** which addresses data relationships, processing and information
- **Only Your Data for**
  - Manager and Area Managers
- **All Accessible Data for**
  - ToolAdmin and RootAdmin



SNAP4CITY

KM4CITY

- Multi faceted Search by
  - Devices
  - Organization
  - Drill on Time
  - Drill on Map
  - Value Types
  - Data Type
  - Value name
  - Data table
  - Etc.

kibana

- Respect Privacy and GDPR


VALUE_TYPE, DATA_TYPE
SRC, DEVICENAME
DEVICENAME, VALUE_NAME, VALUE_TYPE
VALUE_TYPE, VALUE_UNIT, VALUE_STR
field value
value_type timestamp 122,418 (22.9%)
data_type time 122,418 (100%)
field value
value_type timestamp 122,418 (33.17%)
value_unit s 120,070 (98.08%)
value_str 2020-12-15T07:44:32.000Z 8 (2.49%)
SMARTCITYMAP-v1
Count of sensors
5 – 16,298.25
16,298.25 – 32,591.5
32,591.5 – 48,884.75
48,884.75 – 65,178
© OpenStreetMap contributors

My Data Dashboard Customization

- My Data Dashboards (for Developers and for Managers) can be customized by RootAdmin.
  - Authority for Customizzation can be also extended to other role on Premise solutions
- Customizations is based on Full editing Capabilities of OpenDistro (Kibana Elastic Search 7.1), and with multiple indexes of Snap4City



TOP



Acknowledgements

DISIT lab roadmap vs model and tools' usage

2013
Km4City Ontology 1.1

- Tuscany, Road Graph
- Mobility
- culture, tourism
- Events
- Parking
- Services
- Linked open graph

2014
- Weather Forecast
- Real Time Wi-Fi
- Entertainment
- LOD

- Twitter Vigilance
- Social Media Analytics, Sentiment Analysis

Km4City 1.4

2015
Km4City 1.5

- Resilience Decision Support
- Smart First Aid
- User Behaviour Analysis, predictions
- Risk Analysis

ckan, resolute, H2020 (2015-18)

2016
(2016-21) H2020 REPLICATE

Km4City 1.6.4

- Smart Energy
- Sustainable Mobility
- Control Room
- Dashboard

Km4City 1.6.2

Sii-Mobility (2016-21) MIUR

SII-MOBILITY SCN

- Infomobility
- Mobile App
- Routing
- Multimodality

FIWARE

Km4City 1.5

- Resilience Decision Support
- Smart First Aid
- User Behaviour Analysis, predictions
- Risk Analysis

2017
Sii-Mobility

- Origin-Destination and trajectories
- Traffic Reconstruction
- Offer Analysis
- OBU, smart devices

E0I5 digital ecosystem (Powered by EXPO MILANO 2015)

(2016-19) MIUR GHOST SIR

- Sardinia Region Smart City Strategies and plan

GREEN IMPACT C.A.P.A.C.I.T.Y.

GREEN IMPACT
POR FESR 2014-2020

- Industry 4.0
- Critical Plant
- Monitoring

- IOT/IOE, IOT App
- Living Lab
- Maker Support
- IOT Edge
- Smart City IOT
- GDPR,
- Privacy & Security

life weee (2017-20)

- Smart Waste

2018
MOSAiC Mobility 4.0 for SmArt (i) City (2018-20)

- Mobility Demand / Offer Analytics and Strategy

Sii-Mobility

- User engagement
- Bike Sharing
- Data Analytics ++
- Social Predictions
- OBD2

IOT/IOE

Km4City 1.6.6

Node-RED

SNAP4CITY SELECT for Cities H2020 (2017-19)

2019
5G (2018-21)

- 5G tech
- Energy
- Industry 4.0
- Synoptics

TRAFAIR CEF (2018-21)

- Traffic and Mobility Impact on Pollution
- NOX predictions

EUROPEAN OPEN SCIENCE CLOUD

SIRIUS

LAID Smart Bed

- Smart Health

GREEN FIELD PEAS Soda4.0 Optimization and Automated Decision System 4.0

- Industry 4.0

bee smart city

- Smart Lonato

Reverberi Enetec Gruppo MPES

SNAP4CITY

Winner of Select4Cities PCP

SNAP4CITY roadmap

SODA

2020

JRC EUROPEAN COMMISSION

Interreg Mediterranean HERIT-DATA

- Smart Tourism
- 6 Pilots
- Data Analytics
- Extended platform

Interreg MARITTIMO-IT FR-MARITIME MOBI MART

- Smart Mobility
- PISA, PUMS
- Living lab

2021

JRC EUROPEAN COMMISSION

PC4City (2020-21)
Monitoring Terrain

Winner of Open Data Challenge of enel x

CAPELON

- Smart Light
- Sweden

Km4City 1.6.7

enel x
Contract

Smart Ambulance (2021-22)

Enterprise (2021-22)
Industry 4.0

Almafluida
Industry 4.0
(2021-22)

AMPERE (2021-22)
Industry 4.0

SYN-RG-AI
SmartCity

Smartea

IMPETUS
Security and Risk

ITALFERR
GRUPPO FERROVIE DELLO STATO ITALIANE
Smart City

ASYMMETRICA URBAN TECHNOLOGY
Smart City

enel x
Contract

2022

AXIS COMMUNICATIONS
SmartCity

uni.systems
SmartCity

GRUPPO PRETTO
Industry 4.0

Coverage 2022

Main Organizations/areas

- Antwerp area (Be)
- Bologna (I)
- Capelon (Sweden: Västerås, Eskilstuna, Karlstad)
- DISIT demo (multiple)
- Dubrovnik, Croatia
- Firenze area (I)
- Garda Lake area (I)
- Greece (Gr)
- Helsinki area (Fin)
- Livorno area (I)
- Lonato del Garda (I)
- Modena (I)
- Mostar, Bosnia-Herzegovina
- Oslo & Padova (Impetus)
- Pisa area (I)
- Pistoia (I)
- Pont du Gard, Occitanie (Fr)
- Prato (I)
- Roma (I)
- Santiago de Compostela (S)
- Sardegna Region (I)
- Siena (I)
- SmartBed (multiple)
- Toscana Region (I), SM
- Valencia (S)
- Venezia area (I)
- WestGreece area (Gr)



Overview



Snap4City Platform

Technical Overview

From: DINFO dept of University of Florence, with its
DISIT Lab, Https://www.disit.org with its Snap4City solution

Snap4City:

- Web page: Https://www.snap4city.org
- https://twitter.com/snap4city
- https://www.facebook.com/snap4city

Contact Person: Paolo Nesi, Paolo.nesi@unifi.it

- Phone: +39-335-5668674
- Linkedin: https://www.linkedin.com/in/paolo-nesi-849ba51/
- Twitter: https://twitter.com/paolonesi
- FaceBook: https://www.facebook.com/paolo.nesi2

Access Level: Public.

Date: 05-04-2021

Version: 5.3

1

- https://www.snap4city.org/drupal/sites/default/files/files/Snap4City-PlatformOverview.pdf

UNIVERSITÀ DEGLI STUDI FIRENZE | DINFO DIPARTIMENTO DI INGEGNERIA DELL'INFORMAZIONE | DISIT DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB

Main running instances (11/21)

- Sii-Mobility → mobility and transport, sustainability
- REPLICATE → ICT, smart City Control room, Energy, IOT
- RESOLUTE → Resilience, ICT, Big Data
- GHOST → Strategies, smart city
- TRAFAIR → Environment & transport
- MOSAIC → mobility and transport
- WEEE Life → Smart waste, environment
- Smart Garda Lake → Castelnuovo del Garda, SMARTEA
- 5G → Industry 4.0 vs SmartCity
- Green Impact → Industry 4.0, Chemical Plant, control and plan
- SmartBed (Laid) → smart health
- Green Field Peas (Soda) → Industry 4.0, Chemical plant
- MobiMart and PISA Agreement → data aggregation, mobility and transport, Living Lab
- Lonato del Garda → smart parking, environment
- Herit Data → tourism, culture and management
- ISPRA JRC → site management and services
- Capelon (Sweden) → smart light solutions
- PC4City → land slide monitoring and predictions
- Italmatic → industry 4.0 production control

Acknowledgements

- Thanks to the European Commission for founding. All slides reporting logo of **Snap4City** https://www.snap4city.org **of Select4Cities H2020** are representing tools and research founded by European Commission for the **Select4Cities** project. **Select4Cities** has received funding from the European Research Council (ERC) under the European Union's Horizon 2020 research and innovation Programme (grant agreement n° 688196)
- **TRAFAIR is a CEF** project. All slides reporting logo of TRAFAIR project are representing tools and research founded by the EC on CEF programme http://trafair.eu/
- Thanks to the European Commission for founding. All slides reporting logo of **REPLICATE H2020** are representing tools and research founded by European Commission for the REPLICATE project. **REPLICATE** has received funding from the European Research Council (ERC) under the European Union's Horizon 2020 research and innovation Programme (grant agreement n° 691735).
- Thanks to the European Commission for founding. All slides reporting logo of **RESOLUTE H2020** are representing tools and research founded by European Commission for the RESOLUTE project. **RESOLUTE** has received funding from the European Research Council (ERC) under the European Union's Horizon 2020 research and innovation Programme (grant agreement n° 653460).
- Thanks to the MIUR for co-founding and to the University of Florence and companies involved. All slides reporting logo of **Sii-Mobility** are representing tools and research founded by MIUR for the Sii-Mobility SCN MIUR project.
- **Km4City** *is an open technology and research line of DISIT Lab exploited by a number of projects. Some of the innovative solutions and research issues developed into projects are also compliant and contributing to the Km4City approach and thus are released as open sources and are interoperable, scalable, modular, standard compliant, etc.*

https://www.snap4city.org/577

On Line Training Material (free of charge)

	1st part (*)	2nd part (*)	3rd part (*)	4th part (*)	5th part (*)	6th part (*)	7th part (*)
what	General	Dashboards	IOT App, IOT Network	Data Analytics	Data Ingestion processes	System and Deploy Install	Smart City API: Web & Mob. App
PDF							
Inter active							
Video1							
Video2							
Video3							
Video4				none		none	none
duration	2:55	3:16	3:41	2:00	2:48	2:35	1:47

TOP

SNAP4CITY

KM 4 CITY

Be smart in a SNAP!

SNAP4
Appliances and Dockers
Installations

CONTACT

DISIT Lab, DINFO: Department of Information Engineering
Università degli Studi di Firenze - School of Engineering

Via S. Marta, 3 - 50139 Firenze, ITALY
https://www.disit.org

www.snap4city.org

Email: snap4city@disit.org

Office: +39-055-2758-515 / 517
Cell: +39-335-566-86-74
Fax.: +39-055-2758570

UNIVERSITÀ DEGLI STUDI FIRENZE | DINFO DIPARTIMENTO DI INGEGNERIA DELL'INFORMAZIONE | DISIT DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB