































DASHBOARDS AND APPS - CONTROL ROOMS - DECISION SUPPORT SYSTEMS - WHAT-IF ANALYSIS



EXPERT SYSTEM KNOWLEDGE BASE STORAGE



BIG DATA ANALYTICS ARTIFICIAL INTELLIGENCE BUSINESS INTELLIGENCE MACHINE LEARNING



DATA FLOWS, WORKFLOWS MICROSERVICES MANAGEMENT



METHODOLOGIES COURSES AND COMMUNITY LIVING LABS DEVELOPMENT TOOLS









Snap4City/Industry structure

- The Snap4xxxx solution is released in Open Source, VM and Docker with fully support of MultiTenacy/multiple-Organizations
 - Each Organization may be configured for a separate environment with a set of Maps, Menus, Users, Data, Dashboards, IOT Applications, MicroApplications, Custom Widgets, etc.
- Https://www.Snap4City.ORG is the main instance of Snap4xxxx solution managed by DISIT Lab. The main documentation is located and updated on Snap4City.org and GitHUB and dockerHub and Node-Red Library. Snap4City.org is where the last tools are tested and news published.
 - Organizations on Snap4City.org have been created with contracts as for Platform as a Service, for testing and for providing SmartCity as a Service or Industry 4.0 as a Service








Coverage 2020



Main Organizations/areas

- Antwerp area (Be)
- Capelon (Sweden: Västerås, Eskilstuna, Karlstad)
- DISIT demo (multiple)
- Dubrovnik, Croatia
- Firenze area (I)
- Garda Lake area (I)
- Helsinki area (Fin)
- Livorno area (I)
- Lonato del Garda (I)
- Modena (I)
- Mostar, Bosnia-Herzegovina
- Pisa area (I)
- Pont du Gard, Occitanie (Fr)
- <u>Roma</u> (I)
- Santiago de Compostela (S)
- Sardegna Region (I)
- SmartBed (multiple)
- Toscana Region (I), SM
- Valencia (S)
- Venezia area (I)
- WestGreece area (Gr)










Snap4City/Industry Community

- Most of Organizations on Snap4City.org also correspond to companies or institutions that have an installation of Snap4City tools on their Premise,
 - such as: Pisa, SmartGarda Lake, Snap4, ALTAIR, etc.
- This double way allows them to:
 - test the news,
 - share experiences with other groups,
 - get visibility,
 - work in the collaborative environment, and
 - be better supported by Snap4City.org and DISIT Lab personnel.
- Each instance of Snap4xxxx solution *can decide to join the federation* of SmartCity API to exploit shared data.
 - This allows to exploit regional data for city installations applications (web, mobile, dashboards, etc.) without reloading them for example.

Main Organizations/areas

- Antwerp area (Be)
- Capelon (Sweden: Västerås, Eskilstuna, Karlstad)
- DISIT demo (multiple)
- Dubrovnik, Croatia
- · Firenze area (I)
- Garda Lake area (I)
- · Helsinki area (Fin)
- · Livorno area (I)
- Lonato del Garda (I)
- Modena (I)
- Mostar, Bosnia-Herzegovina
- Pisa area (I)
- Pont du Gard, Occitanie (Fr)
- Roma (I)
- Santiago de Compostela (S)
- Sardegna Region (I)
- SmartBed (multiple)
- Toscana Region (I), SM
- Valencia (S)
- Venezia area (I)
- WestGreece area (Gr)

Snap4City (C), October 2020














- Register on <u>WWW.snap4city.org</u>
 - Subscribe on DISIT Organization
- You can:
 - Access on basic Tools
 - Access to a large volume of Data
 - Create Dashboards
 - Create IOT Applications
 - Connect your IOT Devices
 - Exploit Tutorials and Demonstrations



IF you need to go more in deep you can ask us to pass at the next Role becoming full AreaManager with full rights of development, also for Data Analytics, machine learning, etc.

https://www.snap4city.org/577



On Line Training Material (free of charge)

	1st part (*)	2nd part (*)	3rd part (*)	4th part (*)	5th part (*)	6th part (*)	7th part (*)
what	General	Dashboards	IOT App, IOT Network	Data Analytics	Data Ingestion processes	System and Deploy Install	Smart City API: Web & Mob. App
PDF	CAMANAGE STATE OF THE STATE OF	COMMANDE OF STREET	C'SMAPACIT COMMAND TO BE AFT TO BE A	C SNAP4 or	CONAL ACTY CONTROL OF THE PROPERTY OF THE PROP	CESNAS-Acre Comment to a DELAN COMMENT	C SMAP4 or Employed to a SMAP of the SMAP SMAP SMAP SMAP SMAP SMAP SMAP SMAP
Inter active	C SNAP4ory State of S	CONAINON EMPLOY	C'SMAPACITY COMMITTED TO STORY COMMITTED TO	CAMADAGON CONTROL OF THE STATE	COMANACION COMPANIA DE LA COMPANIA DEL COMPANIA DE LA COMPANIA DEL COM	CSHAP4ors Establishment of the Control of the Contr	C SMAP GOT TO THE STATE OF THE
Videol	You	You Tube	You Tube	You Tube	You Tube	You	You
Video2	Y	You	You	You	You	You	You
Video3	You	You Tube	You	You Tube	You Tube	Tube	You Tube
Video4		You Tube	You	none	You Tube	none	none
duration	2:55	3:16	3:41	2:00	2:48	2:35	1:47










- Architecture of Snap4Industry
 - Creation of Dashboards and Applications
 - Dashboards' Intelligence on Web and Mobile Devices
 - IOT Applications: virtual sensors and actuators
 - IOT Applications integration with Synoptics
- Data Gathering and Knowledge Management 4.0
- IOT Devices and IOT Applications
 - IOT Application vs IOT Edge Devices
 - Managing IOT Applications
 - Remote Control of IOT Applications on IOT Edge Devices
 - Secure IOT Devices, IOT Edge Sensor and Dev Networking
- Integration with Ticketing System Workflows
 - Managing Maintenance, predictive maintenance, anomaly detection
- Data Analytics, Big Data Science
 - Anomaly detection
- Living Lab for Collaborative Work
- Roadmap and Projects
- Acknowledgements

SCALABLE SMART ANALYTIC APPLICATION BUILDER FOR SENTIENT SNAP4INDUSTRY












Industry 4.0



- Big Data
- Cloud Computing
- Cybersecurity
- IOT/IOE
- System Integration
- Simulation
- Data Analytics





Objective



- Industry
 - Integration of SCADA (Supervisory control and data acquisition), DCS (Distributed Control Systems), RTU (remote terminal units)
 concepts
 - Industry 4.0 protocols
- IOT:
 - Abstraction of IOT Devices (Edge) on IOT Directory and IOT App
 - High integration with IOT Networks and IOT Directory for IOT net abstraction
 - Usage of Node-RED as IOT Edge, controllable/editable from remote
- Scalability
 - Big Data: MicroServices for data access and retrieval, discovery
 - Cloud Management on dockers and scalability
- Secure connection for Data and Dashboards: SSO, TLS
 - Privacy with GDPR compliance
- Exploitation of Data Analytic on Edge and Cloud, from Edge and Cloud
- Synoptics via Secure WebSockets, custom widgets






https://www.snap4city.org/369








Fleet management





IoT Broker

SECURE

Internet








Control and Supervision on Multiple Supply Chains **Industry 4.0 as a Service**



IOT Devices



Snap4 Services also on IOT Edge!!!



Mainly fog computing and NGSI V1, V2 with security














Snap4City, Snap4Industry Architecture, V2















Standards and Interoperability

Compliant with: AMQP, COAP, MQTT, OneM2M, HTTP, HTTPS, TLS, Rest Call, SMTP, TCP, UDP, NGSI, LoRa, LoRaWan, TheThingsNetwork, SigFOX, DATEX II, SOAP, WSDL, Twitter, FaceBook, Telegram, SMS, OLAP, MySQL, Mongo, HBASE, SOLR, SPARQL, EMAIL, FTP, FTPS, WebSocket, WebSocket Secure, ModBUS, OPC, GML, RS485, RS232, WFS, WMS, ODBC, JDBC, Elastic Search, Phoenix, XML, JSON, CSV, db, GeoJSON, Enfuser FMI, Android, Raspberry Pi, Local File System, ESP32, Libelium, IBIMET/IBE, OBD2, SVG, XLS, XLSX, TXT, HTML, CSS, KNX, Enocean, Zigbee, DALI, ISEMC, Alexa, Sonoff, HUE Philips, Tplink, BACnet, TALQ, Copernicus, Protocol Buffer, IFC, XPDL, etc.







































Alexa: Voice Commands

WiFi

Snap4Industry by Snap4City (C), May 2021





Snap4Altair Decision Support supervision and control, Industry 4.0








Multiple Domain Data

• Distributed Control System: energy, flows, storage,

chemical data, settings, ...

- Cost of energy, Orders,
- Production Parameters
- Maintenance data
- Multiple Levels & Decision Makers
 - Optimized planning on chemical model
 - Business Intelligence on Maintenance data
- Historical and Real Time data
 - Billions of Data
- Services Exploited on:
 - Multiple Levels, Mobile Apps, API

Since 2020






















Snap4Industry IOT Architecture












Optimized Production Planner



Fri 23 Oct 18:57:41

Home Optimized Production Planner



Home
DCS Real Time VS Planning
DCS Real Time Giornaliero
DCS Real Time Settimanale
DCS Marce Giornaliero
DCS Marce Settimanale
DCS Stoccaggi Giornaliero
DCS Stoccaggi

Settimanale








Business Logic












Some Flows







Altair Control room
























orkflow for Ticket management




Dashboards and actions




IOT App, Data event firing, event detection and firing Critical event management




































BIM view of the Altair Chemical Plant








GIDA set up






Smart City data from many sources








5G network devices

Telemonitoring Telecontrol



GESTIONE

IMPIANTI **DEPURAZIONE** ACQUE S.p.A.












Demo UC5 GIDA




















Demo UC5 GIDA



























TOP

IOT App Smart Industry 4.0 ModBus Integration










USB -- ModBus

Devices





- A large range of devices: sensors and actuators
- Over serial as RS485 and/or IP









































modbus-io-config











DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB

Modbus













TOP

10T App vs Smart Home Snap4Home





https://www.snap4city.org/620




Snap4Industry by Snap4City (C), May 2021

Snap4Home



Historical Data, Remote Control, Mobile App












Example: IOT App on Snap4Home








DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB

Snap4Home









DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB

Snap4Home







Motion Control / Alarm



TP Link plugs: meter





Alexa: Voice Control












5G gateway


SNAP4 CITY

IOT Edge:

Raspberry
pi:
Node-RED
+
Snap4City
MicroServ
ice
Library

Environmental
Contextual data
from the city.
Historical Data,
Remote
Control, Mobile
App





52










Snap4Home 5G Demo

LUCE


Thu 11 Jun 18:07:32

Gio 11 Giu



Altitudine









Privacy Policy

Terms and Conditions

Contact us









Alexa Lampada

lampada


No alarm
























ustry by Snap4City (C), I









TOP

Business Intelligence Via My Data Dash Elastic Search + Kibana














DevDash: My Data Dashboard Kibana









Business Analysis Dashboards For all kind of users: DevDash

- Dynamic Filtering, Adaptable, ...
- Full data details, drill down,...
- Synergic with **Data Inspector** which addresses data relationships, processing and information
- Only Your Data for
 - Manager and Area Managers
- All Accessible Data for
 - ToolAdmin and RootAdmin





- Multi faceted Search by
 - Devices
 - Organization
 - Drill on Time
 - Drill on Map
 - Value Types
 - Data Type
 - Value name
 - Data table
 - Etc.



Respect Privacy and GDPR














My Data Dashboard Customization


- My Data Dashboards (for Developers and for Managers) can be customized by RootAdmin.
 - Authority for Customizzation can be also extended to other role on Premise solutions
- Customizations is based on Full editing Capabilities of Kibana Elastic Search 7, and with multiple indexes of Snap4City









Creation of Dashboards and Applications









https://main.snap4city.org/view/index.php?iddasboard=Nzc=





https://main.snap4city.org/view/index.php?iddasboard=NjQ=



https://main.snap4city.org/view/index.php?iddasboard=ODM=






DISIT DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB CUSTOM Widgets












MyKPI: Tracking of Devices and Mobiles • Real Time Trajectories for

- - Mobile Phone
 - **Moving IOT Devices**
 - **OBU**, Vehicular Kits
 - Multiple tracks
 - Day by day
- Micro Application






















IOE – Vehicle Monitoring





Tuscany in a **Snap Mobile** App on

Android






















Special Custom Widgets



- Smart Energy
- Smart Light
- Smart

Begin


Finish

- Energy View
- Custom Controls

Total clicks

17:00

4:00
















Dashboard Development
















Dashboard List and Editor











From Templates to Wizard and Dashboards

Dashboard template


Click on a template to choose it, click on it again to unselect it



Selector and POI Preset widget choice



MicroApp and services
Preset widget choice



My Private Data Manual widget choice



Selector, POI, trend Preset widget choice




Fully custom


Manual widget choice



Empty Dashboard Empty dashboard




Data and trends Preset widget choice



IOT devices
Manual widget choice



Events vs. map Manual widget choice




IOT applications
Manual widget choice

 to create a new Dashboard

 to add widgets and/or groups of them on any Dashboard Snan4City

Dashboards

Wizard












stom Widget / Synoptic Development Inkscape editor on your computer









IOT Applications




Knowledge and Storage Data from the Field and City









Create, save a Custom Widget in SVG



Create, save, load, delegate, grant access **Dashboard Editor**



Public Dashboard Collection

My Own Dash/App





4. Create on Dashboard a Widget based on Synoptic HLT such as Ext. Srv.:

Create and Load a Custom SVG

Make and Instance of Synoptic by

Associate Variables with MyKPI

Select/Reuse an SVG

https://www.snap4city.org/synoptic/v 2/synoptic.html?id=xxxx














How to create a custom Widget



User manual on: https://www.snap4city.org/595












Create, save a Custom Widget in SVG







List of Custom
Widgets / Synoptics



Dashboard Editing








My Light Bulb SVG - Cloned (WS2)

State of the State of t

Final Dashboard







select

Select MyKPI and Sensor Data for Synoptics cases



Instantiate as
Custom Widgets /
Synoptics
Connect with
WebSockets














From-To Custom Widgets / Synoptics to Storage in WS











Custom Widgets Templates







Dashboards summary and further readings

- Suitable as: City Dashboard, App interface, and Control Room Dashboards, Situation Room Dashboard, Operator Dashboard
- Created visually compounding graphic Widgets
 - Each widget can be set to have an autonomous update
 - Each metric/data-source may have associated with an alarm: blinking and sending events to people and machines in different manners
- Can be: public or private, private dash can be delegated or passed in ownership
- See https://main.snap4city.org/management/dashboards.php?linkId=dashboardsLink&fromSubmenu=false&sorts[title_header]=1
- See the following tutorials
 - HOW TO: create a Dashboard in Snap4City
 - HOW TO: add data sources to the Snap4City Platform
 - US1. Using City Dashboards
 - US2. Using and Creating Snap4City Applications with Dashboards
 - US4. Creating City Dashboards and related Event Monitoring and Actions



















IOT Devices



Snap4All **IOT Button** ESP, NGSI, Wi-FI, BT





Sensors/ **Actuators**





IOT Edge Devices


IOT Edge NodeRED: Raspberry Pi, NGSI, WiFi, RJ45,...

IOT Edge NodeRED: Android, LINUX, Windows, ...

LoraWan Gateway: IOT Edge, NGSI, WIFI, RJ45, GPS





















Dashboards' Intelligence on Web and Mobile Devices













Sentient Solutions


Dashboards with data driven IOT Applications enforcing intelligence












IOT Discovering





IOT Applications Development

MicroServices collections



ServiceMap Discovery










Dashboard Collection, Editor and Wizard

IOT App. Editor



Generating IOT App With Dashboard



Sharing/saving reusing IOT App.



Resource Manager



Snap4City

IOT Applications

User: roottooladmin1, Org: DISIT Role: RootAdmin, Level: 7


- Dashboards
- My Dashboards
- Notificator
- O IOT Applications
- My Personal Data
- ☐ IOT Directory and Devices ▼
- Knowledge and Maps ▼
- Micro Applications
- Data Set Manager: Data Gate
- Resource Manager: Process Loader 🔻
- Management ▼
- Settings 🔻
- User Management and Auditing ▼
- Documentation and Articles ▼
- My Profile ▼
- ☑ Snap4City portal
- ☑ Km4City portal
- ☑ DISIT Lab portal





Management





Prev 1 2 3 ... 9 Next







Filter

Q






















- **Data ingestion**: more than 70 protocols IOT and Industry 4.0, web Scraping, external services, any protocol database, etc.
- **Data access**: save/retrieve data, query search on expert system, georeverse solution, search on expert system Km4City ontology, etc.
- **Data Transformation/transcoding:** binary, hexadecimal, XML, JSON, String, any format
- **Integration**: CKAN, Web Scraping, FTP, Copernicus satellite, Twitter Vigilance, Workflow OpenMaint, Digital Twin BIMServer, any external service REST Call, etc.
- **Manipulation of complex data**: heatmaps, scenarios, typical time trend, multi series, calendar, maps, etc.
- Access to Smart City Entities and exploitation of Smart City Services: transport, parking, POI, KPI, personal data, scenarios, etc.
- **Data Analytic**: managing Python native, calling and scheduling Python/Rstudio containers as snap4city microservices (predictions, anomaly detection, statistics, etc.)
- **User interaction on Dashboard**: get data and message from the user interface, providing messages to the user (form, buttons, switches, animations, selector, maps, etc.)
- **Custom Widgets**: SVG, synoptics, animations, dynamic pins on maps, etc
- **Event management**: Telegram, Twitter, Facebook, SMS, WhatsApp, CAP, etc.
- **Hardware Specific Devices**: Raspberry Pi, Android, Philips, video wall management, etc.

Basic Node.js Blocks on NodeRed on our Advanced IOT Apps





+ on IOT Edge Raspberry





> time


DELL'INFORMAZIONE


DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB

April 2021 collection
Two Snap4City Libraries













◐

single bar

web content

April 2021 collection SNAP4city Node-RED













process



fiware orion

out v2(url syntax v1)



nap4Industry by Snap4City (C), May 2021

https://flows.nodered.or g/search?term=snap4city

We suggest also to install:







IOT Applications vs Dashboards

- **IOT Applications**, realized by using Node-RED and integrated with Snap4City Nodes/MicroServices block, can be behind dashboards to get data from them with Virtual Sensors and Actuators.
 - Dashboards may be connected to multiple IOT Applications and IOT devices
 - IOT Applications may be connected with multiple Dashboards and IOT devices
- A network of Dashboards, IOT Apps and IOT Devices and data is easily realized exchanging data via secure connections.
- Training Cases:
 - US2. Using and Creating Snap4City Applications with Dashboards
 - US9. Creating Snap4City IOT Applications, different formats, protocols, brokers, communications









TOP

IOT Application stressing Virtual Sensors Actuators concepts














Advanced Feature of Snap4City Dash Widgets

- Dashboard widgets can be classified in:
 - Virtual Sensors
 - Those that produce the data From IOT App on Dashboard
 - Virtual Actuators
 - Those that produce the data From Dashboard to IOT App
- impulse synoptic
- Virtual Sensors Actuators
 - Those that produce/receive the data From/to Dashboard to/from IOT App




TC9.18: Advanced Features of Sensors Actuators of Dashboards vs IOT App







DINFO DISTRIBUTED SYSTEMS AND INTERNET SECTION OF THE STRIBUTED SYSTEMS AND INTERNET SECTION OF THE SECTION OF





The SATEST Dash






Test SA and WS

Mon 27 Jul 13:54:33





Cookies Policy

Terms and Conditions
















DINFO DEGLI STUDI FIRENZE SENSORS ACTUATORS Allow to change the set up











TOP

IOT Application Integration with Synoptics












From-To Custom Widgets / Synoptics to Storage in WS

















Internet

Storage and IOT App on cloud or on Premise






























Case 2: Event Driven 100%



https://www.snap4city.org/dashboardSmartCity/vie
w/index.php?iddasboard=Mjc4NQ==

40 messages per second








Read more on

- TC9.19: Custom Widgets / Synoptics controlled by IOT Applications
- Custom Synoptics and Widgets for Dashboards
- Scenario: 5G Enabled Water Cleaning Control
- Snap4Industry: Snap4City for Industry 4.0
- TC1.22: Create and configure a Snap4City SVG Custom Widget for real-time interaction

SCALABLE SMART ANALYTIC APPLICATION BUILDER FOR SENTIENT SNAP4INDUSTRY















SNAP4INDUSTRY KM4 CITY

My Files

Open Data:

- Data gate, federation of Open **Data Portals**
- IOT App, ETL proc(PULL)
- **IOT Networks:**
 - IOT Application processes, data driven or PULL
 - IOT Brokers (Push) → IOT Shadow
- Web Pages:
 - Web scraping, crawling processes
- Satellite data
- Social media: Twitter, Facebook,...
 - Twitter Vigilance, IOT App
- **Mobile Apps**
 - Smart City API
- Files upload: CSV, Excel, etc.
 - IOT Applications, ETL
- REST API, WS, FTP, LD, LOD, etc.
 - IOT Applications, ETL
- Data base accesses
 - GIS: WFS, WMS
 - ETL, IOT Application










DISIT DISTRIBUTED SYSTEMS OT/IOE Protoco SSNAP4INDUSTRY



Communication Patterns



Broker Gateway

Discovery

Discover, register and "thrust" new devices on the network

Registration



Broker Gateway

Telemetry

Information Flows From device to another system for conveying status changes in the device

Push



Brokers Gateways

Inquiries
Requests from devices looking to gather required information or asking to initiate activities







Broker Gateway

Commands

Commands from other systems to a device or a group of devices to perform specific activities

Bulk action



Broker

Gateway

from other

systems to a

for conveying

the world

Notifications

Information flows

device or a group

status changes in

- **MQTT**
- HTTP(s)
- **AMQP**
- COAP
- NGSI
- OneM2M
- WebSockets

Etc.









https://www.snap4city.org/65





Standards and Interoperability

Compliant with: AMQP, COAP, MQTT, OneM2M, HTTP, HTTPS, TLS, Rest Call, SMTP, TCP, UDP, NGSI, LoRa, LoRaWan, TheThingsNetwork, SigFOX, DATEX II, SOAP, WSDL, Twitter, FaceBook, Telegram, SMS, OLAP, MySQL, Mongo, HBASE, SOLR, SPARQL, EMAIL, FTP, FTPS, WebSocket, WebSocket Secure, ModBUS, OPC, GML, RS485, RS232, WFS, WMS, ODBC, JDBC, Elastic Search, Phoenix, XML, JSON, CSV, db, GeoJSON, Enfuser FMI, Android, Raspberry Pi, Local File System, ESP32, Libelium, IBIMET/IBE, OBD2, SVG, XLS, XLSX, TXT, HTML, CSS, KNX, Enocean, Zigbee, DALI, ISEMC, Alexa, Sonoff, HUE Philips, Tplink, BACnet, TALQ, Copernicus, Protocol Buffer, IFC, XPDL, etc.



























Snap4Industry vs Formats

- Snap4City is capable to ingest and work with any format:
 - Data exchange: JSON, GeoJSON, XML, HTML, HTML5, DATEX, GTFS, binary, etc.
 - Table: CSV, XLSX, XLS, database, ...
 - Any archive file format: zip, rar, 7z, tgz, ...
 - Any **image** format: png, gif, tiff, ico, jpg, ...
 - Any video format: mp4, avi, mov, ...
- Search the format you need to cope on the search box of Snap4City portal!





IOT Device

IOT Device

IOT Device

IOT Device







https://www.snap4city.org/drupal/node/474





Case B2



SNAP4city

Case B1





i) Registered IOT Broker

on Snap4City

Case A1.2

a) Registered

IOT Device on Broker





Case A2

a) Registered
IOT Device on Broker

i) Registered IOT Broker on Snap

ii) Registered IOT Device on Snap





Protocols/formats

- Snap4City supports a large range of protocols for communicating with servers, services, IOT devices, legacy systems, GIS, etc., and format
- See also
 - Supported Protocols
 - High Levels IOT Protocols
 - TC9.2 Managing heterogeneous File Ingestion, protocols, formats via IOT applications, and open standards
 - US9. Creating Snap4City IOT Applications, different formats, protocols, brokers, communications
 - TC2.14 IOT Applications using multiple protocols, and formats for files
 Creating IOT Applications coping with heterogeneous data










Data Inspector










Data Inspector (open on your left side menu)

- Cross Filtering on the basis of:
 - MAP: pan and zoom → lock , center on GPS coordinates of the user
 - Data Source Classification:
 - faceted filtering
 - full text search

Click on data source to see it on map, and see the graphics representation, just to learn

how widgeting it.

- Selecting a Data Source on Map: on its Pin you can see:
 - Real time data
 - Time trend: 4 hours, 12 hours, 1 day, 1 week, 30 days.
 - Full status and description (only for Administrators)












Unified Data and Services Model/Classification







For examples

- HLT: MyKPI
- Nature: Industry and manufacturing
- Subnature: Chemical
- Value Type: Density percentage
- Value name: CloroParaffine
- Data Type: float mykpi
- Value Unit: %
- Last Date: 2019-02-25
- Last Value: 87.0
- Healthiness:
- Last Check: 2020-04-03 10:28:12
- Ownership: private
- Organization: Firenze

- HLT: Sensor
- Nature: From IOT Device to KB
- Subnature: IOT Sensor
- Value Type: Battery Level
- Value name: Irrigator fioriera Gag
- Data Type: float
- Value Unit: V
- Last Date: 2020-04-01 12:59:00
- Last Value: 5.18
- Healthiness:
- Last Check: 2020-04-03 03:28:12
- Ownership: public
- Organization: Firenze







How to Ingest



All of them can be shown on Dashboards, what about manipulate them!!!!

HLT, High Level Types++	GPS	Static	Dynamic	MacroCat	Single	Time Series	Trajectory	НТТР	How to ingest/change/manage
Complex Event (msg)	Yes	Yes	Yes	Yes	Yes	Yes			Dashboard, ETL, Special, IOT App
API (Ext. Srv., any prot.)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	ETL, Special, IOT App
External Service (web pag)		Yes						Yes	ETL, Special, IOT App, Web Scraper
KPI (metrics) data		Yes	Yes		Yes	Yes			Dashboard, IOT App, API, Metrics SQL calls
MicroApplication (webapp)		Yes						Yes	Dashboard, IOT App, API, FTP
Dashboard-IOT App (msg)		Yes	Yes		Yes	Yes			Dashboard, IOT App, API
My Personal Data		Yes	Yes		Yes	Yes			Dashboard, IOT App, UserInterf, API
MyKPI data	Yes	Yes	Yes		Yes	Yes	Yes		Dashboard, IOT App, UserInterf, API
MyPOI data	Yes	Yes		Yes	Yes				Dashboard, IOT App, UserInterf, API
Heatmap matrix	Yes	Yes	Yes		Yes	Yes			IOT App, MicroService, UserInterf, API
Sensor data	Yes	Yes	Yes	Yes	Yes	Yes			IOT Directory, IOT App, UserInterf, API
Sensor Actuator data	Yes	Yes	Yes	Yes	Yes	Yes			Dashboard, IOT App, UserInterf, API
POI (Point of Interest)	Yes	Yes		Yes	Yes				DataGate, ETL, IOT App, API
Special Widget (complex)		Yes	Yes		Yes	Yes		Yes	ETL, special, IOT App, API
Synoptics MyKPI (groups)		Yes	(Yes)		(Yes)	(Yes)		Yes	Special, API
Special Tools (functional)	(Yes)		(Yes)		(Yes)		(Yes)	Yes	As MyPersonalData
WFS/WMS (GIS data)	Yes	[yes]	[yes]					Yes	GIS tools, or GeoServer, IOT App





Legenda: How to ingest/change/manage

- Dashboard: by creating a Dashboard Widget that can act/change the values with actuators (2nd Day Slides)
- API: you can use the Smart City API to change / provide the values (see 3rd Day Slides)
- IOT App: by developing an IOT Application on Node-RED exploiting Snap4City MicroServices (4th Day Slide, and in part in these slides)
- DataGate: you can use the DataGate tool to ingest the data, and publish them
- ETL: by developing an ETL process, and put it in execution via DISCES
- IOT Directory: you can use the IOT Directory tool to change the parameters, and set up the ingestion process, via IOT Brokers, IOT Devices, IOT Edge.
- **Special**: by using a special tool for developing a process, or for creating SVG Synoptics
- **UserInterf**: there is a number of Tools with Graphic User Interface that you can use to change the values, see in the menu on the left.
- Web Scraper: by creating a Web Scraping process and exploiting the results into an IOT Application
- As MyPersonalData: they are substantialy MyPersonalData
- From third party tools: they can be manipulated by using third party tools









How the Dashboards exchange data

Snap4City BigData Storage and KB

IOT Broker Orion Quantum Leap

ServiceMap Super ServiceMap

Req. ServiceURI

Req. KPI, Metric ID

MyKPI, MyPOI, ...

Metric, KPI


Req. MyKPI ID

Traffic Flow, MAPS, Heatmaps

GIS, HTTPs URLs

API, External Services, MicroApp

- ServiceURI (ID)
- MyKPI, Metric (ID)
- Dynamic Data, computed into IOT Application
 - Rx. Dynamic Data
- **Event Driven Synoptics**
 - Actions, Show



Application





DISIT DYNAMIC (20214) SNAP4CITY KM4 CITY TECHNOLOGIES LAB





Widgets ICONS	Widget Name, Description	IOT App	Dashboard-IOT App	KPI (metric)	MyPersonalDa ta	MyDat a	My KPI	Sensor
XX	Single Content Single content	X (cs)	X (DD)	X	X	X	X	X
50	Speed Limit			Χ				X
	Speedometer speedo	X (cs)	X (DD)	X	X	X	X	X
	Gauge chart a	X (cs)	X (DD)	X	X	Χ	X	X
	Single Bar, V/H	Χ	X (DD)	X				
	Single and Multiple Bars, stacked or not Bar series	X (cs)	X (DD)	X	X	X	X	X
	MultiSeries, shaded, staked and non staked, TTT	X (cs)	X (DD)	X	X	X	X	X
8	Time Trend (single)	Χ	X (DD)	X	Χ	Χ	Χ	X
	Time trend Compare			X			X	X
	SpiderNet, radar, Kiviat	X (cs)	X (DD)	X	Χ	Χ	X	X
	Pie, Donut, 2 layers Donut	X (cs)	X (DD)	X	X	X	X	X
	Table table content	X (cs)	X (DD)	X	X	X	X	X
Think!	Calendar ABC	Χ	X (DD)				X	X





Legenda



IOT APP column in previous table:

- X: means that from the IOT App you can send a new value or array to the widget directly, without the need to have is stored into Sensor or MYKPI variable, etc.
- CS, widget supports Change Source, in the sense that: from the IOT App is possible to send a command to the Widget to change the data source. E.g., selecting sources among: Sensors (service URI), MyKPI (ID), any value produced on the IOT App directly. (cs) recent additions

Dashboard IOT App column in previous table:

- X: there is a MicroService / node on IOT App to act on those widgets on dashboard. The data are visualized.
- DD, widget is Data Driven, in the sense that new data in push can be sent and the widget is updated in real time on web page without web page realoading

TC4.9: New Support Widgets for Bars, Barseries, Trend, and Series, on Dashboards and IOT Applications (partially obsolete)









100% of Dynamic VECTs




Dynamic Widget data







- MyKPI (ID), Metric (ID)
- **Dynamic** Data in JSON (single or Vector), computed into IOT Application




TC4.9: New Support Widgets for Bars, Barseries, Trend, and Series, on Dashboards and IOT Applications

measuredTime: "2019-11-21T14:51:00Z"

metricValueUnit: "°C"

- Dashboard-IOT App
- External Service
- Heatmap
- **KPI** (Key Performance Indicator)
- MicroApplication
- My Personal Data
- MyKPI
- MyPOI
- POI (Point of Interest)
- Sensor
- (Sensor Actuator)
- Special Widget
- Wfs (GIS)







HLT: Sensors

- Sensors can arrive in platform as follows (see Nature)
 - ETL processes in PULL
 - As Periodic processes
 - From IOT Devices to KB (knowledge) base). Registered via IOT Directory, arriving via IOT Broker and saved into the Data Shadow,
 - IOT data driven process in PUSH
 - From Dashboard to IOT Devices (echo) is a virtual sensor Sensor Actuators (HLT),
 - IOT data driven process in PUSH

Accommodation + Advertising + AgricultureAndLivestock + CivilAndEdilEngineering + CulturalActivity + EducationAndResearch + + Emergency + Lntertainment + Environment + 6 FinancialService + GovernmentOffice + IndustryAndManufacturing + ☑ IoTDevice + MiningAndQuarrying +

ShoppingAndService +

TransferServiceAndRenting +

TourismService +

Wholesale +

WineAndFood +

UtilitiesAndSupply +

EducationAndResearch = Educational support activities Higher_education Language courses Performing arts schools Post secondary education Pre primary education Primary_education Private_high_school Private infant school Private_junior_high_school

Nature




Sensors







IOT Data Driven











From Dashboard to IOT Devices/App


- Widgets:
 - Impulse Button
 - Button
 - Switch
 - Dimer/Knowb
 - KeyPad
 - Geolocator
 - Selection/Dropdown
 - Form
 - Map Picking
- Registered on some IOT brokers with NGSI mutual authentication














Green

Yellow

Rec










HLT: Sensors-Actuators

- Complex Event
- Dashboard-IOT App
- External Service
- Heatmap
- **KPI** (Key Performance Indicator)
- MicroApplication
- My Personal Data
- MyKPI
- MyPOI
- POI (Point of Interest)
- Sensor
- Sensor Actuator
- Special Widget
- Wfs (GIS)










Nature



Dashboard-IOT App














BLINKING YELLOW	




MapClick

MyKPI variable onchange

Synoptics




























From Dashboard to IOT App



IOT Application










From Dashboard to IOT Devices/App

- Widgets:
 - Impulse Button
 - Button
 - Switch
 - Dimer/Knowb
 - KeyPad
 - Geolocator
 - Selection
 - Map Picking
- Registered on some IOT brokers with NGSI mutual authentication














Geolocation of Mobile Device



Web Browser GPS data rendering the Snap4City Dashboard can be passed to IOT Applications and saved ©



- Complete message
 - Returns a JSON containing all information about geolocation
- Latitude
 - Returns the latitude
- Longitude
 - Returns the longitude
- Accuracy
 - Returns the accuracy of latitude and longitude
- Altitude
 - Returns the altitude
- Altitude Accuracy
 - Returns the altitude accuracy
- Heading
 - Returns the heading
- Speed
 - Returns the speed














SVG Custom Widgets Examples 2

Tue 17 Nov 18:46:47













	Speed Limit S	et		
New	Last confirmed None			
7	8	9		
4	5	6		
1	2	3		
0		Canc		
Confirm				



Speed Limit Explaination

Speed Limit Custom Widget example

Write the speed limit by using the keypad and click CONFIRM.

9999 = white sign.

https://www.snap4city.org/dashboardSmartCity/view/i ndex.php?iddasboard=Mjk4Ng==
























SVG Custom Widgets Examples


Sat 19 Dec 00:10:12





New	0-0-0	confirmed None		
7	8	9		
4	5	6		
1	2	3		
0		Canc		
Confirm				




















Cookies Policy

Terms and Conditions














Selector







Selecting
 MSG to be
 sent on the
 Business
 Logic IOT
 Application



Traffic Light status set

135

msg.payload = {value:JSON.parse(msg.payload).selected};









msg.payload ={ "form": { "options": [{ "label": "enter text", "value": "", "type": "text", "required": true }, { "label": "enter number", "value": "", "type": "number", "required": false }, { "label": "enter email", "value": "", "type": "email", "required": false }, { "label": "enter password", "value": "", "type": "password", "required": false }, { "label": "enter check", "value": "checked", "type": "checkbox", "required": false }, { "label": "enter check2", "value": "", "type": "checkbox", "required": false }, { "label": "enter switch", "value": "on", "type": "switch", "required": false }, { "label": "enter switch2", "value": "", "type": "switch", "required": false }, { "label": "enter date", "value": "", "type": "date", "required": false }, { "label": "enter time", "value": "", "type": "time", "required": true }], "selected": [] } } return msg; form



	IOTDevice Data
enter text	
enter number	
enter email	
enter password	
☑ enter check	
□enter check2	
enter switch	
enter switch2	
enter date	gg/mm/aaaa 📋
enter time	: O
Submit	









```
msg.payload ={ "form": { "options": [
{ "label": "enter text", "value": "", "type": "text", "required": true },
{ "label": "enter number", "value": "", "type": "number", "required": false },
{ "label": "enter email", "value": "", "type": "email", "required": false },
{ "label": "enter password", "value": "", "type": "password", "required": false },
{ "label": "enter check", "value": "checked", "type": "checkbox", "required": false },
{ "label": "enter check2", "value": "", "type": "checkbox", "required": false },
{ "label": "enter switch", "value": "on", "type": "switch", "required": false },
{ "label": "enter switch2", "value": "", "type": "switch", "required": false },
{ "label": "enter date", "value": "", "type": "date", "required": false },
{ "label": "enter time", "value": "", "type": "time", "required": true }
], "selected": [] } }
return msg;
                                                                form
```

	IOTDevice Data
enter text	a text
enter number	123
enter email	paolo.nesi@unifi.it
enter password	•••••
✓ enter check	
□enter check2	
enter switch	
enter switch2	
enter date	19/03/2021
enter time	09:38 ©
Submit	

<mark>"selected":["</mark>a text","123", "paolo.nesi@unifi.it","aaaaaa", " "checked","","on","","2021-03-19","09:38"]






Nature



Dashboard-IOT App

From IOT App to Dashboard





ynoptic write

calendar





246 TOT. EVENTI SULLA RETE

COLONNINE RICARICA

176 INSTALLATE

Single Content Widget (flexibility)

From Dashboard **Editor and IOT** Applications, accepts in input:

- Numbers
- String
- HTML code




Helsinki:orio... 9r 7.4 $\mu g/m3$

20.3°C

11440 Utenti WiFi

Position Updated, press Show My Position












MyKPI as Trajectories

- Complex Event
- Dashboard-IOT App
- External Service
- Heatmap
- **KPI** (Key Performance Indicator)
- MicroApplication
- My Personal Data
- MyKPI

Level

- MyPOI
- POI (Point of Interest)
- Sensor
- Sensor Actuator
- Special Widget
- Wfs (GIS)









MyKPI: Tracking of Devices and Mobiles • Real Time Trajectories for

- - Mobile Phone
 - **Moving IOT Devices**
 - **OBU**, Vehicular Kits
 - Multiple tracks
 - Day by day










Data Gathering and Knowledge Management

- Data ingestion can be performed by using multiple tools:
 - ETL processes, IOT Applications, Data Gate, WebScraping. We suggest:
 - ETL for static / periodic data in PULL
 - IOT App for real time data and flow, from IOT Brokers/Devices
 - DataGate for Static Data, upload them as files, or collected from other CKAN
 - WebScraper for scraping data from Web Pages, when authorized!
- See how to test cases:
 - HOW TO: add data sources to the Platform
 - HOW TO: define privacy rules for personal data, produced by the end-users own device
 - US6. Developing and using processes for data transformation
 - TC6.1 Managing DataSets via DataGate: ingest, search, download, upload, annotate, share
 - TC6.3 Creating ETL processes for automated data ingestion and data transformation
 - TC6.5 Managing Heterogeneous File Ingestion via ETL processes
 - TC6.9 ETL processes for multiprotocol and format data ingestion, see on GITHUB for library
 - TC9.2 Managing heterogeneous File Ingestion, protocols, formats via IOT applications, and open standards

SCALABLE SMART ANALYTIC APPLICATION BUILDER FOR SENTIENT SNAP4INDUSTRY
















To Start we are going to use Direct Dashboards


Dashboards accessing data available on Platform, including your own data coming from Mobile App, already registered!!!







Network of IOT Brokers IOT Directory







Discovering




Registering

Browsing



Knowledge and Storage Data from the Field and From the City if needed

Discovering



ServiceMap **Knowledge Base**



Dashboard Wizard

Manager

Final user




















IOT Devices





Snap4All **IOT Button** ESP, NGSI, Wi-FI, BT







Snap4All PAX Counter LoraWAN WIFI, NGSI, **GPS**





IOT Edge Devices


IOT Edge NodeRED: Raspberry Pi, NGSI, WiFi, RJ45,...



IOT Edge NodeRED: Android, LINUX, Windows, ...

LoraWan Gateway: IOT Edge, NGSI, WIFI, RJ45, GPS











IOT Dev Management: activities

- IOT Devices can be open or proprietary
- IOT Devices: a large range of protocols, formats and kind
 - IOT Devices (single or in bulk) are registered on IOT Directory and thus according to Knowledge base are registered to be used in IOT Applications, Dashboards, etc. with Shadow values, etc.
 - IOT Models are saved on IOT Directory for shortening the registration process
 - IOT Device healthiness is monitored automatically
- IOT Devices can be public or private
 - Full support of Proprietary protocols and devices
 - Providing Open Hardware and Open Software IOT Devices/IOT Edge: NGSI fully secure
- IOT Edge are devices with some computing capability, realized by using: Raspberry, Android, Linux, Windows, etc.
 - Release as: OS images on SD, APK for Android, Virtual Machine, Docker Container, etc.
- IOT Devices are connected via Secure Encrypted Mutual Authenticated channel of communication






Lora IOT Device, Arduino

- Arduino Uno, Mega
- LoraWan Connection
- Any sensor, + I2C
- Fully Customizable
- Open Source
- NGSI or any other protocols
- Gateway: Dragino













LoraWan Gateway out of the Box

- Raspberry Pi Based LoraWan Gateway
- Physical UpLink as: Wi-Fi, RJ45
- Logical UpLink: LoraWAN TheThingsNetwork, NGSI V2 (mutual authenticated Snap4City)
- Powered 5V
- GeoLocated GPS Antenna
- IOT Edge Snap4City Included if needed














IOT Device with Arduino

- Arduino Uno
- Wi-Fi shield, standard
- Mutual Authentication with certificates, or K1,K2,sha
- Secure encrypted connection, NGSI
- Open Source
- Fully Customizable
 - Any sensor
 - NGSI or any other protocol


















Snap4All IOT Button

- Multi Wi-Fi
- Ready to use BLE
- ESP based, cheap & easy
 - low/no energy consumption/ standby
- Mutual Authentication with certificates, or K1,K2,sha
- secure encrypted connection, NGSI
- Open Source, Fully Customizable
- HW extensible to sensors










Squared Short
Squared Double
Squared Long
Round Short
Round Double
Round Long

https://www.snap4city.org/drupal/node/276 https://www.snap4city.org/drupal/node/297 help config





IOT Applications and IOT Edge Devices






SNAP4INDUSTRY KM4 CITY


IOT Edge on Raspberry Pi

- Raspberry Pi
- Mutual Authentication with certificates
- Secure encrypted connection
- **IOT** Application inside
- Any sensor
- Any protocol from IOT devices
- NGSI or any other protocol
- **Fully Customizable**
- Local and Cloud Dashboard
- **Special MicroServices**













MicroServices:

- DHT
- ModBus
- any shield
- etc....






DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB


















City user

Would like to:


- **Monitor and exploit** temperature and humidity
- Manage sensors
- Perform edge computing
- Using these data for multiple applications



Click here

Steps:

- Registering the device and sensors
- Create flow on edge device using NodeRed with Snap4City, sending data to Broker
- Use data from Broker on Snap4City IOT App









IOT Edge Snap4All App for Android

- Android, any version, App from: <u>https://www.snap4city.org/download/video/Snap4All.apk</u>
- Mutual Authentication with certificates
- Secure encrypted connection, NGSI
- IOT Application inside
- Any sensor + Local device sensors
- Any protocol from IOT devices
- NGSI or any other protocol
- Fully Customizable
- Local and Cloud Dashboard
- Special MicroServices













IOT Edge Snap4All App for Android




termux-dialog





MicroServices:

- Snap4City
- Termux Snap4City specific
- etc.












Sii-Mobility: Dynamic Signage and Street Mng







IOT Devices and IOT Edge

- A large range of Devices can be used on Snap4City:
 - Proprietary or Open HW/SW.
 - Devices of/for makers on which we provide Open source code
- Documentation and instructions:
 - TC9.4 IOT application exploiting Edge computing with Raspberry
 - TC9.7 Connection from LoraWan Dragino/arduino to Orion broker
 - Snap4City: Arduino & ESP8266 IOT Device NGSI
 - Snap4City IOT Devices Registration
 - Snap4All IOT Button: based on ESP32, NGSI compliant secure connection
 - IDE Setup for Snap4All IOT Button, and source code
 - Registering IOT Edge: example of Raspberry Pi, total security
 - Creating: IOT Device, Raspberry Pi based, totally compliant with Snap4City









TOP

Moving IOT Devices / Sensors, Tracking Devices








MyKPI: Tracking of Devices and Mobiles • Real Time Trajectories for

- - Mobile Phone
 - **Moving IOT Devices**
 - **OBU**, Vehicular Kits



TrackerFordOBD2













IOE – Vehicle Monitoring




Tuscany in a **Snap Mobile** App on **Android**
























PaxCounter devices



- Fixed PaxCounter LoraWan
 - Based on Wi-Fi- Bluetooth
- Mobile PaxCounter LoraWan
 - Based on Wi-Fi- Bluetooth
- Fixed PaxCounter(LoraWan+Wifi out)
 - Based on Wi-Fi- Bluetooth







https://www.snap4city.org/drupal/node/456










Programmable PAX counting










Real time device traking



Moving and changing Dynamic PIN at the same time









TOP

Managing IOT Applications












IOT Application Listing, they can be

- Basic (white)
- Advanced (red)
- IOT Edge
 - Raspberry Pi
 - Android
 - Win/Linux
- Data Analytic (Plumber)
- Web Scraper (Portia)




onap maasay by onap reity (e), may 202











IOT Applications Listing

- Basic / Advanced
- On IOT Edge Raspberry Pi
- On IOT Edge Android

Localhost

On IOT Edge Win/Linux



VIEW





IOT App title

Ownership of

the IOT App

Click to open

the Node-RED

IOT App


dashboard





IOT Application Management

- Properties
 - Name, Type, Creation date
- Control
 - Restart
 - Delete
- Change of ownership
 - Toward another Snap4City User
- From inside the flow
 - Restart
 - Update



S4CIOTApp



iotapp restart (

iotapp upgrade









TOP

Remote Control of IOT Applications on IOT Edge Devices






IOT Devices



Snap4City Services also on IOT Edge!!!







Why it is useful



 Need to transform data from your local devices to Snap4City devices or data storage or dashboards,

- Need to play the role of multiprotocol HUB as in:
 - Snap4Home: <u>Scenario</u>: <u>Snap4Home</u>, how to exploit <u>Snap4City</u> solution
 on home automation
 - Snap4Industry:
 - Scenario: High Level Control of Industrial Plant
 - Snap4Industry: Snap4City for Industry 4.0
 - Scenario: 5G Enabled Water Cleaning Control





IOT Edge Device for Snap4City

- Computer based solutions with Node-RED + Snap4City Library
- Node-red supports:
 - Raspberry pi, Linux based, Windows based, android with Termux, and also on a several servers. https://nodered.org/docs/getting-started/
- Snap4City Library:
 - From Node-RED: "manage palette" in the main menu'.
 - From Node-RED library:
 https://flows.nodered.org/search?term=snap4city
- You can add any kind of protocol and interface to IOT Edge Device








IOT Edge Device









Advantages of IOT Edge remote control/program

- You do not need to be/move in the local network to access at Your IOT Edge Devices for programming or maintenance, SINCE With Snap4City:
 - You can update the logic flow of your IOT Edge Devices from remote,
 - You can perform remote maintenance of your IOT Edge Devices and programms without moving from your office



AND

- You can access to the IOT edge from remote by using a secure connection
- You can activate the remote control feature singularly for each IOT Edge Device
- You do not need to reconfigure your Firewall or Gateway in most of the cases





HOW To install IOT Edge Remote Control feature

- The installation is very simple
- 1. install Snap4City basic library
- 2. Drag and drop block from S4CUtility




- 3. Configure the block with your credentials
- 4. Deploy of the IOT App
- 5. Go in the list of Your IOT Applications on Snap4City.org or other cloud or on premise installations
- 6. Identify the IOT Edge IOT App and click on it to open the view on the IOT Applications flows







Secure IOT Devices, IOT Edge Sensor and Dev Networking









End 2 end security


















The secure stack








Capabilities

- Creating IOT Applications for:
 - Controlling industrial/local processes locally and globally
 - Exploiting IOT Edge for local IOT Applications
 - Local smartness, limited computational capabilities, limited dashboarding
 - Resilience wrt lack of power and connectivity: autonomous
 - Sending data on Cloud via secure connection and for:
 - business intelligence, data analytics, machine learning
 - Global scale and local scale analytics
 - Dashboarding at global scale
 - remote control and actions on industrial processes
 - Logging of the activities

SCALABLE SMART ANALYTIC APPLICATION BUILDER FOR SENTIENT SNAP4INDUSTRY















Snap4City Maintenance Solution

- **OpenMaint** open source solution for property & facility management which is a BPM;
 - Inventory of industry assets (movable, logistics, equipments, etc.)
 - Tickets management for corrective maintenance
 - User management with different levels of access
 - BIM Server integrated with OpenMaint
- Snap4City OpenMaint Extension
 - Extended API developed by Snap4City
 - Create new tickets
 - Manage steps, workflow
 - Collecting feedbacks and results from teams
 - Manage all phases of the workflow on the fields via IOT Apps and logics
 - The integration if via API and MicroServices into IOT App.
 - MicroServices integrated with Snap4City via IOT Applications
- Business Intelligence which is the Snap4City tool based on Elastic Search: which work on top of the database of tickets collected on OpenMaint
- BIMServer integration with Snap4City Dashboards;








DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAS EXAMPLE TECHNOLOGIES LAS EXAMPLES THE TEC






Dashboards and actions




Consumptions/productions









IOT App, Data event firing, event detection and firing

Critical event management








Integration with Ticketing Systems Workflow

- Snap4City is integrated with OpenMaint Ticketing system. An Open Source solution for ticketing and workflow management, incident management.
- Any ticketing systems can be integrated with Snap4City, by means of IOT Applications and Dashboards
- https://www.snap4city.org/59










Assets inventory and management







Solution for Asset Management and Maintenance

- Inventory of industry assets (movable, logistics, equipments, etc.)
- Tickets management for corrective maintenance
- Reports and Dashboards
- Predictive maintenance and Early Warning support via analytics
- Business Intelligence support
- User management with different levels of access










OpenMaint Ticketing System





Create Ticket

Description

3fc system





Dashboards








Snap4City can

- Create new tickets
- Manage steps, workflow
- Collecting feedbacks and results from teams
- Manage all phases of the workflow on the fields via IOT Apps and logics
- The integration if via API and MicroServices into IOT App.

OpenMaintCloseEvent

how 10	w 10 \$ entries Search:		
Code ^{↑↓}	Event Date 1	Description	Controls 1
	2020-05- 08T15:08:11	crack in the wall of a plant	Advance
	2020-04- 01T11:13:43	One of the drains of the system tanks is obstructed and does not allow the correct release of the contained liquid.	Advance
Showing 1 to 2 of 2 entries Previou		ıs 1 Next	













OpenMaint BPM, BIM



DELL'INFORMAZIONE
















Business Intelligence and Predictive Maintenance







SCALABLE SMART ANALYTIC APPLICATION BUILDER FOR SENTIENT SNAP4INDUSTRY






























Data Analytics Dev. in R Studio and/or Tensor Flow

tools

other

nd σ

ase $\tilde{\Omega}$








Ontology Schema





SPARQL, FLINT





LOG.disit.org





Studio Saving



Resource Manager





IOT Applications









Coding

Testing









Ontology Schema




SPARQL, FLINT






LOG.disit.org







Resource Manager










Predicting Models

- Aiming at improving
 - quality of service, distributing workload
 - early warning
- Predictions: Short (15 min, 30 Min) and mid Term (1 week)
- Data Analytics: ML, NLP/SA, Clust., ...
 - Traffic Flows → multi-flow reconstruction
 - − Parking Status → free slots
 - Environmental Alarms
 - Air Quality parameters and indexes
 - People Flows (Wi-Fi, Twitter)
 → crowd , #number of people













Free Parking space trends KM 4 City















12 parking areas in Florence



Free Parking Predictions



Careggi car park					
Model	BRNN model results				
features	R-squared	RMSE	MASE		
Baseline	0.974	24	1.87		
Baseline + Weather	0.975	24	1.75		
Baseline + Traffic sensors	0.975	24	2.04		
Baseline + Weather + Traffic sensors	0.975	24	1.87		

Active on Mobile Apps as:

- «Firenze dove cosa»
- «Toscana dove cosa»

Precision: 97,5%








Predicting users movements


Issue:

- How they move: vehicles, pedestrian, bike, ferry, metro,
- Where they go....


Impact:

- Tuning the services: cleaning, police, control, security
- Several metrics related to
 - Knowledge of the Context
 - Monitoring traffic and people flow
 - **—**





- Daily trends
- OD matrices
- Trajectories
- Prediction models






Sii-Mobility



User Behaviour Analysis

- Monitoring movements by traffic flow sensors
 - Spires and virtual spires
- Monitoring movements from Mobile Cells
 - Unsuitable for precise tracking and OD production
- Monitoring movements from Wi-Fi
- Monitoring movements and much more from mobile Apps












Prediction and Identification of Anomalies











Figure 14 – Average BIC for mixture models vs K number of cluster, higher values are better, the curves are truncated at the best value for K they found.











Convergence of learning phase





Traffic Flow reconstruction, real time


209
















Anomaly Detection











Fri 27 Jul 12:32:13

NO_GPS


12 h

Date

Reports and Dashboards



Anomaly detection Early Warning



Jul 1

Altair

Monitoraggio impianto











DevDash: My Data Dashboard Kibana





SCALABLE SMART ANALYTIC APPLICATION BUILDER FOR SENTIENT CITIES

















- Snap4City Powered by FIWARE Solution:
 - https://marketplace.fiware.org/pages/solutions/b8905e91973b4201 89cce972
 - NGSI V1, V2 The IOT Orion Broker
 - IOT Orion Broker can connect JSON, MQTT, Lightweight M2M, LoraWAN, OPC, SigFOX, etc. see FiWare https://www.fiware.org
- Snap4City <u>FIWARE</u> Training Services:
 - https://marketplace.fiware.org/pages/solutions/03bccd83a0e1b039 8ba7a0bf
- Snap4City <u>FIWARE</u> Consultancy Services:
 - https://marketplace.fiware.org/pages/solutions/907f5ecc63927f643 dd8421b
- Snap4City is compatible with all the above protocols
 - via IOT Orion Broker,
 - via IOT Applications.
 - via direct connection on ETL processes on their corresponding IOT brokers, and/or
- Snap4City is also compatible with many other protocols, see the table reported in page: https://www.snap4city.org/65 Snap4City (C), May 2021









Overview





SMART CITIES AND SMART INDUSTRY

Snap4City: FIWARE powered smart app builder for sentient cities

Vith the contribution of





- https://fiwarefoundation.medium.com/sna p4city-fiware-poweredsmart-app-builder-forsentient-cities-acfe24df49d5
- https://www.snap4city.org/d rupal/sites/default/files/files /FF ImpactStories Snap4Cit y.pdf








Concept









FIRENZE DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB FUNCTIONAL: FIVARE refarc wrt Snap4City solutions

	FIWARE ref arc smart city	Snap4City
Multiple Protocols: IoT, Databases, etc	10 on IOT, Limited on databases, etc.	More than 200, very very wide
Large set of high level types: maps, trends, heatmaps, traffic, trajectories, scenarios,	No	Yes:
Integration with workflows, BPM	Not Supported	Yes: bidirectional
Integration and Modeling Digital Twin BIM	Not Supported	Yes: bidirectional
Integration with GIS: WFS, WMS	Not fully supported	Yes: bidirectional
Integration with Heatmaps and Satellite	Partially, not caòibrated	Yes: fully; calibarate and multiple versions, animations
Integration with Satellite	not supported	Yes: fully
Smart City API	no	Yes
Open Data Management	Partial with CKAN	Yes, Fully automated with CKAN
Federation of platforms	Partial on brokers	Full on Brokers and Knowledge base and API
Semantic model and queries	No, probably with NGSI-LD in the future	Yes since 2013
Multiple kinds of IoT Brokers	No, only agents	Yes: NGSI, COAP, AMQP, MQTT, SigFOX, etc.







DIPARTIMENTO DI INGEGNERIA DELL'INFORMAZIONE CTIONAL: FIVARE refarc wrt Snap4City solutions

	FIWARE ref arc smart city	Snap4City	
Data Transformation	Coding	Yes: IOT App, Node.JS, Visual Programming, scalable	*
Data Analytics	No	Yes	C
on line development	No, limited	Yes: Rstudio, Python, Tensor Flow, MapReduce, etc.	
Dashboard on data	Grafana no LDAP	Yes: Dashboard Builder, Kibana with GDPR, LDA (Open Distro)	
Dashboard Widgets	Limited, no custom, coding needed	Yes: A wide range including custom widgets, secure compliant, animations, configuration, also open to new development	
Real Time end-to-end from Dashboards to any other channel, event driven	No, very limited	Yes, fully supported	
Multi Data Map	Limited with non OS	Very extensive, with multiple widgets and sync	
MicroApplications	No	Yes	
Auditing, Assessment, accounting	No, no, no	Yes, Yes, Yes	a
Multitenacy on data management	No only on broker	Yes: on Broker, on data management, on dashboards, etc	5
Living Lab for creating/managing communities/groups	Not supported	Yes: provided in the open source	Sept.
Report generation/management	No	Yes	0)(
			6

SCALABLE SMART ANALYTIC APPLICATION BUILDER FOR SENTIENT SNAP4INDUSTRY







User: adifino, Org: DISIT Role: Manager, Level: 4

- Dashboards (Public)
- O Dashboards of My Organization
- My Dashboards in My Organization
- O IOT Applications
- 🔰 Knowledge and Maps 🔻
- Micro Applications
- External Services
- Data Set Manager: Data Gate
- 😽 Resource Manager
- 🍠 Help and Contacts 🔻
- Documentation and Articles
- 💄 My Profile 🔻
- Snap4City portal
- Km4City portal
- ☑ DISIT Lab portal



Home / Tutorials and Videos / Welcome: how to start using Snap4City for beginners

Welcome: how to start using Snap4City for beginners **Personalized Suggestions**

Snap4City developers suggest you reading:

You have already created a Dashboard. Now, you may decide to make it public (visible and accessible) to all on WEB, or to provide access in view to other specific users that you know by nickname. of a Dashboard to some other user of the system, and you can clone the Dashboard as well. So that you can create Dashboard for other users as well. We sugget to test these functionaltiles ince you can:

- access to Data Set Manager to add/download, share data sets as files in CSV: https://datagate.snap4city.org/ssologin_handler
- upload data for the knowledge base and dashboards via Data Set Manager,
- access and share of resources as: dashboards, IOT Applications, blocks, etc.; https://processloader.snap4city.org ader/ssoLogin.php?redirect=page.php%3FshowFrame=false
- access to help and contacts, FA documentation and articles
- manage personal data: profile, Sensors, Annotations, Personal Data, Dashboards..; https://www.snap4city.org/drupal/myprofiledata
- Auditing Access to My Data accelling to GDPR.

EXEMPT SESOVE possibilities:

nd passage of ownership, and/or cloning

SLIDES

If you are not registred please apply for a free registration from https://www.snap4city.org and then pass to ACCESS AT THE TOOLS and full Snap4City environ

Snap4City puts in the hands of City Users a flecule environment to quickly create a large range of smart city applications/views exploiting heterogeneous data and services of stakeholders by IOT/IOE and big data technol es. For Snap4City, City Users can be citizens, students, operators, researchers, decision makers, developers, etc. see Users' Roles on Snap4City.

- . Manager: is a final user, has the capability of: accessing and creating Dashboards with a large set of data (high level types as: POI, sensors, KPI, micro applications, external services, etc.), attaching alerts and notifications; registering IOT Devices; creating IOT Applications exploiting MicroServices; loading and sharing data sets; managing personal data and annotatio full access to documentation, help desk, FAQ, coworking; managing personal profile and data according to GDPR; NOTE: accessible features are mainly value all and simple to understand and to use, and provide a limited number of parameters on each dialog and for each action. Default values of created elements care changed editing elements.
- AreaManager: is a Developer/researcher, students, city operator, with additional capabilities with respect to the Manager to: register IOT Brokers; creating advanced IOT applications; create massive data transformation processes; create data analytics in multiple languages, testing and load them, create microservices; adding external services; sharing results, loading shapes; analyzing performance of the back office; NOTE: technical views and details are fully accessible

Suggested Activities to be performed Transport to use Snap4City:



how the solution allows you to incrementally pass from Level 0 to 5, from a Manager to an Area Manager: This page would guide you along few steps t

 Level 0 user: access at data/services views of the city by using public Dashboards; (Public User) (overview on dashboards)

• Level 1 user: create personal/professional views/dashboards on data; (ManageShaze 4 line ustry by Snap46ity (C) Wayo2021 boards can be created)

Username: adifino



Full Search

Search

Organization **Groups**

Recent comments

1 month 6 days ago

Recent content

Ti Suggeriamo. Dashboard (Step 1 roottooladmin1

Benvenuto al nostro Sindaco ed al suo Team

new

roottooladmin1

We sugges to Antwerp Developers: How to manange my Dashboards

221









Living Lab Flexibility

Snap4City Satisfies all Requirements of ENOLL Select4Cities and EIP-SCC







- Multiple modalities to perform the same activities
- Tuned for Beginners and Skilled people
- Visual interface and programming tools
- Resources and artefacts sharing for learn acceleration and co-working
 - Open Living and co-working Portal:

https://www.Snap4City.org









Living Lab training


- Snap4City Living Lab Life Cycle
- TC8.6 Snap4City Living Lab Life Cycle
- US8. Using the Living Lab Support tools
- Snap4City platform: from cloud to data analytic as a Living Lab for Student and Researchers
- Contributing as city stakeholder: company, citizen/developer, researcher, etc., to the Living Lab
- TC8.1 Snap4City Portal as a support for Living Labs, collaborative and co-work, Snap4City Portal as a single point to information Access and Discussion





SCALABLE SMART ANALYTIC APPLICATION BUILDER FOR SENTIENT SNAP4INDUSTRY











open fiber











Piattaforma IoT/IoE abilitata dal 5G per applicazioni di:

- Smart City management (in ottica Smart City)
- monitoraggio utenze in modo smart
- industrial automation (in ottica Industria 4.0)


















Dashboards & Services:















SCALABLE SMART ANALYTIC APPLICATION BUILDER FOR SENTIENT SNAP4INDUSTRY













Main running instances



































- Sii-Mobility → mobility and transport, sustainability
- REPLICATE → ICT, smart City Control room, Energy, IOT
- RESOLUTE → Resilience, ICT, Big Data
- GHOST → Strategies, smart city
- TRAFAIR → Environment & transport
- MOSAIC → mobility and transport
- WEEE Life → Smart waste, environment
- Smart Garda Lake → Castelnuovo del Garda
- 5G → Industry 4.0 vs SmartCity
- Green Impact → Industry 4.0, Chemical Plant
- SmartBed (laid → smart health
- Green Field Peas (soda) → Industry 4.0, Chemical plant
- MobiMart and PISA Agreement → data aggregation, Living Lab
- Lonato del Garda → smart parking, environment
- Herit Data \rightarrow tourism, culture and management
- ISPRA JRC → site management and services
- Capelon (Sweden) → smart light solutions

Acknowledgements

- Thanks to the European Commission for founding. All slides reporting logo of Snap4City https://www.snap4city.org of Select4Cities H2020 are representing tools and research founded by European Commission for the Select4Cities project. Select4Cities has received funding from the European Research Council (ERC) under the European Union's Horizon 2020 research and innovation Programme (grant agreement n° 688196)
- TRAFAIR is a CEF project. All slides reporting logo of TRAFAIR project are representing tools and research founded by the EC on CEF programme http://trafair.eu/
- Thanks to the European Commission for founding. All slides reporting logo of REPLICATE H2020 are representing tools and research founded by European Commission for the REPLICATE project. **REPLICATE** has received funding from the European Research Council (ERC) under the European Union's Horizon 2020 research and innovation Programme (grant agreement n° 691735).
- Thanks to the European Commission for founding. All slides reporting logo of RESOLUTE H2020 are representing tools and research founded by European Commission for the RESOLUTE project. **RESOLUTE** has received funding from the European Research Council (ERC) under the European Union's Horizon 2020 research and innovation Programme (grant agreement n° 653460).
- Thanks to the MIUR for co-founding and to the University of Florence and companies involved. All slides reporting logo of Sii-**Mobility** are representing tools and research founded by MIUR for the Sii-Mobility SCN MIUR project.
- **Km4City** is an open technology and research line of DISIT Lab exploited by a number of projects. Some of the innovative solutions and research issues developed into projects are also compliant and contributing to the Km4City approach and thus are released as open sources and are interoperable, scalable, modular, standard compliant, etc.











INEA CEF-TELECOM Project funded by European Union





European Union Funding for Research & Innovation























GREEN FIELD PEAS





















Be smart in a SNAP!



CONTACT

DISIT Lab, DINFO: Department of Information Engineering Università degli Studi di Firenze - School of Engineering

Via S. Marta, 3 - 50139 Firenze, ITALY https://www.disit.org

www.snap4city.org



Email: snap4city@disit.org

Office: +39-055-2758-515 / 517

Cell: +39-335-566-86-74 Fax.: +39-055-2758570