Snap4Industry

Tools for
rapid implementation of
- Sustainable Smart Solutions
- Decision Support Systems
as a no-coding, low-coding

info@disit.org
https://www.Snap4city.org,
https://www.Snap4Industry.org

SNAP4INDUSTRY

https://www.snap4industry.org

Powered by SNAP4Tech

100% OPEN SOURCE

SNAP4 Appliances and Dockers Installations

https://www.snap4city.org/369

External Services



Fleet management

IoT Devices/Edge

IoT Broker

Internet

SECURE

Admin





DCS

IoT Broker

PLC

IoT Devices/Edge

Industry Plant1.....



SCADA

PLC/ RTU

IoT Broker



IoT Devices/Edge

Industry Plant2.....

IOT Applications

Dashboards and Apps



Big Data Analytics, Artificial Intelligence

Control and Supervision on Multiple Supply Chains

Industry 4.0 as a Service

- **Aims**
  - **Increase**:
    - control, telecontrol and hyper-automation
    - Product Quality, Control, process understanding
  - **Reduce**:
    - Downtime, Costs (reducing waste), and Reaction Time to unpredicted events
- **By Means**
  - **Data aggregation, modelling, integrating and exploiting data of**
    - Digital Twin, IoT Brokers/Edge, SCADA, MES, ERP, DCS, Admin Data, BIM, Ticketing, etc.
    - Ontology and semantic reasoner for the industry plant
  - **Data Analytics:**
    - **descriptive, predictive and prescriptive**
    - **Beyond: Decision Support Systems, DSS**
      - Simulation, Visual Analytics, Data Analytics, Synoptics
      - XAI on predictions, anomaly detection (early warning), classifications
  - **Large Scale Integration**
  - **Security, privacy, ethics, GDPR, etc**

Smart Solutions and Decision Support Systems

100% OPEN SOURCE

Powered by FIWARE

FREE TRIAL

PEN Test Passed

EU GDPR COMPLIANT

SNAP4 Appliances and Dockers Installations

EUROPEAN OPEN SCIENCE CLOUD

Node-RED

JS Foundation

E015 digital ecosystem

NVIDIA

CONTROL ROOMS - DECISION SUPPORT SYSTEMS - WHAT-IF ANALYSIS - BUSINESS INTELLIGENCE - SIMULATIONS - SMART APPLICATIONS

DASHBOARDS - VISUAL ANALYTICS - SYNOPTICS - DIGITAL TWIN - GRAPHICAL WIDGETS - ANALYTICS - GUI CUSTOM STYLES - VISUAL PROGRAMMING



DASHBOARDS, WIDGETS
TEMPLATES

PREDICTION - ANOMALY DETECTION - CLUSTERING - ROUTING - SENTIMENT NLP - TRAFFIC FLOW
PEOPLE FLOWS - SDG - 15 MIN CITY INDEX - KPI - HEATMAPS - ORIGIN DESTINATION - ETC...

API - MICROSERVICES - GIS - BPM
VIDEO - REPORTS - MAPS - 3D ...

ANY: DATA, BROKER, NETWORK AND VERTICAL



EXPERT SYSTEM, KNOWLEDGE BASE
SEMANTIC REASONING
SMART DATA MODEL
IOT DEVICE MODELS, STORAGE



BIG DATA ANALYTICS, ARTIFICIAL INTELLIGENCE
EXPLAINABLE AI, MACHINE LEARNING
OPERATIVE RESEARCH, STATISTICS



VISUAL PROGRAMMING, ADAPTERS
DATA FLOWS, WORKFLOWS
PARALLEL DISTRIBUTED PROCESSING
DATA DRIVEN



METHODOLOGIES
LIVING LABS
COURSES AND COMMUNITY
DEVELOPMENT TOOLS



Tech Arch - 2023



Big Data Analytics + Artificial Intelligence

- **AI, XAI**
  - **Short and Long terms predictive models on:**
    - traffic, parking, people flow, maintenance, land sliding, etc.
    - **3D Flow prediction:** Pollutant (NOX, NO2, …)
  - **Anomaly detection, classification, clustering, recommendations, etc.**
- **Also at system level producing solutions for:**
  - Control Rooms, Early Warnings
  - What-IF analysis (simulation + AI + data)
  - Traffic Flow reconstruction in multiple cities
  - Constrained Routing, multimodal, dynamic
  - Computing: OD matrices, trajectories, typical time trends, etc.

Several Techniques

- machine learning
- Deep learning
- reinforced learning
- explainable AI
- optimization
- completion
- …

https://www.snap4city.org/download/video/course/da/

What we do

- **Data modelling and management**
  - Data discovery and data surrogates/replacements
  - Big data management and provider
  - GIS data management
  - satellite Copernicus data processing for smart city and industry
  - IoT interoperability, edge, fog and cloud
  - Data interoperability, data aggregation and semantic processing
- **AI, Data Analytic, Visual Analytic**
  - AI for: **predictions**, **anomaly detection**, **clustering**, suggestions, simulation, fluid dynamics, classification, recognition, ..
  - **XAI, Explained AI, Trustworthy AI**
  - cognitive reasoning: ontology development, semantic computing
  - modelling and computing KPI
  - What-if analysis by mixing simulation, AI, statistics, semantics
- **Different contexts:**
  - industry, smart city, human behaviour, mobility, environment, terrain sliding
  - E.g. predictions pollutants/aerosol, CO2, NO2, GHG; traffic, parking, etc.

to cope with

- any data, format
- any channel, protocol
- any AI/ML
- any place
- online development
- multi-tenant
- Secure, PENTest
- GDPR, privacy
- → ***low costs***
- → ***easy to evolve***

High Level Types

- POI, IOT Devices, shapes,..
- FIWARE Smart Data Models,
- IoT Device Models
- GIS, maps, orthomaps, WFS/WMS, GeoTiff, calibrated heatmaps, ..
- Satellite data, ..
- traffic flow, typical trends, ..
- trajectories, events, Workflow, ..
- 3D Models, BIM, Digital Twins, ..
- OD Matrices of several kinds, ..
- Dynamic icons/pins, ..
- Synoptics, animations, ..
- KPI, personal KPI,..
- social media data, TV Stream,
- routing, multimodal, constraints, ..
- decision scenarios, ….
- etc.



DISIT lab roadmap vs model and tools' usage

2013
Km4City Ontology 1.1

- Tuscany, Road Graph
- Mobility
- culture, tourism
- Events
- Parking
- Services
- Linked open graph

2014
- Weather Forecast
- Real Time Wi-Fi
- Entertainment
- LOD

- Twitter Vigilance
- Social Media Analytics, Sentiment Analysis

Km4City 1.4

2015
Km4City 1.5

- Resilience Decision Support
- Smart First Aid
- User Behaviour Analysis, predictions
- Risk Analysis

ckan, resolute

H2020 (2015-18)

2016
(2016-21) H2020 REPLICATE

Km4City 1.6.4

- Smart Energy
- Sustainable Mobility
- Control Room
- Dashboard

Km4City 1.6.2

Sii-Mobility (2016-21)

SII-MOBILITY SCN

- Infomobility
- Mobile App
- Routing
- Multimodality

FIWARE

Km4City 1.5

- Resilience Decision Support
- Smart First Aid
- User Behaviour Analysis, predictions
- Risk Analysis

2017
Sii-Mobility

- Origin-Destination and trajectories
- Traffic Reconstruction
- Offer Analysis
- OBU, smart devices

E0I5 digital ecosystem (Powered by EXPO MILANO 2015)

(2016-19) GHOST SIR

- Sardinia Region Smart City Strategies and plan

GREEN IMPACT C.A.P.A.C.I.T.Y.

GREEN IMPACT
POR FESR 2014-2020

- Industry 4.0
- Critical Plant
- Monitoring

- IOT/IOE, IOT App
- Living Lab
- Maker Support
- IOT Edge
- Smart City IOT
- GDPR,
- Privacy & Security

life weee (2017-20)

- Smart Waste

2018
MOSAiC MObility 4.0 for SmArt (i) City (2018-20)

- Mobility Demand / Offer Analytics and Strategy

Sii-Mobility

- User engagement
- Bike Sharing
- Data Analytics ++
- Social Predictions
- OBD2

IOT/IOE

Km4City 1.6.6

Node-RED

SNAP4CITY SELECT for Cities H2020 (2017-19)

2019
5G (2018-21)

- 5G tech
- Energy
- Industry 4.0
- Synoptics

TRAFAIR CEF (2018-21)

- Traffic and Mobility Impact on Pollution
- NOX predictions

EUROPEAN OPEN SCIENCE CLOUD

LAID Smart Bed

- Smart Health

GREEN FIELD PEAS Soda4.0 Optimization and Automated Decision System 4.0

- Industry 4.0

bee smart city

- Smart Lonato

Reverberi Enetec Gruppo MPES

SNAP4CITY KM4CITY

Winner of Select4Cities PCP

SNAP4CITY roadmap

SODA

2020

JRC EUROPEAN COMMISSION

Interreg Mediterranean HERIT-DATA

- Smart Tourism
- 6 Pilots
- Data Analytics
- Extended platform

Interreg MARITTIMO-IT FR-MARITIME MOBI MART

- Smart Mobility
- PISA, PUMS
- Living lab

smartGARDAlake

2021

JRC EUROPEAN COMMISSION

PC4City (2020-21)
Monitoring Terrain

Winner of Open Data Challenge of enel x

CAPELON

- Smart Light
- Sweden

Km4City 1.6.7

enel x
Contract

Smart Ambulance (2021-22)

Enterprise (2021-22)
Industry 4.0

Almafluida
Industry 4.0
(2021-22)

AMPERE (2021-22)
Industry 4.0

SYN-RG-AI
SmartCity

Smartea

ITALFERR GRUPPO FERROVIE DELLO STATO ITALIANE
Smart City

ASYMMETRICA URBAN TECHNOLOGY
Smart City

2022

AXIS COMMUNICATIONS
SmartCity

uni.systems
SmartCity

GRUPPO PRETTO
Industry 4.0

IMPETUS
Security and Risk

enel x
Contract

Filippi
Contract

ART-ER ATTRATTIVITÀ RICERCA TERRITORIO
Contract

Some agreements

JRC EUROPEAN COMMISSION

Coverage 2022

Main Organizations/areas

- Antwerp area (Be)
- Bologna (I)
- Capelon (Sweden: Västerås, Eskilstuna, Karlstad)
- DISIT demo (multiple)
- Dubrovnik, Croatia
- Firenze area (I)
- Garda Lake area (I)
- Greece (Gr)
- Helsinki area (Fin)
- Livorno area (I)
- Lonato del Garda (I)
- Modena (I)
- Mostar, Bosnia-Herzegovina
- Oslo & Padova (Impetus)
- Pisa area (I)
- Pistoia (I)
- Pont du Gard, Occitanie (Fr)
- Prato (I)
- Roma (I)
- Santiago de Compostela (S)
- Sardegna Region (I)
- Siena (I)
- SmartBed (multiple)
- Toscana Region (I), SM
- Valencia (S)
- Venezia area (I)
- WestGreece area (Gr)



https://www.Snap4City.org

- 8 running installations in Europe
  - Toscana, Pisa, Sweden, ISPRA, Snap4.eu,
  - Altair, Italmatic, Denmark, ….
- 13 projects, 12 pilots on 10 Countries
  - >40 cities/area
- **Wide MULTI-tenant deploy, e.g.,**
  - 18 Organizations / tenant
  - > 7400 users on
  - > 1400 Dashboards
  - > 16 mobile Apps
  - **> 2 Million of structured data per day**
  - > 520 IoT Applications/node-RED
  - > 700 web pages with training
  - > 60 videos, training videos

Main Organizations/areas

- Antwerp area (Be)
- Bologna (I)
- Capelon (Sweden: Västerås, Eskilstuna, Karlstad)
- DISIT demo (multiple)
- Dubrovnik, Croatia
- Firenze area (I)
- Garda Lake area (I)
- Greece (Gr)
- Helsinki area (Fin)
- Livorno area (I)
- Lonato del Garda (I)
- Modena (I)
- Mostar, Bosnia-Herzegovina
- Oslo & Padova (Impetus)
- Pisa area (I)
- Pistoia (I)
- Pont du Gard, Occitanie (Fr)
- Prato (I)
- Roma (I)
- Santiago de Compostela (S)
- Sardegna Region (I)
- Siena (I)
- SmartBed (multiple)
- Toscana Region (I), SM
- Valencia (S)
- Venezia area (I)
- WestGreece area (Gr)



- **Trials in Israel, Colombia, Brasile, Australia, India, Romania, etc.**

https://www.snap4city.org/577

On Line Training Material (free of charge)

	1st part	2nd part	3rd part	4th part	5th part	6th part	7th part	8th
what	Overview	Dashboards	IOT App, IOT Network	Data Analytics	Data Ingestion processes	System and Deploy Install	Smart City API: Web & Mob. App	Design and Develop Smart Solutions
PDF 2022								
Interactive (2022) with video and animations								

Video1	YouTube	YouTube	YouTube	YouTube	YouTube	YouTube	YouTube
Video2	YouTube	YouTube	YouTube	YouTube	YouTube	YouTube	YouTube
Video3	YouTube	YouTube	YouTube	YouTube	YouTube	YouTube	YouTube
Video4	YouTube	YouTube	YouTube	none	YouTube	none	none



Architecture Snap4Industry

SNAP4
Appliances and Dockers
Installations

Services on Cloud and on IOT Edge!!!



Mainly fog computing and NGSI V1, V2 with security

Snap4Industry Architecture, V2/22

Back-End

Front-End

Data Sources, External Services *PULL Data*

Data Sources, Brokers, External Services *Data Driven, Real Time*

Data Ingestion, aggregation, regularization, reconcile: IOT Directory, NIFI, special tools

Knowledge base
Semantic Reasoners

Indexing and aggregating
OpenSearch, and Dash

Federation

Search and Query, Smart City API, Web Socket Server, GIS, Facet, semantic

Data Analytics, Simulations, Special Tools
R Studio, Tensor Flow, Python, ...

IOT Applications, Business Logic
Node-RED + Snap4City MicroServices

Rendering Acting, Widgets, Synoptics, MicroApps
User interface, Drill down, maps, heatmaps



Inform, announce, Act!, warning, alarms, What-IF, ..

Authentication, Authorization, Platform & Processes Management, Data Inspector, Digital Twin, ...

Standards and Interoperability (9/2022)

Compliant with:

- **IoT:** NGSI V2/LD, LoRa, LoRaWan, MQTT, AMQP, COAP, OneM2M, TheThingsNetwork, SigFOX, Libelium, IBIMET/IBE, Enocean, Zigbee, DALI, ISEMC, Alexa, Sonoff, HUE Philips, Tplink, BACnet, TALQ, Protocol Buffer, KNX, OBD2, Proximus, ..
- **IoT model:** FIWARE Smart Data Model, Snap4City IoT Device Models
- **General**: HTTP, HTTPS, TLS, Rest Call, SMTP, TCP, UDP, SOAP, WSDL, FTP, FTPS, WebSocket, WebSocket Secure, GML, WFS, WMS, RTSP, ONVIF, AXIS TVCam, CISCO Meraki, OSM, Copernicus, The Weather Channel, Open Weather, OLAP, ….
- **Formats**: JSON, GeoJSON, XML, CSV, GeoTIFF, OWL, WKT, KML, SHP, db, XLS, XLSX, TXT, HTML, CSS, SVG, IFC, XPDL, OSM, Enfuser FMI, Lidar, glTF, GLB, DTM, GDAL, Satellite, D3 JSON, …
- **Database**: Open Search, MySQL, Mongo, HBASE, SOLR, SPARQL, ODBC, JDBC, Elastic Search, Phoenix, PostGres, MS Azure, ..
- **Industry**: OPC/OPC-UA, OLAP, ModBUS, RS485, RS232,..
- **Mobility**: DATEX, GTFS, Transmodel, ETSI, ..
- **Social**:Twitter, FaceBook, Telegram, ..
- **Events**: SMS, EMAIL, CAP, RSS Feed, ..
- **OS**: Linux, Windows, Android, Raspberry Pi, Local File System, AXIS, ESP32, etc.

https://www.snap4city.org/65

Snap4Industry Detailed Architecture

Data Analytic
Predicting
IoT App
Node-RED
Data Analytic
Planning
IoT App
Node-RED
KeyCloak, LDAP
Business Logic
IoT APP
IoT APP
Snap4City: Smart City API, MicroServices
Snap4City Dashboard Builder
Management
.....
CKAN
GIS and ResM
BPM & BIM
IoT Directory
Knowledge Base
Data Storage
Open Distro for Elasticsearch
Orion Context Broker
FIWARE
GW-NGSI
DCS/ SCADA
IoT App
IoT App
IOT Edge
Admini- stration
Orders
Energy Services
Transportation
External Services
IoT App
IOT Edge
IoT Devices
IoT Devices from the field
IoT Devices
docker

Production Parameters

Dashboards, Visual Analytics, Synoptics, 3D, Maps



Knowledge Engineering

Linked Open Data

Linked Open Graph

LOG: https://log.disit.org



Schema: http://www.disit.org/km4city/schema

RDF version: http://www.disit.org/km4city.rdf





Altair Chemical (I)

Snap4Altair Decision Support supervision and control, Industry 4.0

SNAP4INDUSTRY reference

- **Multiple Domain Data**
  - Distributed Control System: energy, flows, storage, chemical data, settings, ..
  - Cost of energy, Orders,
  - Production Parameters
  - Maintenance data
- **Multiple Levels & Decision Makers**
  - Optimized planning on chemical model
  - Business Intelligence on Maintenance data
- **Historical and Real Time data**
  - Billions of Data
- **Services Exploited on:**
  - Multiple Levels, Mobile Apps, API
- **Since 2020**



Industry Plant Supervision and Maintenance

Aims

- **Control Room**: Higher level supervision and monitoring (since 2020)
  - Management of Production Plan *Optimization*
  - Control of Perimeter with drone and sensors
- **Maintenance ticketing** (since 2017)
  - *predictive* (in development)
  - 3D Digital Twin (in development)

MicroService Architecture

Energy Service

Data Connections and Transformation

IoT App/DA: Real Time & Stream Processing

Predictive Maintenance

Prod. Plan Optimization

API/MicroServices

Maintenance Intelligence

Digital Twin Local / BIM

.....

Data Storage

Management, Auth./Autoriz.

Snap4City Dashboard Builder









Plant Status



Real Time Production Synoptic

Production Plan

Production vs Planning



Data Storage

Decision Support

Data Ingestion

AS400

Orders

Energy Service

Transportation

Other Costs

Production Plant Management

Optimized Production Planner

Possible Plan

Possible Plans





Plant Management


DCS Real Time - Settimanale
Fri 23 Oct 18:32:02
STOCK KOH
STOCK NaOH
STOCK K2CO3 soluzione 50%
MARCIA IMPIANTI
Home
DCS Real Time VS Planning
DCS Real Time Giornaliero
DCS Real Time Settimanale
DCS Marce Giornaliero
DCS Marce Settimanale
DCS Stoccaggi


RTO online
Thu 1 Oct 15:34:29
Energia (PUN)
Altri Parametri
Pianificazione
Esito Pianificazione
In Produzione
2020-10-01 09:32:54 2020-10-01 23:00:00 2020-07-24 18:43:00 2020-10-01 09:33:27 completato NO
2020-09-30 17:20:50 2020-09-30 23:00:00 2020-07-24 18:43:00 2020-09-30 17:21:00 completato Sì
2020-09-30 16:24:57 2020-09-30 23:00:00 2020-07-24 18:43:00 2020-09-30 16:27:23 completato No
2020-09-30 14:54:11 2020-09-30 23:00:00 2020-07-24 18:43:00 2020-09-30 14:56:22 completato No
2020-09-30 13:43:47 2020-09-30 23:00:00 2020-07-24 18:43:00 2020-09-30 13:43:57 completato No
2020-09-29 19:03:27 2020-09-30 23:00:00 2020-07-24 18:43:00 2020-09-29 19:03:43 completato No
2020-09-28 18:30:13 2020-09-29 23:00:00 2020-07-24 18:43:00 2020-09-28 18:30:23 completato No
2020-09-28 17:57:14 2020-09-29 23:00:00 2020-07-24 18:43:00 2020-09-28 17:57:23 completato No
2020-09-28 15:50:21 2020-09-28 23:00:00 2020-07-24 18:43:00 2020-09-28 15:50:45 completato No
2020-09-25 18:46:02 2020-09-26 23:00:00 2020-07-24 18:43:00 2020-09-25 18:47:46 completato Sì
Home
DCS Real Time VS Planning
DCS Real Time Giornaliero
DCS Real Time Settimanale
DCS Marce Giornaliero
DCS Marce Settimanale
DCS Stoccaggi Giornaliero
DCS Stoccaggi Settimanale


Sinottico Sintesi Impianto Altair 2
Thu 1 Oct 15:32:19
Idrogeno gas
KCl
E.E.
NaCl
ELETTROLISI
Cloro gas
NaOH 30%
KOH 30%
NaOH 50%
SINTESI HCL
CLOROPARAFFINE
CLORURO FERRICO FERROSO
IPOSODIO
KOH50%
KOH SCAGLIE
K2CO3 gr.
K2CO3 sol. 50%
CONC. KOH
CONC. NaOH
NaOH 50%
Home
DCS Real Time VS Planning
DCS Real Time Giornaliero
DCS Real Time Settimanale
DCS Marce Giornaliero
DCS Marce Settimanale
DCS Stoccaggi Giornaliero
DCS Stoccaggi Settimanale
Sinottico di sintesi impianto (ton/g)
Sinottico di sintesi impianto (ton/h)
RTO online
Privacy Policy
Cookies Policy
Terms and Conditions
Contact us

Optimized Production Planner

ESSECO ALTAIR

Fri 23 Oct 18:57:41

Home
Optimized Production Planner

Parameters (TabPar)	DCS (OPC-UA)	Administrative data (AS400)	Administrative Consolidated Planning data (AS400)	Energy data	Other Parameters	Planning result	Outcome	In production
2020-09-25 18:47:36	2020-10-23 18:49:02	2020-10-23 18:49:29	2020-10-23 18:49:29	2020-10-24 23:00:00	2020-07-24 18:43:00	2020-10-23 18:49:39		SI
2020-09-25 18:47:36	2020-10-23 17:22:03	2020-10-23 17:21:46	2020-10-23 17:21:46	2020-10-23 23:00:00	2020-07-24 18:43:00	2020-10-23 17:22:08	completato	NO
2020-09-25 18:47:36	2020-10-22 18:36:02	2020-10-22 18:36:27	2020-10-22 18:36:27	2020-10-23 23:00:00	2020-07-24 18:43:00	2020-10-22 18:36:54	completato	Si
2020-09-25 18:47:36	2020-10-22 17:09:02	2020-10-22 17:08:59	2020-10-22 17:08:59	2020-10-22 23:00:00	2020-07-24 18:43:00	2020-10-22 17:09:13	completato	No
2020-09-25 18:47:36	2020-10-21 18:00:02	2020-10-21 17:59:47	2020-10-21 17:59:47	2020-10-22 23:00:00	2020-07-24 18:43:00	2020-10-21 18:00:12	completato	Si
2020-09-25 18:47:36	2020-10-21 06:52:02	2020-10-21 06:52:41	2020-10-21 06:52:41	2020-10-21 23:00:00	2020-07-24 18:43:00	2020-10-21 06:52:59	completato	No
2020-09-25 18:47:36	2020-10-20 18:26:02	2020-10-20 18:26:19	2020-10-20 18:26:19	2020-10-21 23:00:00	2020-07-24 18:43:00	2020-10-20 18:26:37	completato	Si
2020-09-25 18:47:36	2020-10-20 09:47:03	2020-10-20 09:47:05	2020-10-20 09:47:05	2020-10-20 23:00:00	2020-07-24 18:43:00	2020-10-20 09:47:21	completato	No
2020-09-25 18:47:36	2020-10-19 18:13:02	2020-10-19 18:13:09	2020-10-19 18:13:09	2020-10-20 23:00:00	2020-07-24 18:43:00	2020-10-19 18:13:21	completato	Si
2020-09-25 18:47:36	2020-10-19 09:51:02	2020-10-19 09:51:08	2020-10-19 09:51:08	2020-10-19 23:00:00	2020-07-24 18:43:00	2020-10-19 09:51:59	completato	No

<< 1 2 3 4 5 6 7 8 9 10 11 12 13 14 >>

Home
DCS Real Time VS Planning
DCS Real Time Giornaliero
DCS Real Time Settimanale
DCS Marce Giornaliero
DCS Marce Settimanale
DCS Stoccaggi Giornaliero
DCS Stoccaggi Settimanale

Business Logic



Snap4City/Industry IoT Apps

- Integration
  - Connection with Brokers, GWs, External services
- Data Driven Processing
- Data Analytics Manag.
- Smart City API
  - Search, discovering
  - Routing, Picking
- Dashboard Business logic
- Workflow, Digital Twin
- Management
- Scheduling
- …etc…





Node-RED

Some Flows


Snap4Altair
IoT Application nodered2
Node-RED


Snap4Altair
IoT Application nodered2
Node-RED


Snap4Altair
IoT Application nodered
Node-RED



Green Impact Capacity (GIC)

Altair Control room


Altair
Monitoraggio impianto
Fri 27 Jul 12:32:13
CL - Carrello
83
ppm
CL giornaliero - Carrello
Posizione - Carrello
10%
HCL - Carrello
19
ppm
HCL giornaliero - Carrello
Tempo - Carrello
NO_GPS
CL - Drone
51.77
ppm
CL giornaliero - Drone
Posizione - Drone
34.6767/36.9873
HCL - Drone
40.91
ppm
HCL giornaliero - Drone
Tempo - Drone
2018-07-01 12:21:17

Green Impact Capacity (GIC)

- Improve productivity of chemical plant
- Keep GREEN the environmental impact
- Exploiting innovative technologies
- Diversify the production
- Monitoring environmental conditions



Digital Twin vs BIM

Digital Twin Local



Digital Twin Local, 3D vs Real Time Data



BIM view of the Altair Chemical Plant



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzA1NA==

Integration with Ticketing Systems Workflows

Snap4City Maintenance Solution

- **OpenMaint** open source solution for property & facility management which is a BPM;
  - Inventory of industry assets (movable, logistics, equipment, etc.)
  - Tickets management for corrective maintenance
  - User management with different levels of access
  - BIM Server integrated with OpenMaint
- **Snap4City OpenMaint Extension**
  - **Extended API** developed by Snap4City
    - Create new tickets
    - Manage steps, workflow
    - Collecting feedbacks and results from teams
    - Manage all phases of the workflow on the fields via IOT Apps and logics
    - The integration if via API and MicroServices into IOT App.
  - **MicroServices** integrated with Snap4City via IOT Applications
- **Business Intelligence** which is the **Snap4City tool based on** Elastic Search: which work on top of the database of tickets collected on OpenMaint
- **BIMServer** integration with Snap4City Dashboards;



Example of Integrated workflow



Dashboards and actions

Consumptions/productions



Events/actions



OpenMaint: BPM Workflow management, team assignement, material control, …



IOT App, Data event firing, event detection and firing Critical event management





Integration with Ticketing Systems Workflow

- **Snap4City is integrated with OpenMaint Ticketing system. An Open Source solution for ticketing and workflow management, incident management.**

- Any ticketing systems can be integrated with Snap4City, by means of IOT Applications and Dashboards
- https://www.snap4city.org/597



Assets inventory and management



Solution for Asset Management and Maintenance

- Inventory of industry assets (movable, logistics, equipments, etc.)
- Tickets management for corrective maintenance
- Reports and Dashboards
- Predictive maintenance and Early Warning support via analytics
- Business Intelligence support
- User management with different levels of access

OpenMaint Ticketing System



- Define the workflow
  - Activate events
  - Manage steps
  - Collecting feedbacks and results from teams



- Activities
- Teams
- Phases
- Athorization
- Checking points
- Events and conditions
- …

Dashboards









- **Snap4City can**
  - Create new tickets
  - Manage steps, workflow
  - Collecting feedbacks and results from teams
  - Manage all phases of the workflow on the fields via IOT Apps and logics
  - The integration if via API and MicroServices into IOT App.

Filters | Search | KQL | Last 1 year | Show dates | Refresh

+ Add filter

- ABBATTIMENTO CLORO
- ACIDO CLORIDRICO
- ACQUA INDUSTRIALE
- ARIA SERVIZI E STRUMENTI
- CARBONATO DI POTASSIO
- CARICO PRODOTTI
- CICLO POTASSA CAUSTICA

Impianto: Select...

Specialità: Select...

Tipologia Lavoro: Select...

Siglatura: Select...

Apply changes | Cancel changes | Clear form

4,965
Numero di eventi nel periodo

264.491
50th percentile of ore tra inizio e fine lavoro

673.151
Media ore passate tra inizio e fine lavoro

CLORURO FERRICO STANDARD
CARBONATO DI POTASSIO
CICLO SALAMOIA IPOSODIO
IMPIANTO 3FC CARICO PRODOTTI



FERMATA DI IMPIANTO
ORDINARIO
EMERGENZA
FERMATA GENERALE DI STABILIMENTO

- CARBONATO DI P...
- CLORURO FERRIC...
- CICLO SALAMOIA
- ACIDO CLORIDRICO
- IPOSODIO
- IMPIANTO 3FC
- CARICO PRODOTTI
- POTASSA A SCAG...
- CLORURO FERRO...
- TAS
- CLORO PARAFFINA
- PRODUZIONE VA...
- SERVIZI
- CICLO POTASSA ...
- CICLO SALAMOIA...



Business Maintenance Intelligence

Predictive Maintenance

Complex cause-effect relationships

- **Elements:**
  - Machines: A…C
  - Storage: silos…
  - Flows:…
- **Dependencies**
  - Cascade effects
- **Early warning**
  - Reduction of costs
  - Recovering from failure is more expensive than correcting in advance
  - Possible advanced replan and reschedule: secondary solutions





Workflow

Data acquisition
Production - Maintenance

Feature selection,
Feature engineering

CNN-LSTM Training

Validation AI
Model

Classification
Model

CNN-LSTM
Engine

F/NF

Explainable/XAI
(Shap)

{features (t)}

Business Intelligence for
Maintenance

integration of workflow management system for maintenance with general control systems and data flow

Structure of the plant



Decision making
on more cases

KPI

CNN: Convolutionary NN
LSTM: Long Short-Term Memory
(deep learning model)

Solution

Plant Status



Real Time Production Synoptic



Dashboard for Production Control

Control Supervisor



Business Logic

IoT App

OpenMaint



API



Data Storage

Elastic Search



Business Intelligence Maintenance

IoT App

IoT App

Business Logic 2

Predictive Maintenance

Predictive Training

Overview Features

Feature	Plant	Description	Unit of measure
TempreactoreR4001 - TempreactoreR4002 - TempreactorR4003	chlorine paraffins (CPS)	reactor temperature indication	°C
S904A - S904B - S904C	Potable Ferric std	Storage level indication	%
S4304	chlorine paraffins (CPS)	Storage level indication	%
standardFerric Chloride	Potable Ferric std	flow rate measurement and totalization	m3
potFerricChloride	Potable Ferric Chloride	flow rate measurement and totalization	m3
S904E - S904D	Potable Ferric Chloride	Storage level indication	%
QuantNaOHperBatchNaClO - QuantNaOHBatchNaClO_2	NaOH KOH	flow rate measure and totalization	lt – m3
ConversionNaOH - ConversionKOHlinea1	NaOH KOH	electrolysis load adjustment (production)	kA
KOH_1_charge - KOH_2_charge	NaOH KOH	flow rate measure and totalization	m3
S487 - S484 - S5104	NaOH KOH	Storage level indication	%
hypo sodium	sodium hypochlorite	quantity of material produced	m3
S851 - S852 - S854 - S856 - S857	sodium hypochlorite	Storage level indication	%
S871	HCl	Storage level indication	%
RedoxFeCl3Pot	Ferric Chloride std	potential measure redox Ferric Chloride	mV

Preditive capabilities

- Deep Learning: LSTM, CNN-LSTM approached
- Explainable AI: Identification of possible causes of fault

	Precision %	Recall %	F_1 score %
weighted avg	0.90	0.92	0.90



Classification model CNN-LSTM

Layer (type)	Output Shape	Param #
conv1d (Conv1D)	(None, 20, 64)	8320
average_pooling1d (AveragePo	(None, 10, 64)	0
lstm (LSTM)	(None, 10, 200)	212000
lstm_1 (LSTM)	(None, 10, 200)	320800
lstm_2 (LSTM)	(None, 10, 200)	320800
lstm_3 (LSTM)	(None, 10, 200)	320800
lstm_4 (LSTM)	(None, 100)	120400
dropout (Dropout)	(None, 100)	0
dense (Dense)	(None, 1)	101

Total params: 1,303,221
Trainable params: 1,303,221
Non-trainable params: 0



Actual Class \ Predicted Class	Normality	Fault
Normality	45811	903
Fault	3306	1376

	Precision %	Recall %	F_1 score %
weighted avg	0.90	0.92	0.90

Explainable/XAI - CNN-LSTM (SHAP)

Explanation of prediction generated by model for fault

Explanation of prediction generated by model for normality



Closing the loop



Historical and Real Time Data



Map and 3D BIM modelling to:
-- represent the details
-- associate physical elements with data

Synoptics for real time monitoring



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzA1NA==



Business Intelligence Maintenance

Explainable AI to map critical values of devices and detection to physical elements in the plant



WHAT-IF Analysis

What-If Analysis

Available data and techniques	What happened	What is going on now	What is going to happen	What-If: what is going to happen if a scenario occurs in the future	Which is the best solution
Historical Data, HD	Yes	No	No	No	No
Real Time Data, RTD	No	Yes	No	No	No
HD + RTD + Short term Predictions, STP(.)	Yes	Yes	Yes	No	No
HD + RTD + Analytical Model, AM(.) + Scenario Model, SM(.)	Yes	Yes	Yes	(Yes)	No
HD + RTD + Short and Very Long Term Predictions, SVLTP(.) + AM(.) + SM(.) + Simulation, S(.)	Yes	Yes	Yes	Yes	No
HD + RTD + SVLTP(.) + AM(.) + SM(.) + S(.) + KPI(.) based Decision	Yes	Yes	Yes	Yes	Yes

What-if: what is going to happen if …. this and that

- **What is going to happen at:**
  - People, Economy, Society, ..
  - Traffic, Pollutant, Parking, structures
  - Equipment, .. …
- **if certain unexpected events would occur**
  - Scenario definition
  - Guessing future data…
- **Taking into account**
  - Historical Data
  - Real Time Data
  - Contextual data

Decision Support System
KPI, Optimization
Visual Analytic: animations



Business Intelligence

DevDash: My Data Dashboard Kibana





kibana

SNAP4INDUSTRY

KM4CITY

Business Analysis Dashboards For all kind of users: DevDash

- Dynamic Filtering, Adaptable, …
- Full data details, drill down,…
- Synergic with **Data Inspector** which addresses data relationships, processing and information
- **Only Your Data for**
  - Manager and Area Managers
- **All Accessible Data for**
  - ToolAdmin and RootAdmin



SNAP4INDUSTRY

KM4CITY

- Multi faceted Search by
  - Devices
  - Organization
  - Drill on Time
  - Drill on Map
  - Value Types
  - Data Type
  - Value name
  - Data table
  - Etc.

kibana

- Respect Privacy and GDPR


VALUE_TYPE, DATA_TYPE
SRC, DEVICENAME
DEVICENAME, VALUE_NAME, VALUE_TYPE
VALUE_TYPE, VALUE_UNIT, VALUE_STR
field value
value_type timestamp 122,418 (22.9%)
data_type time 122,418 (100%)
field value
value_type timestamp 122,418 (33.17%)
value_unit s 120,070 (98.08%)
value_str 2020-12-15T07:44:32.000Z 8 (2.49%)
SMARTCITYMAP-v1
Count of sensors
5 – 16,298.25
16,298.25 – 32,591.5
32,591.5 – 48,884.75
48,884.75 – 65,178
© OpenStreetMap contributors

IoT Edge: IOT App
Smart Industry 4.0

Measuring any kind of sensors values

Controlling Energy Power

Measuring
Energy Consumption

Any kind of notification channel

IOT Edge:
Node-RED
+
Snap4City

Local Control

Contextual (smart city/home) data, Data Analytics
Historical Data, Remote Control, Mobile App



DCS

Administrative Servers

Alexa: Voice Commands

Devices



Temp, Humidity

Energy Metering

Modbus

8 Relais, actuators



USB -- ModBus

ModBus to Snap4City Gateway Edge





- A large range of devices: sensors and actuators
- Over serial as RS485 and/or IP


modbus-response
modbus-read
modbus-getter
modbus-flex-getter
modbus-write
modbus-flex-write
modbus-server
modbus-flex-server
modbus-queue-info
modbus-flex-connector
modbus-io-config
modbus-response-filter


UNIT
PORT
TCP/IP Nummer
MAC ID
MODBUS
TCP
IP
Ethernet

- ..

UNIVERSITÀ DEGLI STUDI FIRENZE

DINFO DIPARTIMENTO DI INGEGNERIA DELL'INFORMAZIONE

DISIT DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB

Modbus







IoT edge

Hue Hub

Motion Control / Alarm

TP Link plugs: meter

Alexa: Voice Control

IOT Edge:

Raspberry pi: Node-RED + Snap4City MicroService Library

5G gateway

FIWARE Orion Broker

Dashboards

Advanced Smart City API

Environmental Contextual data from the city. Historical Data, Remote Control, Mobile App



IoT edge

Philips Hue: Controlling Lights

Hue Hub

Hue: Motion Control / Alarm

TP Link: Controlling / Measuring Energy Plugs

Alexa: Voice Control



IOT Edge:

Raspberry pi: Node-RED + Snap4City

Measuring: Temperature, Humidity, light in the room



Monitoring: CPU clock, status

5G gateway

Internet

SNAP4CITY



Environmental Contextual data from the city.
Historical Data, Remote Control, Mobile App



IoT Edge

Sonoff: Controlling Energy Power

Philips Hue: Controlling Lights

Hue: Motion Control / Alarm

Measuring
Energy Consumption

TP Link: Controlling / Measuring Energy Plugs

Alexa: Voice Control

IOT Edge:

Raspberry pi: Node-RED + Snap4City



Measuring Temperature and Humidity



Garage Door

Window
Roller Shutters

Controlling Motors



Alarm sound
and light

Controlling
Irrigators



Local Control



SNAP4CITY



Environmental Contextual data from the city
Historical Data, Remote Control, Mobile App



https://www.snap4city.org/620


Control TP link plug and power consumption on them
Presa1
Created on dashboard
msg.payload
On
Off
Presa1
pp1 - HS110(EU)
Connected
switch
fiware orion out v1
msg.payload
Consumo Prese
getQuickInfo
Presa1
connected
Presa2
Created on dashboard
On
Off
Presa2
pp2
Connected
switch
fiware orion out v1
msg.payload
Measuring Temperature and Humidity
timestamp
rpi-dht22
msg.payload
Temperature
connected to wss://dashboard.km4city.org:443/server
msg.payload
Humidity
Scheduling all activities
getQuickInfo
Detecting Light in the room
msg
text
On off luce
PIN: 7
0
timestamp
Light Detection
connected to wss://dashboard.k
msg.payload
Interruttore master
PIN: 13
1
switch
delay 10s
temp, hum, pw1, pw2
msg.payload
Controlling Display
timestamp
timestamp
timestamp
timestamp
timestamp
delay 1s
test
off
on
clear
LCD-I2C
OK
verde
PIN: 15
0
switch
light, ...
nero
PIN: 16
0
switch
.....


HUE Philips
{"touchLink" : true }
{"fetch" : "lights" }
msg.payload
h1
connected
msg
HUE Philips Motion Detection
true:{"motion" : true }
false:{"motion" : false} *
timestamp
Hue motion sensor 1
not reachable
Motion Detection
connected to wss://dashboard.km4city.org:443/server
HUE Philips White Lamp control
on:timestamp
on:timestamp
on:timestamp
on:timestamp
off
on
on 50
on 100
Hue white lamp 1
msg.payload
msg.payload
L1
Created on dashboard
On
Off
Lamp1
msg.payload
valore
prep. mykpi
Save on Luce
msg.payload
L1control
Created on dashboard
valore
msg.payload
Lampadina
connected
valore
valore
Presa1
connected
Alexa Lampada
connected to wss://dashboard.km4city.org:443/server
msg.payload
Temp CPU
Fun control
on:timestamp
Get temperature
msg.payload
PIN: 18
0
1
CPU status
on:timestamp
Get temperature
CPU temp trend
CPU temp
sc
connected to wss://dashboard.km4city.org:443/server
CPU Temp
connected to wss://dashboard.km4city.org:443/server
CPU temp trend
connected to wss://dashboard.km4city.org:443/server
CPU °C
connected to wss://dashboard.km4city.org:443/server
on:timestamp
CPU usage
CPU status
Temperatura
connected
msg.payload
ALARM sending
timestamp
timestamp
send email from snap4city@gmail.com
msg.payload



Other EXAMPLES

PaD

Predictive Analytics Dashboard

ITALFERR
Mon 17 Jan 17:31:13

Piano Linea 2

Dettaglio Linea 2 | Vista Complessiva

Sintesi Linea 2
Allocazione Squadre Linea 2
Simulazione Allocazione Linea 2

	Data partenza in stima	Data fine in stima	Durata stimata	Data effettiva partenza	Data effettiva fine	Durata
Progetto di base	02/06/2022	31/08/2022	90	02/06/2022	31/08/2022	
Progetto esecutivo	31/08/2022	29/11/2022	90	31/08/2022	29/11/2022	
Vr_ODI PE	29/11/2022	28/01/2023	60	29/11/2022	28/01/2023	
Realizzazione	28/01/2023	20/09/2025	966	28/01/2023	20/09/2025	
Prove	20/09/2025	19/12/2025	90	20/09/2025	19/12/2025	
CVT e ANSFISA	19/12/2025	18/05/2026	150	19/12/2025	18/05/2026	
Totale	**02/06/2022**	**18/05/2026**	**1446**	**02/06/2022**	**18/05/2026**	

Privacy Policy | Cookies Policy | Terms and Conditions | Contact us

PAD
Predictive Analytics Dashboard
Powered by
ITALFERR
GRUPPO FERROVIE DELLO STATO ITALIANE
SNAP4

PAD - ITALFERR

Mon 17 Jan 17:29:30

Predictive Analytics Dashboard
Simulazione Allocazione

Simulazione Allocazione

Sat 22 Jan 09:22:18

squadre: 5

Pianificazione Stimata

MaxSquadre

MaxGiorni: GG 520 Submit

Schedula effettiva

Predictive Analytics Dashboard
Sintesi Linea 2
Allocazione Squadre Linea 2

msg: Infattibile

Multi Time trends

Totali Eff

Max Pers.: 126
Durata: 886

Totali

Max Persone: 126
Durata Eff: 1123

Multi Time trends Eff

Privacy Policy | Cookies Policy | Terms and Conditions | Contact us

SNAP4

PaD

Open Italy 2021



LINEA	Codice Linea	Anno ERTMS	Baseline	Lunghezza ERTMS	Presenza GSMR	Durata in Stima	Durata Effettiva	Ultimo aggiornamento		
Linea 1	AA11	2026	3	5 km	NO	130	130		Piano Linea	Dettaglio Linea
Linea 2	BB22	2027	3	200 km	SI	966	966	17/01/2022 16:40:02	Piano Linea	Dettaglio Linea
Linea 3	CC33	2025	3	150 km	NO	596	596		Piano Linea	Dettaglio Linea
Linea 4	DD44	2026	3	100 km	NO	809	809		Piano Linea	Dettaglio Linea
Linea 5	EE55	2025	3	50 km	NO	1094	1094		Piano Linea	Dettaglio Linea
Linea 6	FF66	2025	1	80 km	SI	681	681		Piano Linea	Dettaglio Linea
Linea 7	GG77	2025	2	20 km	NO	754	754		Piano Linea	Dettaglio Linea
Linea 8	HH88	2025	3	60 km	SI	692	692		Piano Linea	Dettaglio Linea
Linea 9	MM99	2025	1	80 km	NO	587	587		Piano Linea	Dettaglio Linea

PaD

Open Italy 2021

Predictive Analytics Dashboard

ITALFERR

Mon 17 Jan 17:31:13

Piano Linea 2

Dettaglio Linea 2 | Vista Complessiva



Sintesi Linea 2

Allocazione Squadre Linea 2

Simulazione Allocazione Linea 2

	Data partenza in stima	Data fine in stima	Durata stimata	Data effettiva partenza	Data effettiva fine	Durata effettiva
Progetto di base	02/06/2022	31/08/2022	90	02/06/2022	31/08/2022	90
Progetto esecutivo	31/08/2022	29/11/2022	90	31/08/2022	29/11/2022	90
Vr_ODI PE	29/11/2022	28/01/2023	60	29/11/2022	28/01/2023	60
Realizzazione	28/01/2023	20/09/2025	966	28/01/2023	20/09/2025	966
Prove	20/09/2025	19/12/2025	90	20/09/2025	19/12/2025	90
CVT e ANSFISA	19/12/2025	18/05/2026	150	19/12/2025	18/05/2026	150
Totale	**02/06/2022**	**18/05/2026**	**1446**	**02/06/2022**	**18/05/2026**	**1446**

Privacy Policy Cookies Policy Terms and Conditions Contact us

SNAP4

PaD

Open Italy 2021



IoT Health Scenarios

1) Smart Ambulance:
Collecting and managing local data from tools and sensors inside the ambulance, IoT Devices, Tablets, Drones etc.

2) Personal Health devices:
e.g.: glucometers, etc.

3) Smart Bed:
Collecting and managing data from smart bed sensors, monitoring parameters in real-time

Smart Ambulance



Smart Ambulance

- **HUD control**
- Monitoring Patient
- Intervention data

- Device/equipment Status:
  - Fridge, tanks (anestetic, oxigen, etc.)
- Stock
  - Load/get any drug/item per box/container
- Car Maintenance
  - Programmed, and accidents


Node-RED
filter nodes
Dashboard
Vehicle page
Storage page
Map test
chart page
Patient information
Intervention box
common
inject
debug
complete
catch
status
link in
link out
comment
function
function
switch
change
range
template
delay
trigger
exec
semaphore take
JS: icons
JS: storage main
JS: load form
HTML: storage
http
NEW device
get my devices
Set id and model
getdirectory new-device-from-model
if directory error
new device error
setup device
switch
prepare post
update container
FETCH
set filter
set filter
get my devices
split
get deviceId
prepare GET
GET
if GET error
filter
prepare error
Websocket to storage
UPDATE equipment
split multiple updates
split
change: 6 rules
UPDATE container
prepare GET
GET
if GET error
produce equipment updates
apply action e make array
split
change: 6 rules
switch
Atomic: increase equipment totalCount
semaphore take
prepare GET
GET
if GET error
catch: 6
update total count
prepare POST
POST
semaphore leave
DELETE container
deviceStatus = -1
apply simple updates
prepare POST
POST
if POST error
prepare GET
GET
if GET error
to websocket
DELETE equipment
deviceData
find all the containers that store the given equipment
set filter
get my devices
split
get deviceId
prepare GET
GET
if GET error
filter

Jewel Alarms AMPERE



Click on Jewel







Data Observed	DeviceId	Status	Description	Try
2022-04-11T13:56:29.952Z	Operator	Called: S Sev		
2022-04-11T14:37:52.656Z	APP	alert		Pin Action
2022-04-11T14:38:24.112Z	Operator	Called: 118		
2022-04-12T08:16:46.076Z	APP	alert		Pin Action
2022-04-13T12:07:27.586Z	Operator	Called: 118		
2022-04-13T15:16:45.987Z	Operator	Called: Daniele Bologna	test_description	
2022-04-14T13:00:15.680Z	Operator	Called: 115	new action	
2022-04-14T13:19:18.118Z	Operator	Called: 115	test new action	
2022-4-11T15:18:47.000Z	Operator	Called: M Bol		
2022-4-11T15:21:6.000Z	Operator	Called: 112		



Ciao roottooladmin1

Tue 3 May 14:13:30

PONT DU GARD: PEOPLE AND BIKES COUNTING HERIT-DATA - CLONED NEWGUI







Pont du Gard Main

Pont du Gard Dashboard

Pont du Gard Consumer Satisfaction

Pont du Gard Ticketing

Ciao roottooladmin1

Tue 3 May 14:34:55

HERIT-DATA - PONT DU GARD CONSUMER SATISFACTION - CLONED-NEWGUI









Pont du Ga Main

Pont du Ga Dashboard

Pont du Ga Ticketing

Pont du Gard Pa and Bikes Coun

Ciao roottooladmin1

Tue 3 May 14:03:11

HERIT-DATA - WEST GREECE VARIOUS DATA - NEWGUI









Ciao roottooladmin1

Tue 3 May 13:59:05

HERIT-DATA - ACTIVITIES CALENDAR - NEWGUI

















- Environmental data
- Power meter Data
- Smart Light data are coming (in collaboration with a multinational company)

Smart Waste – Map view



Search bins on map by filtering per:

- **Kind** (All, generic, plastic, paper, glass, metal, organic)
- **Status** (Active, Not Active)
- **Fullness** (Full, Half-full, Empty)
- **Address**
- **Group of bins** (by GroupID)

- Refine a search by using the filters on the left side
- Click on a waste bin pin on the map:
- A popup with real time data is shown
- The fullness status of the selected group of bins is shown in the synoptic below the map
- Specific fullness weekly trends are shown below the map
- Chick on the «Table view» button to access the other dashboard

Smart Waste – Table view





ITALMATIC Main Dashboard

Mon 4 Oct 15:37:54



http://dashboard/dashboardSmartCity/view/index.php?iddasboard=MjE=

Sinottico Impianto

Sinottico Impianto Presse - Autoclave

Mon 4 Oct 15:34:59



http://dashboard/dashboardSmartCity/view/index.php?iddasboard=MTk=


Autoclave_db - Weekly
Mon 4 Oct 15:28:14
Autoclave - autPress
Autoclave - spPress
Autoclave - avgAirTemp
Autoclave - spTemp
Autoclave - hitcTemp
Autoclave - lotcTemp
Autoclave - evModInVapore
Autoclave - evModInPress
Autoclave - evModInScarico
Autoclave - outMotor
Main Dashboard
Autoclave KPI - Weekly
Impianto Presse - Weekly
OpcUaValues - Weekly
OpcUaValues Trend Comparison
Sinottico Impianto Presse - Autoclave


OpcUaValues - Weekly
Mon 4 Oct 15:33:07
dbTempertaturaHitc
dbTempertaturaMediaAria
dbTempertaturaLotc
dbTempertaturaSpAttuale
dbloQwUscitaPressione
dbloQwIngressoVapore
dbPressioneSpPressione
dbloQwRaffredamento
dbInverterCorrente
dbCicloNumero
Main Dashboard
Autoclave db - Weekly
Autoclave KPI - Weekly
Impianto Presse - Weekly
OpcUaValues Trend Comparison
Sinottico Impianto Presse - Autoclave


OpcUaValues_Trend Comparison
Mon 4 Oct 15:32:06
Time trend comparison Temperature
Time trend comparison Pressioni
Time trend comparison Temperatura Raff
Time trend comparison Pressione
Time trend Inverter Corrente
Time trend Inverter Velocità
Main Dashboard
Autoclave db - Weekly
Autoclave KPI - Weekly
Impianto Presse - Weekly
OpcUaValues - Weekly
Sinottico Impianto Presse - Autoclave
Privacy Policy
Cookies Policy
Terms and Conditions
Contact us


Impianto_Presse - Weekly
Mon 4 Oct 15:31:06
Organization:iotobsf:Impianto_Presse - caldPress
Organization:iotobsf:Impianto_Presse - line1Press
Organization:iotobsf:Impianto_Presse - line1Temp
Organization:iotobsf:Impianto_Presse - line2Press
Organization:iotobsf:Impianto_Presse - line2Temp
Main Dashboard
Autoclave db - Weekly
Autoclave KPI - Weekly
OpcUaValues - Weekly
OpcUaValues Trend Comparison
Sinottico Impianto Presse - Autoclave
Privacy Policy
Cookies Policy
Terms and Conditions
Contact us

EN.TE.R.PR.I.S.E.

(**EN**hanced **TE**chnological **R**&D of new **PR**oducts and Processes for **I**nnovation, **S**mart factory and green **E**conomy)

ALTAIR CHIMICA

Administrative Data from AS400

Real Time Data, Historical, Events from DCS

OPC UA

Unique National Energy Costs (PUN)

Big Data Analytics Artificial Intelligence Engine

SNAP4INDUSTRY



Analytical Data from the product quality Lab (LIMS/SAM)



SNAP4

GeNotiLab



POR CreO REGIONE TOSCANA FONDO EUROPEO DI SVILUPPO REGIONALE 2014 2020 | UNIONE EUROPEA | REPUBBLICA ITALIANA | Regione Toscana

GeNotiLab Architecture for ALTAIR

Analytical Data from the product quality Lab(LIMS/SAM)



AS400

IOT App

Users

Analysis

Notifications

IOT App Analytics

Dashboards



IOT App Management

Tools:

-- List of Chemical Analyses

-- List of Notifications

-- Define notifications

-- Program, send notifications

-- see notification status

IOT App Vs Telegram

Telegram Bot

Monitoring and Tracking via Thermal Cameras

AXIS COMMUNICATIONS

Tracking People
AXIS Camera with Snap4City




Control Station for Thermal Cameras
SNAP4CITY
HERIT-DATA
Co-financed by the European Regional Development Fund

A view and data from the Thermal Camera





Retail Recommendations Feedback Pilot

Smart Retail

- **Feedback,** Flexible Advanced Engagement Exploiting User Profiles and Product/Production Knowledge
  - VAR, PatriziaPepe (Tessilform), DISIT, Effective Knowledge, SICE
  - Keywords: retail, GDO, …
- **Goals and drivers:**
  - adaptive user engagement, customer experience
  - Advanced user profiling, user behavior analysis
  - Predictive models for engagement
  - IOT and instrumentation
  - Integrated in city customer



feedback

Reference Architecture



Workflow


Collect Data
Clustering of item descriptions
Interpret results and adjust
Features engineering for customers
Items
RFID
Users
Clustering on user profiles
Interpret results and adjust
Association Rules
Complementary and associated Items
Making Suggestion

feedback

- Using the stimulus of the recommendation system, we have increased the customers' attention of the 3.48%
- The solution is also functional in presence of a low number of customers and items
- The solution solved the cold start problems
- GDPR compliant

Water Depuration Plant

Prato
Smart City vs Industry 4.0

GIDA set up

Smart City data from many sources



IOT Data Shadow Snap4City

IOT Applications



Dashboards and Apps



Big Data Analytics, Artificial Intelligence

Modbus

ModBus to Snap4City Gateway Edge

5G network devices

ZTE

Telemonitoring Telecontrol

Demo UC5 GIDA



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjIyNg==

Demo UC5 GIDA



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MjIyNg==



How to Develop

https://www.snap4city.org/download/video/course/dev/

https://www.snap4city.org/download/video/Snap4Tech-Development-Life-Cycle.pdf

ATTENTION!!!

- *These slides are only a overview of the training course of Snap4City, Snap4Industry, Snap4Tech.*
- *Full training course access to dedicated web page, slide, video, documents and on line documentation which are reporting many more details, examples and functionalities.*

On Line Training Material (free of charge)

	1st part (*)	2nd part (*)	3rd part (*)	4th part (*)	5th part (*)	6th part (*)	7th part (*)
what	General	Dashboards	IOT App, IOT Network	Data Analytics	Data Ingestion processes	System and Deploy Install	Smart City API: Web & Mob. App
PDF							
Interactive							
Video1							
Video2							
Video3							
Video4				none		none	none
duration	2:55	3:16	3:41	2:00	2:48	2:35	1:47

https://www.snap4city.org/577



Snap4City Platform

Technical Overview

From: DINFO dept of University of Florence, with its DISIT Lab, Https://www.disit.org with its Snap4City solution

Snap4City:

- Web page: Https://www.snap4city.org
- https://twitter.com/snap4city
- https://www.facebook.com/snap4city

Contact Person: Paolo Nesi, Paolo.nesi@unifi.it

- Phone: +39-335-5668674
- Linkedin: https://www.linkedin.com/in/paolo-nesi-849ba51/
- Twitter: https://twitter.com/paolonesi
- FaceBook: https://www.facebook.com/paolo.nesi2

Access Level: Public.

Date: 05-04-2021

Version: 5.3

1

- https://www.snap4city.org/drupal/sites/default/files/files/Snap4City-PlatformOverview.pdf



Powered by SNAP4Tech

Development Life-Cycle

https://www.snap4city.org/download/video/Snap4Tech-Development-Life-Cycle-v1-1.pdf

From Snap4City:

- We suggest you to read the TECHNICAL OVERVIEW:
  - https://www.snap4city.org/download/video/Snap4City-PlatformOverview.pdf
- https://www.snap4city.org
- https://www.snap4solutions.org
- https://www.snap4industry.org
- https://twitter.com/snap4city
- https://www.facebook.com/snap4city
- https://www.youtube.com/channel/UC3tAO09EbNba8f2-u4vandg

Coordinator: Paolo Nesi, Paolo.nesi@unifi.it

DISIT Lab, https://www.disit.org
DINFO dept of University of Florence,
Via S. Marta 3, 50139, Firenze, Italy
Phone: +39-335-5668674

Access Level: public

Date: 21-10-2022

Version: 1.4

1

https://www.snap4city.org/download/video/Snap4Tech-Development-Life-Cycle.pdf

Creation of Dashboards and Applications


Datacenter Energy Consumption
DataCenter gas and smoke (mobile)
DISIT
Sat 22 Jun 09:40:02
Smoke1
6
Smoke1 (day)
Smoke2
3
Smoke2 (day)
Smoke3
4
Smoke3 (day)
Gas1
36
Current
Previous
Temperatures - Room of machine 166
DISIT
22.4
deg
Temperature 1 (last 12 hours)
Temperature 1 (H24)
20.4
deg
Temperature 2 (last 12 hours)
Temperature 2 (H24)
Humidity %1
31.5
Humidity Percentage 1 (daily)
Humidity %2
40.5
Humidity Percentage 2 (daily)
WebMonitoring major
Status of Web servers
Sat 22 Jun 09:43:50
DISIT_ORG
KM4CITY
SERVICEMAP
SERVICEMAPOSM
TWITTERVIGILANCE
LINKEDOPENGRAPH
NODERED_1
NODERED_2
NODERED_3
NODERED_4
NODERED_5
NODERED_6
NODERED_7
NODERED_8
TOKEN FOUND



https://main.snap4city.org/view/index.php?iddasboard=Nzc=



https://main.snap4city.org/view/index.php?iddasboard=NjQ=



https://main.snap4city.org/view/index.php?iddasboard=MTAw



https://main.snap4city.org/view/index.php?iddasboard=ODM=

D3 Graph library capability



https://www.snap4city.org/dashboardSmartCity/view/Gea.php?iddasboard=MzQ4OQ==

Custom Widgets

Custom Dashboards and Widgets (interactive, Animations, etc.)

-- SVG for graphic design

-- MyKPI for collecting data









MyKPI: Tracking of Devices and Mobiles

- Real Time Trajectories for
  - Mobile Phone
  - Moving IOT Devices
  - OBU, Vehicular Kits
  - Multiple tracks
  - Day by day
- Micro Application

Mobile
PAX Counter

Apps

OBD2



OBU



IOE – Vehicle Monitoring

CANBUS sniffer

Bluetooth







Tuscany in a Snap Mobile App on Android

TOSCANA

GET IT ON Google play





Special Custom Widgets

- Smart parking
- Smart Energy
- Smart Light
- Smart ….
- Energy View
- Custom Controls













Dashboard Development



IOT Applications

Knowledge and Storage
Data from the Field and
City + MyKPI ++

Widget Collection

Micro
Applicat
ions

External
Services

Custom
Widgets/
Synoptics

Dashboard Wizard



Create, save, load,
delegate, grant access



Dashboard Editor



Public
Dashboard
Collection

My Own Dash/App

Dashboard List and Editor

Snap4City Dashboards

Wizard

Dashboard features | Data and widgets | Check and summary

Map



Single data widgets

Multi data widgets

Data sources

All selected (10)	All selected (55)	All selected (776)	All selected (315)		All selected (47)				All selected (2)
High-Level Type	Nature	Subnature	Value Type	Value Name	Data Type	Last Dat		Last Check	Ownership
Special Widget	Environment	Weather Forecast		Previ_Meteo	special weather			2018-07-08 16:00:18	public
Special Widget	Environment	Weather Forecast		Previ_Meteo	special weather		Vergemoli	2018-07-08 16:00:18	public
Special Widget	Environment	Weather Forecast		Previ_Meteo	special weather			2018-07-08 16:00:18	public
Special Widget	Environment	Weather Forecast		Previ_Meteo	special weather			2018-07-08 16:00:18	public
Special Widget	Environment	Weather Forecast		Previ_Meteo	special weather		Vaglia	2018-07-08 16:00:18	public
Special Widget	Environment	Weather Forecast		Previ_Meteo	special weather		Vagli sotto	2018-07-08 16:00:18	public
Special Widget	**Environment**	**Weather Forecast**		**Previ_Meteo**	**special weather**		**Vagli di sotto**	**2018-07-08 16:00:18**	**public**
Special Widget	Environment	Weather Forecast		Previ_Meteo	special weather		Uzzano	2018-07-08 16:00:18	public

Hide columns | Selected rows: 0 | Previous 1 2 3 4 5 ... 1081 Next | Search

Choosen data sources

High-Level Type	Nature	Subnature	Value Type	Value Name	Data Type	Last Date	Last Value	Healthiness	Last Check	Ownership	Remove

Previous Next | Search

Close

SNAP4CITY

Wizard

- Select the area of your interest: panning and zooming
- Select the
  - graphic aspect of your interest, or
  - High Level Type of your interest, or
  - Make a search if you a have a precise idea or
  - Act on filters: nature, subnature, type, name, value, date, health, owner, …
  - Combine them as you like
- Select the lines of your interest
- Then click on Next and get the Dashboard by wizard

Custom Widget / Synoptic Development



IOT Applications

Knowledge and Storage Data from the Field and City



Inkscape editor on your computer



Create, save a Custom Widget in SVG



Public Dashboard Collection

My Own Dash/App



Create, save, load, delegate, grant access

1. Create and Load a Custom SVG
2. Select/Reuse an SVG
3. Make and Instance of Synoptic by Associate Variables with MyKPI
4. Create on Dashboard a Widget based on Synoptic HLT such as Ext. Srv.:
   - https://www.snap4city.org/synoptic/v2/synoptic.html?id=xxxx



How to create a custom Widget

- [User manual on: https://www.snap4city.org/595](https://www.snap4city.org/595)

Create, save a Custom Widget in SVG



SVG

Upload as Custom Widget Template



List of Custom Widgets / Synoptics



Dashboard Editing



SVG Symbols Collection

From any open library

select





Instantiate as Custom Widgets / Synoptics Connect with WebSockets



Final Dashboard



Select MyKPI and Sensor Data for Synoptics cases

From-To Custom Widgets / Synoptics to Storage in WS



MyKPI



Sensor



[ ]

New Shared Variables

Constant Values

















Web Socket Secure

Custom Widgets Templates



Dashboards summary and further readings

- **Suitable** as: City Dashboard, App interface, and Control Room Dashboards, Situation Room Dashboard, Operator Dashboard
- **Created** visually compounding graphic Widgets
  - Each widget can be set to have an autonomous update
  - Each metric/data-source may have associated with an alarm: blinking and sending events to people and machines in different manners
- **Can be**: public or private, private dash can be delegated or passed in ownership
- See https://main.snap4city.org/management/dashboards.php?linkId=dashboardsLink&fromSubmenu=false&sorts[title_header]=1
- See the following tutorials
  - **HOW TO: create a Dashboard in Snap4City**
  - **HOW TO: add data sources to the Snap4City Platform**
  - **US1. Using City Dashboards**
  - **US2. Using and Creating Snap4City Applications with Dashboards**
  - **US4. Creating City Dashboards and related Event Monitoring and Actions**

IOT Devices

Sensors/
Actuators

IOT Edge Devices

LoraWAN +
Arduino +
I2C, NGSI



Arduino,
Wi-Fi, NGSI



Snap4All
IOT Button
ESP, NGSI,
Wi-FI, BT

Snap4All PAX
Counter
LoraWAN
WIFI, NGSI,
GPS

IOT Edge
NodeRED:
Raspberry Pi,
NGSI, WiFi,
RJ45,..

IOT Edge
NodeRED:
Android, LINUX,
Windows, …





LoraWan
Gateway:
IOT Edge, NGSI,
WIFI, RJ45, GPS

Any Sensor / Actuator
Open to other protocols

Dashboards' Intelligence on Web and Mobile Devices

IOT Applications

User: roottooladmin1, Org: DISIT
Role: RootAdmin, Level: 7

- Dashboards
- My Dashboards
- Notificator
- IOT Applications
- My Personal Data
- IOT Directory and Devices
- Knowledge and Maps
- Micro Applications
- External Services
- Data Set Manager: Data Gate
- Resource Manager: Process Loader
- Development Tools
- Management
- Settings
- User Management and Auditing
- Help and Contacts
- Documentation and Articles
- My Profile
- Snap4City portal
- Km4City portal
- DISIT Lab portal

Prev 1 2 3 ... 9 Next

Filter

Create new

2018-09-14T04:44


owner: badii
Management

2018-09-21T03:19


owner: panesi
Management

2018-10-19T16:07


owner: pb3
Management

2018-10-19T17:17


owner: pb3
Management

2018-10-22T11:57


owner: semolarudy
Management

application


owner: tester5
Management

Bib APP


owner: semolarudy
Management

ChargingStations


owner: comunedashres
Management

Deprecated - SiiMobilityControlRoom


owner: badii
Management

SamsungGalaxyS4BarCode


owner: badii
Management

esercitazione


owner: tester2
Management

Iot-App


owner: tester14
Management

Sentient Solutions

Dashboards with data driven IOT Applications enforcing intelligence



IOT Applications Development

IOT Discovering

MicroServices collections



My IOT Applications

IOT App. Editor



Generating IOT App With Dashboard



ServiceMap Discovery



Dashboard Collection, Editor and Wizard

Sharing/saving reusing IOT App

Resource Manager





Data Adapation
Transformation, Conversion
Integration
Business Logic vs Dashboards
Data Analytics control
Everywhere: Cloud, on IoT Edge Devices

IoT Applications

- **Data ingestion**: more than 70 protocols IOT and Industry 4.0, web Scraping, external services, any protocol database, etc.
- **Data access**: save/retrieve data, query search on expert system, georeverse solution, search on expert system Km4City ontology, etc.
- **Data Transformation/transcoding:** binary, hexadecimal, XML, JSON, String, any format
- **Integration**: CKAN, Web Scraping, FTP, Copernicus satellite, Twitter Vigilance, Workflow OpenMaint, Digital Twin BIMServer, any external service REST Call, etc.
- **Manipulation of complex data**: heatmaps, scenarios, typical time trend, multi series, calendar, maps, etc.
- **Access to Smart City Entities and exploitation of Smart City Services**: transport, parking, POI, KPI, personal data, scenarios, etc.
- **Data Analytic**: managing Python native, calling and scheduling Python/Rstudio containers as snap4city microservices (predictions, anomaly detection, statistics, etc.)
- **User interaction on Dashboard**: get data and message from the user interface, providing messages to the user (form, buttons, switches, animations, selector, maps, etc.)
- **Custom Widgets**: SVG, synoptics, animations, dynamic pins on maps, etc
- **Event management**: Telegram, Twitter, Facebook, SMS, WhatsApp, CAP, etc.
- **Hardware Specific Devices**: Raspberry Pi, Android, Philips, video wall management, etc.

Basic Node.js Blocks on NodeRed on our Advanced IOT Apps



+ on IOT Edge Raspberry



UNIVERSITÀ DEGLI STUDI FIRENZE | DINFO DIPARTIMENTO DI INGEGNERIA DELL'INFORMAZIONE | DISIT DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB

Sept. 2022 collection

Two Snap4City Libraries

SNAP4CITY | Node-RED

https://flows.nodered.org/search?term=snap4city



Sept. 2022 collection

Two Snap4Citv Libraries

https://flows.nodered.org/search?term=snap4city

We suggest also to install:

AND: From Resource Manager



IoT App: Virtual Sensors Actuators concepts

Advanced Feature of Snap4City Dash Widgets

- Dashboard widgets can be classified in:
  - **Virtual Sensors**
    - Those that produce the data
      From IOT App on Dashboard
  - **Virtual Actuators**
    - Those that produce the data
      From Dashboard to IOT App
  - **Virtual Sensors Actuators**
    - Those that produce/receive the data
      From/to Dashboard to/from IOT App







[TC9.18: Advanced Features of Sensors Actuators of Dashboards vs IOT App]

Sensors Actuators Allow to change the set up



The SATEST Dash



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=Mjc2NA==

IoT App: with Synoptics

From-To Custom Widgets / Synoptics to Storage in WS



MyKPI



Sensor



[ ]

New Shared Variables

Constant Values

















Web Socket Secure

Dashboard on Browser

Internet

Storage and IOT App on cloud or on Premise



Case 1



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=Mjc4NA==

10 WS messages per second



Case 2: Event Driven 100%



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=Mjc4NQ==

40 messages per second



Data Gathering and Integration

Any kind of data and flows

- **Open Data:**
  - Data gate, federation of Open Data Portals
  - IOT App, ETL proc(PULL)
- **IOT Networks:**
  - IOT Application processes, data driven or PULL
  - IOT Brokers (Push) → IOT Shadow
- **Web Pages:**
  - Web scraping, crawling processes
- **Satellite data**
- **Social media: Twitter, Facebook,..**
  - Twitter Vigilance, IOT App
- **Mobile Apps**
  - Smart City API
- **Files upload: CSV, Excel, etc.**
  - IOT Applications, ETL
- **REST API, WS, FTP, LD, LOD, etc.**
  - IOT Applications, ETL
- **Data base accesses**
  - GIS: WFS, WMS
  - ETL, IOT Application



Integrated Node-RED development



Event Driven, real time data ingestion

IOT/IOE Protocols

Communication Patterns



- MQTT
- HTTP(s)
- AMQP
- COAP
- NGSI
- OneM2M
- WebSockets
- ……..
- Etc.

Standards and Interoperability (9/2022)

Compliant with:

- **IoT:** NGSI V2/LD, LoRa, LoRaWan, MQTT, AMQP, COAP, OneM2M, TheThingsNetwork, SigFOX, Libelium, IBIMET/IBE, Enocean, Zigbee, DALI, ISEMC, Alexa, Sonoff, HUE Philips, Tplink, BACnet, TALQ, Protocol Buffer, KNX, OBD2, Proximus, ..
- **IoT model:** FIWARE Smart Data Model, Snap4City IoT Device Models
- **General**: HTTP, HTTPS, TLS, Rest Call, SMTP, TCP, UDP, SOAP, WSDL, FTP, FTPS, WebSocket, WebSocket Secure, GML, WFS, WMS, RTSP, ONVIF, AXIS TVCam, CISCO Meraki, OSM, Copernicus, The Weather Channel, Open Weather, OLAP, ….
- **Formats**: JSON, GeoJSON, XML, CSV, GeoTIFF, OWL, WKT, KML, SHP, db, XLS, XLSX, TXT, HTML, CSS, SVG, IFC, XPDL, OSM, Enfuser FMI, Lidar, glTF, GLB, DTM, GDAL, Satellite, D3 JSON, …
- **Database**: Open Search, MySQL, Mongo, HBASE, SOLR, SPARQL, ODBC, JDBC, Elastic Search, Phoenix, PostGres, MS Azure, ..
- **Industry**: OPC/OPC-UA, OLAP, ModBUS, RS485, RS232,..
- **Mobility**: DATEX, GTFS, Transmodel, ETSI, ..
- **Social**:Twitter, FaceBook, Telegram, ..
- **Events**: SMS, EMAIL, CAP, RSS Feed, ..
- **OS**: Linux, Windows, Android, Raspberry Pi, Local File System, AXIS, ESP32, etc.

https://www.snap4city.org/65

Snap4Industry vs Formats

- Snap4City is capable to ingest and work with any format:
  - Data **exchange**: JSON, GeoJSON, XML, HTML, HTML5, DATEX, GTFS, binary, etc.
  - **Table**: CSV, XLSX, XLS, database, …
  - Any **archive** file format: zip, rar, 7z, tgz, …
  - Any **image** format: png, gif, tiff, ico, jpg, …
  - Any **video** format: mp4, avi, mov, …
- Search the format you need to cope on the search box of Snap4City portal!

Data Inspector



HLT: Unified Classification for Data and Services

IoT Device Variable, Sensor Device	All selected (15)	All selected (48)	All selected (27)		All selected (1499)	All selected (159)	All selected (15)	All selected (63)		All selected (2)		All selected (2)
High-Level Type	Nature	Subnature	Device/Model	Broker	Value Name	Value Type	Data Type	Value Unit	Last Date Last Value	Healthiness	Last Check	Ownership
IoT Device Variable	IoTDevice	IoTSensor	devicetest1	orionUNIFI	temperature	temperature	float	°C			2021-10-15 10:01:02	private (My Own)
IoT Device Variable	IoTDevice	IoTSensor	devicetest1	orionUNIFI	humidity	humidity	float	#			2021-10-15 10:01:02	private (My Own)
IoT Device Variable	IoTDevice	IoTSensor	MyThermometer_001	orionUNIFI	temperature	temperature	float	°C			2021-10-15 10:01:01	private
IoT Device Variable	IoTDevice	IoTSensor	MyThermometer_001	orionUNIFI	humidity	humidity	float	#			2021-10-15 10:01:01	private
IoT Device Variable	IoTDevice	IoTSensor	adminTest1	orionUNIFI	temperature	temperature	string	°C	2018-05-31 19:16:05		2021-10-15 10:01:00	private (My Own)
IoT Device Variable	IoTDevice	IoTSensor	adminTest1	orionUNIFI	humidity	humidity	string	%	2018-05-31 19:16:05		2021-10-15 10:01:00	private (My Own)
IoT Device Variable	IoTDevice	IoTSensor	newmarcodev1	orionUNIFI	temperature	temperature	float	°C			2021-10-15 10:00:59	private
IoT Device Variable	IoTDevice	IoTSensor	newmarcodev1	orionUNIFI	humidity	humidity	float	%			2021-10-15 10:00:59	private

Hide columns | Reset filters | Selected rows: 1 | Previous 1 2 3 4 5 ... 2466 Next | Search

High Level Types

Nature

SubNature

Semantic Classific.

Dev/Model name

Broker name

Technical Source

Value Name

Value Type

Data Type

Value Unit

Variables, names

Last Date/Time

Last Value

Real Time

Healthiness

Last Check

Status

Ownership

Organization

For Admin

How the Dashboards exchange data (2022)

Snap4City BigData Storage and KB

IOT Broker Orion Quantum Leap

ServiceMap Super ServiceMap

- Req. ServiceURI

Metric, KPI

MyKPI, MyPOI, …

- Req. KPI, Metric ID
- Req. MyKPI ID

API, External Services, MicroApp

- Traffic Flow, MAPS, Heatmaps
- GIS, HTTPs URLs



IOT Application

- ServiceURI (ID)
- MyKPI, Metric (ID)
- Dynamic Data, computed into IOT Application

- Rx. Dynamic Data

- Event Driven Synoptics

- Actions, Show

Dashboards



Dynamic (4/22)

Widgets ICONS	Widget Name, Description	IOT App	Dashboard-IOT App	KPI (metric)	MyPersonalData	MyData	My KPI	Sensor
	Single Content 	X (cs)	X (DD)	X	X	X	X	X
	Speed Limit (see custom widget for more)			X				X
	Speedometer 	X (cs)	X (DD)	X	X	X	X	X
	Gauge 	X (cs)	X (DD)	X	X	X	X	X
 	Single Bar, V/H  	X	X (DD)	X				
 	Single and Multiple Bars, stacked or not, ordered 	X (cs)	X (DD)	X	X	X	X	X
 	MultiSeries, shaded, staked and non staked, TTT 	X (cs)	X (DD)	X	X	X	X	X
	Time Trend (single) 	X	X (DD)	X	X	X	X	X
 	Time Trend Compare			X			X	X
	SpiderNet, radar, Kiviat 	X (cs)	X (DD)	X	X	X	X	X
	Pie, Donut, 2 layers Donut 	X (cs)	X (DD)	X	X	X	X	X
	Table 	X (cs)	X (DD)	X	X	X	X	X
	Calendar 	X (cs)	X (DD)				X	X
	Speak Synthesis 	X (cs)	X (DD)				string	string
	Maps  	X (cs)	X (DD)	Many High Level Types			X	X

DD: Data Driven

Legenda

- **IOT APP column in previous table:**
  - **X**: means that from the IOT App you can send a new value or array to the widget directly, without the need to have is stored into Sensor or MYKPI variable, etc.
  - **CS, widget supports Change Source**, in the sense that: from the IOT App is possible to send a command to the Widget to change the data source. E.g., selecting sources among: Sensors (service URI), MyKPI (ID), any value produced on the IOT App directly. (cs) recent additions
- **Dashboard IOT App column in previous table**:
  - **X:** there is a MicroService / node on IOT App to act on those widgets on dashboard. The data are visualized.
  - **DD, widget is Data Driven**, in the sense that new data in push can be sent and the widget is updated in real time on web page without web page realoading

TC4.9: New Support Widgets for Bars, Barseries, Trend, and Series, on Dashboards and IOT Applications (partially obsolete)

Dynamic Widget data


```
▾0: object
    metricId: "http://www.disit.org/km4city/resource/tusc_weather_sensor_ow_3166540"
    metricHighLevelType: "Sensor"
    metricName: "tusc_weather_sensor_ow_3166540"
    metricType: "airTemperature"
▾1: object
    metricId: "https://servicemap.disit.org/WebAppGrafo/api/v1/?
    serviceUri=http://www.disit.org/km4city/resource/tusc_weather_sensor_ow_3182522&format=json"
    metricHighLevelType: "Sensor"
    metricName: "tusc_weather_sensor_ow_3182522"
    metricType: "airTemperature"
▾2: object
    metricId: "17056320"
    metricHighLevelType: "MyKPI"
    metricName: "SiiMTuscanyTrackerLocation"
    metricType: "Velocity"
▾3: object
    metricId: ""
    metricHighLevelType: "Dynamic"
    metricName: "BatteryTemperatureGalaxyNote"
    metricType: "Gradi Centigradi"
    metricValueUnit: "°C"
    measuredTime: "2019-11-21T14:51:00Z"
    value: 6.688898111364505
▾4: object
    metricId: ""
    metricHighLevelType: "Dynamic"
    metricName: "BatteryTemperaturemia"
    metricType: "Gradi Centigradi"
    metricValueUnit: "°C"
    measuredTime: "2019-11-21T14:51:00Z"
    value: 62.8502788741156
```


ServiceURI (ID)

ServiceURI (ID)

MyKPI (ID)

Dynamic

Dynamic





- **ServiceURI** (ID)
- **MyKPI (ID)**, Metric (ID)
- **Dynamic** Data in JSON (single or Vector), computed into IOT Application

[TC4.9: New Support Widgets for Bars, Barseries, Trend, and Series, on Dashboards and IOT Applications]

HLT: data

High Level Types

- **Data Models**: all devices sprunt from that model
  - IoT Device Model, Mobile Device Model, Data Table Model
- **Devices**: are instances of some model or sprunt from processes
  - IoT Device, Mobile Device, Data Table Device, Sensor Device
- **Variables**, Sensor/sensor-actuator, :
  - IoT Device Variable, Mobile Device Variable, Data Table Variable, Sensor, Sensor-Actuator
  - **Dashboard-IOT App:** messages from GUI to Business Logic on IoT App
- **MyKPI**: dynamic GPS, info, single variable, Time Series, (Classification)
  - **KPI:** former KPI model
  - **MyPersonaData/MyData**: safes in which specific personal data are saved.





Real Time
Event Driven
Historical Data

HLT: data

High Level Types







Data / Station	Wind speed (km/h)	Direction	Temperature (°C)	Humidity (%)	Rain today (mm)	Pressure (mbar)
Sesto Fiorentino	50	N	7	32	0	922
Livorno	65	NE	5.5	37	0	876
Grosseto	78	E	4	22	0	1022
Vada	42	S	6	0	34	895
Follonica	102	N	7.2	23	0	913
Giglio	97	O	3	19	0	957



Real Time

Event Driven



Historical Data

IOT Data Driven



From Dashboard to IOT Devices/App

- **Widgets:**
  - Impulse Button
  - Button
  - Switch
  - Dimer/Knowb
  - KeyPad
  - Geolocator
  - Selection/Dropdown
  - Form
  - Map Picking
- **Registered** on some IOT brokers with NGSI mutual authentication



HLT: Sensors-Actuators

High Level Types

- **Complex Event**
- **Dashboard-IOT App**
- **External Service**
- **Heatmap**
- **KPI (Key Performance Indicator)**
- **MicroApplication**
- My Personal Data
- MyKPI
- MyPOI
- **POI (Point of Interest)**
- **Sensor**
- **Sensor Actuator**
- **Special Widget**
- Wfs (GIS)



Dashboard-IOT App



MapClick

MyKPI variable onchange

Synoptics

From Dashboard to IOT App



IOT Application

From Dashboard to IOT Devices/App

- **Widgets:**
  - Impulse Button
  - Button
  - Switch
  - Dimer/Knowb
  - KeyPad
  - Geolocator
  - Selection
  - Map Picking
- **Registered** on some IOT brokers with NGSI mutual authentication



Geolocation of Mobile Device



- Complete message
  - Returns a JSON containing all information about geolocation
- Latitude
  - Returns the latitude
- Longitude
  - Returns the longitude
- Accuracy
  - Returns the accuracy of latitude and longitude
- Altitude
  - Returns the altitude
- Altitude Accuracy
  - Returns the altitude accuracy
- Heading
  - Returns the heading
- Speed
  - Returns the speed

Web Browser GPS data rendering the Snap4City Dashboard can be passed to IOT Applications and saved ☺

SVG Custom Widgets Examples 2

Tue 17 Nov 18:46:47

SVG shucko plug



Schuko switch



Charging Station Status



Legenda

Charging Station Status

Set on the keypad one of the following values

0 = ERROR (RED)

1 = AVAIBLE (GREEN)

2 = BOOKED (YELLOW)

3 = CHARGING

9999 = white icon

Charging Station status

New | Last confirmed: None

7	8	9
4	5	6
1	2	3
0	.	Canc
Confirm		

Underpass

Set tunnel st...

Traffic Light status set

YELLOW LIGHT

Traffic Light



Speed Limit Set

New | Last confirmed: None

7	8	9
4	5	6
1	2	3
0	.	Canc
Confirm		

Dynamic Speed Limit Sign

Speed Limit Explaination

Speed Limit Custom Widget example

Write the speed limit by using the keypad and click CONFIRM.

9999 = white sign.

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=Mjk4Ng==

SVG Custom Widgets Examples

Sat 19 Dec 00:10:12

Precedence Italians Road signals



Select a code from 0 to 11 to change the road sign

New		Last confirmed: None
7	8	9
4	5	6
1	2	3
0	.	Canc
Confirm		

s... | Smart Light Luminosity

Air Temperature in Florence



PM10 level - Bologna



fan | Fan velocity



Symbols Legenda

open/... | M...



Dynamic Prohibition...

Prohibition Traffic Signs Co...

New		Last confirmed: None
7	8	9
4	5	6
1	2	3
0	.	Canc
Confirm		

Prohibition Traffic Signs Legenda

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=Mjk0NQ==

Selector





- Selecting MSG to be sent on the Business Logic IOT Application






```
msg.payload = {value:JSON.parse(msg.payload).selected};
return msg;
```

Form

```
msg.payload ={ "form": { "options": [
{ "label": "enter text", "value": "", "type": "text", "required": true },
{ "label": "enter number", "value": "", "type": "number", "required": false },
{ "label": "enter email", "value": "", "type": "email", "required": false },
{ "label": "enter password", "value": "", "type": "password", "required": false },
{ "label": "enter check", "value": "checked", "type": "checkbox", "required": false },
{ "label": "enter check2", "value": "", "type": "checkbox", "required": false },
{ "label": "enter switch", "value": "on", "type": "switch", "required": false },
{ "label": "enter switch2", "value": "", "type": "switch", "required": false },
{ "label": "enter date", "value": "", "type": "date", "required": false },
{ "label": "enter time", "value": "", "type": "time", "required": true }
 ], "selected": [] } }
return msg;
```



Form

```
msg.payload ={ "form": { "options": [
{ "label": "enter text", "value": "", "type": "text", "required": true },
{ "label": "enter number", "value": "", "type": "number", "required": false },
{ "label": "enter email", "value": "", "type": "email", "required": false },
{ "label": "enter password", "value": "", "type": "password", "required": false },
{ "label": "enter check", "value": "checked", "type": "checkbox", "required": false },
{ "label": "enter check2", "value": "", "type": "checkbox", "required": false },
{ "label": "enter switch", "value": "on", "type": "switch", "required": false },
{ "label": "enter switch2", "value": "", "type": "switch", "required": false },
{ "label": "enter date", "value": "", "type": "date", "required": false },
{ "label": "enter time", "value": "", "type": "time", "required": true }
 ], "selected": [] } }
return msg;
```



"selected":["a text","123", "paolo.nesi@unifi.it","aaaaaa", "checked","","on","","2021-03-19","09:38"]

UNIVERSITÀ DEGLI STUDI FIRENZE | DINFO DIPARTIMENTO DI INGEGNERIA DELL'INFORMAZIONE | DISIT DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB

Nature Dashboard-IOT App

SNAP4CITY Node-RED

From IOT App to Dashboard



IOT Application

- gauge chart
- single content
- speedometer
- horizontal single bar
- vertical single bar
- web content
- time trend
- bar series
- radar series
- pie chart
- curved line series
- table content
- calendar
- speak synthesis
- synoptic write
- Selector - Map

- Snap4D3
- dashboard - map
- event table
- device table





















+ D3.JS Widgets



Snap4D3

https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzQ4OQ==

Single Content Widget (flexibility)

From Dashboard Editor and IOT Applications, accepts in input:

- Numbers
- String
- HTML code





https://www.snap4city.org/578

speak synthesis

Send Voice Messages on Dashboards

- **Connectable** on all «String» Variables
- **Controllable** from IoT Applications
- Play button on Dashboard

- **Configurable** as:
  - Voice Language and male, female, …
  - rate, pitch
  - ..



Selector Map

Controlling Maps from IOT Apps

- User manual: https://www.snap4city.org/774
- To control Multi Data Map from IOT App
  - Add/remove a Category/SubCategory of Entities, via ***more option query***
  - Add/remove a single Device/PIN, MyPOI, MyKPI, Dynamic Pins, moving devices, etc.....
  - Add/remove cycling paths
  - Add/remove OD Matrix
  - Add/remove an Heatmap, a Traffic Flows, …
  - Add/remove multiple entities with multiple More Option Queries
  - Add/remove Special Tools: scenarios, whatif, etc.
  - Add/remove a set/single temporary GeoInfoPin



• Trajectories

High Level Types

- **Variables**, Sensor/sensor-actuator, :
  - **Mobile Device Variable, Data Table Variable, Dashboard-IOT App**: messages from GUI to Business Logic on IoT App
- **MyKPI**: dynamic GPS, info, single variable, Time Series, (Classification)







- **Real Time Tracking**
- **Hystorical Tracks**
- **MicroApplications**

MyKPI: Tracking of Devices and Mobiles

- Real Time Trajectories for
  - Mobile Phone
  - Moving IOT Devices
  - OBU, Vehicular Kits
  - Multiple tracks
  - Day by day
- Micro Application





IoT Devices and IoT Apps

To Start we are going to use Direct Dashboards

Dashboards accessing data available on Platform, including your own data coming from Mobile App, already registered!!!



IOT Network Manager vs Final User

Network of IOT Brokers



IOT Directory



IOT Network Manager

My IOT Device



Register

Registering

Discovering

Knowledge and Storage
Data from the Field and
From the City if needed

Browsing



ServiceMap
Knowledge Base

Discovering

IOT Application



Final user Manager

Dashboard Wizard

IOT Devices

Sensors/
Actuators

IOT Edge Devices

LoraWAN +
Arduino +
I2C, NGSI



Arduino,
Wi-Fi, NGSI



Snap4All
IOT Button
ESP, NGSI,
Wi-FI, BT

Snap4All PAX
Counter
LoraWAN
WIFI, NGSI,
GPS

IOT Edge
NodeRED:
Raspberry Pi,
NGSI, WiFi,
RJ45,..

IOT Edge
NodeRED:
Android, LINUX,
Windows, …





LoraWan
Gateway:
IOT Edge, NGSI,
WIFI, RJ45, GPS

Any Sensor / Actuator
Open to other protocols

Lora IOT Device, Arduino

- Arduino Uno, Mega
- LoraWan Connection
- Any sensor, + I2C
- Fully Customizable
- Open Source
- NGSI or any other protocols
- Gateway: Dragino







https://www.snap4city.org/drupal/node/216

LoraWan Gateway out of the Box

- Raspberry Pi Based LoraWan Gateway
- Physical UpLink as: Wi-Fi, RJ45
- Logical UpLink: LoraWAN TheThingsNetwork, NGSI V2 (mutual authenticated Snap4City)
- Powered 5V
- GeoLocated GPS Antenna
- IOT Edge Snap4City Included if needed



FIWARE LoRa Wi Fi

IOT Device with Arduino

- Arduino Uno
- Wi-Fi shield, standard
- Mutual Authentication with certificates, or K1,K2,sha
- Secure encrypted connection, NGSI
- Open Source
- Fully Customizable
  - Any sensor
  - NGSI or any other protocol





FIWARE

Wi Fi

IOT Applications and IOT Edge Devices

IOT Edge on Raspberry Pi

- Raspberry Pi
- Mutual Authentication with certificates
- Secure encrypted connection
- IOT Application inside
- Any sensor
- Any protocol from IOT devices
- NGSI or any other protocol
- Fully Customizable
- Local and Cloud Dashboard
- **Special MicroServices**





MicroServices:
- DHT
- ModBus
- any shield
- etc....














```
msg.payload={"temperature1":{"value":msg.payload , "type":"Float"}};
return msg;
```

Snap4 on Raspberry Pi, IOT edge

IOT Edge Computing

City user

Would like to:

- **Monitor and exploit temperature and humidity**
- **Manage sensors**
- **Perform edge computing**
- **Using these data for multiple applications**





IOT Broker

Click here

Steps:

1. **Registering the device and sensors**
2. **Create flow on edge device using NodeRed with Snap4City, sending data to Broker**
3. **Use data from Broker on Snap4City IOT App**



IOT Edge Snap4All App for Android

- **Android**, any version, App from: https://www.snap4city.org/download/video/Snap4All.apk
- **Mutual Authentication** with certificates
- *Secure encrypted connection*, NGSI
- **IOT Application inside**
- **Any sensor** + Local device sensors
- **Any protocol** from IOT devices
- **NGSI** or any other protocol
- **Fully Customizable**
- Local and Cloud Dashboard
- **Special MicroServices**







IOT Edge Snap4All App for Android

- termux-battery-status
- termux-camera-info
- termux-clipboard-get
- termux-contact-list
- termux-telephony-cellinfo
- termux-telephony-deviceinfo
- termux-tts-engines
- termux-camera-photo
- termux-clipboard-set
- termux-dialog
- termux-download
- termux-location
- termux-tts-speak
- termux-vibrate
- termux-sms-inbox
- termux-toast
- termux-sms-send
- termux-share
- termux-notification
- termux-wifi-connectioninfo
- termux-wifi-scaninfo





MicroServices:

- Snap4City
- Termux Snap4City specific
- etc.

Sii-Mobility: Dynamic Signage and Street Mng





Control Room







Local Control Dashboard

Safe and resilient solution manging Degradated conditions

Moving IOT Devices / Sensors, Tracking Devices

MyKPI: Tracking of Devices and Mobiles

- Real Time Trajectories for
  - Mobile Phone
  - Moving IOT Devices
  - OBU, Vehicular Kits
  - Multiple tracks
  - Day by day
- Micro Application

Mobile
PAX Counter

Apps

OBD2



OBU

IOT Device
MObile



IOE – Vehicle Monitoring

CANBUS sniffer

Bluetooth







Tuscany in a Snap Mobile App on Android

TOSCANA

GET IT ON Google play





PaxCounter devices

- Fixed PaxCounter LoraWan
  - Based on Wi-Fi- Bluetooth
- Mobile PaxCounter LoraWan
  - Based on Wi-Fi- Bluetooth
- Fixed PaxCounter(LoraWan+Wifi out)
  - Based on Wi-Fi- Bluetooth

LoRa® Wi Fi Bluetooth™

https://www.snap4city.org/drupal/node/456

Programmable PAX counting



Antwerp

Real time device tracking

Start



https://www.snap4city.org/dashboardSmartCity/view/index.php?iddasboard=MzA1Ng==

Moving and changing Dynamic PIN

Managing IOT Applications

IOT Application Listing, they can be

- Basic (white)
- Advanced (red)
- IOT Edge
  - Raspberry Pi
  - Android
  - Win/Linux
- Data Analytic (Plumber)
- Web Scraper (Portia)



IOT Applications Listing

- Basic / Advanced
- On IOT Edge Raspberry Pi
- On IOT Edge Android
- On IOT Edge Win/Linux



EDIT IOT APP



VIEW

EDIT



IOT App title

Ownership of the IOT App

Click the icon to edit the IOT App

Click to open the Node-RED IOT App dashboard

Click to edit IOT App properties

Click to view the Snap4City Dashboard

Click to edit the Snap4City Dashboard

IOT Application Management

- **Properties**
  - Name, Type, Creation date
- **Control**
  - Restart
  - Delete
- **Change of ownership**
  - Toward another Snap4City User
- **From inside the flow**
  - Restart
  - Update





IOT Edge Device

Other Local Connections

IOT Brokers

IOT Brokers

HTTPS

HTTPS

WiFi

Modbus

OPC UA

IOT Edge:
Node-RED + Snap4City

edge-tunnel-to-cloud

Search and Query, Smart City API
Facet, semantic search

Knowledge base
Semantic reasoners

Indexing and aggregating
Elastic search

SNAP4CITY



WSs

Firewall
Gateway
Towards internet



HTTPS



IOT Devices

Access to IoT Edge Maintenance



Remote Access/Control/program to your IOT Applications via secure connection

HOW To install IOT Edge Remote Control feature

- **The installation is very simple**

1. install Snap4City basic library
2. Drag and drop block from S4CUtility

3. Configure the block with your credentials
4. Deploy of the IOT App
5. Go in the list of Your IOT Applications on Snap4City.org or other cloud or on premise installations
6. Identify the IOT Edge IOT App and click on it to open the view on the IOT Applications flows

Secure IOT Devices, IOT Edge Sensor and Dev Networking

The secure stack



TOP

Installing Snap4City

SNAP4
Appliances and Dockers
Installations

Installations



https://www.snap4city.org/471

To get an updated version read it!

Installations, different models a TOOL to get them

- **Micro X:**
  - 1 VM of dockers
- **Normal X,Y:**
  - 2 VM of dockers
- **Small X,Y:** scalable
  - 4 VM of dockers
- **DataCitySmall X,Y,Z:** scalable
  - 6 VM of dockers
- **DataCityMid X,Y,Z,T:** scalable
  - # VM + X/70 VM + Y/3 VM + Z VM + T VM of dockers
- **DataCityLarge:** scalable
  - depending on your needs





https://www.snap4city.org/docker-generator/selecting_model

Micro 6 model

Micro 6 (technical)



1Hour installation and ready to use

DATA ANALYTICS, Big Data Science

Big Data Analytics + Artificial Intelligence

- **Short and Long terms predictive models on:**
  - traffic, parking, people flow, maintenance, land sliding, NO2
- **3D Flow prediction:** Pollutant (NOX, NO2, …)
- **Early warning, City Indexes, etc.**
- **AI & XAI:**
  - RF, XGBoost, BRNN, RNN, SVR, DNN, LSTM, CNN-LSTM, Autoencoders, …
  - Clustering: K-means, K-Medoid, …
  - XAI: Shap, variations, ..
- **Modeling, simulation, routing**
  - **Traffic Flow reconstruction**
  - **Constrained Routing**
- **What-IF analysis** (simulation + AI + data)
- **Based on several computational models**:
  - trajectories, OD matrices, Typical Time Trends, etc.

to cope with

- *any data, format*
- *any channel, protocol*
- *any AI/ML*
- *any place*
- *online development*
- *multi-tenant*
- *Secure, PENTest*
- *GDPR, privacy*
- ***→ low costs***
- ***→ easy to evolve***

https://www.snap4city.org/download/video/course/da/

Snap4City Analytics

- Decision support systems
- Improvement of life quality
- Sustainable Solutions
- Reduction of costs
- Risk Assessment
- Resilience

Prepare
Absorb
Recover
Adapt

damage





Decision Support System, targeting: Quality of Life, KPI, SDG, 15MinIndex,…



Sentient and active processes

- Big Data Analytics
- Semantic Computing
- Machine Learning
- Explainable Artificial Intelligence
- Deep Learning
- Geo Spatial Reasoning
- Text Analysis, Sentiment Analysis
- What If Analysis
- Simulations
- Visual Analytics
- Engagement Analysis
- ….

Data Analytics on Snap4City platform

Swagger

Ontology Schema

LOG.disit.org

Knowledge Base, Km4City

Big Data Store Facility

Smart City API from Knowledge Base and other tools

TensorFlow

NVIDIA CUDA

python

jupyter

R Studio



Creating MicroServices



Node-RED



Using them into IOT Applications

Saving / Sharing reusing

Resource Manager



- ***15 Minute City Index:***
  - 13 subindexes: energy, slow mobility, fast mobility, housing, economy education, culture and cults, health, entertainment, gov, food, security…

- Monitoring and Prediction of energy consumption
- Stimulating: Bike sharing, e-bikes, car charge, etc.

- Industry 4.0 integrated solutions
- Decisions Support Systems
- Process optimization, control
- Predictive maintenance

- Smart City infrastructure: monitoring and resilience, long terms predictions
- Effective and Low cost smart solutions
- What-if analysis, Simulations
- Origin Destination matrices computation

- business intelligence tools for decision makers
- Reduction production costs
- Monitoring resource consumption
- Optimization of Waste Collection

- Monitoring and Predicting: NO2, NOX, CO2, Traffic flow, pollutant, landslide, waste, etc.
- Traffic flow reconstruction
- Demand vs Offer of Mobility analysis

- Shortening justice time
- Anonymization and indexing legal docs.
- Prediction of mediation proneness
- Ethical Explainable Artificial Intelligence

Parking predictions

I would arrive to surely Park in 45 Minutes??



Category	Features	Description of features variable
Baseline features of free slot data	Free parking slots	Real number of available slots recorded every 15 minutes
	Time	Hours and minutes
	Month	Month of the year (1-12)
	Day	Day of the month (1-31)
	Day week	Day of the week (0-6)
	Weekend	0 for working days, 1 else
	Previous observation's difference (POD)	Difference between the number of free spaces at time i and number of free spaces at time (i − 15 minutes) recorded in the previous week
	Subsequent observation's difference (SOD)	Difference between the number of free spaces at time i, and the number of free spaces at time (i + 15 minutes) recorded in the previous week
Weather features	Temperature	City temperature measured one hour earlier than Time (°C)
	Humidity	City humidity measured one hour earlier than Time (%)
	Rainfall	City rainfall measured one hour earlier than Time (mm)
Traffic Sensors features	Average Vehicle Speed	Average speed of vehicles on the road being closest to the parking, over one-hour period (km/h)
	Vehicle Flow	Number of vehicles passing by closest to the parking, over one-hour period
	Average Vehicle Time	Average of distance between vehicles, over one-hour period
	Vehicle Concentration	Number of vehicles per kilometer, over one-hour period

Artificial Intelligence Predictions

97% of precision



Deep Learning for Short-Term Prediction of Available Bikes on Bike-Sharing Stations





E. Collini, P. Nesi and G. Pantaleo, "Deep Learning for Short-Term Prediction of Available Bikes on Bike-Sharing Stations," in *IEEE Access*, vol. 9, pp. 124337-124347, 2021, doi: 10.1109/ACCESS.2021.3110794.
https://ieeexplore.ieee.org/abstract/document/9530580

Predicting users movements

- **Issue:**
  - **How they move: vehicles, pedestrian, bike, ferry, metro,**
  - **Where they go….**
- **Impact:**
  - **Tuning the services: cleaning, police, control, security**
- **Several metrics related to**
  - **Knowledge of the Context**
  - **Monitoring traffic and people flow**
  - **…….**





- Daily trends
- OD matrices
- Trajectories
- Prediction models



UNIVERSITÀ DEGLI STUDI FIRENZE | DINFO DIPARTIMENTO DI INGEGNERIA DELL'INFORMAZIONE | DISIT DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB

11 SUSTAINABLE CITIES AND COMMUNITIES | 13 CLIMATE ACTION | 15 LIFE ON LAND

KM 4 CITY

Predicting Land slides







landslide DB

Real Time data from Field: rain, weather, etc.

Ingestion Processes

Big Data Storage and KB

Predictions

Model execution Shap Assessment

Data Analytics IOT App Management

predictions



Snap4City Servers and Tools: Dashboard manager, Heatmap manager, GeoServer, Smart City API.

E. Collini, L. A. I. Palesi, P. Nesi, G. Pantaleo, N. Nocentini and A. Rosi, "Predicting and Understanding Landslide Events with Explainable AI," in *IEEE Access*, doi: 10.1109/ACCESS.2022.3158328.
https://ieeexplore.ieee.org/abstract/document/9732490

Estimating City Local CO2 from Traffic Flow Data



Computing Traffic Flow into CO2 sensor area

Traffic Flow data

- Traffic Flow is one the main source of CO2
- **Dense estimation of CO2 into the city** is very useful to know to target EC's KPIs

Computing CO2 on the basis of traffic flow data

CO2 estimation

S. Bilotta, P. Nesi, "Estimating CO2 Emissions from IoT Traffic Flow Sensors and Reconstruction", Sensors, MDPI, 2022. https://www.mdpi.com/1424-8220/22/9/3382/

Predicting EC's KPI on NO2 months in advance

Deep Learning Long Terms Predictions of NO2 mean values, From 30 to 180 days in advance



- The features used as input for the predictive models are:
- **Month**
- **dayOfTheYear**
- **NO2**
- **Tmean**
- **Humidity**
- **windMean**
- **NoxDomestic**
- **numberOfVehicles**
- **NO2cumulated**
- **NO2progresseveMean**
- **numberOfVehiclesCumulated**





	Air Quality Directive			WHO guidelines	
Pollutant	**Averaging period**	**Objective and legal nature and concentration**	**Comments**	**Concentration**	**Comments**
$PM_{2.5}$	One day			25 µg/m³ (*)	99th percentile (3 days/year)
$PM_{2.5}$	Calendar year	Target value, 25 µg/m³	The target value has become a limit value since 1 January 2015	10 µg/m³	
PM_{10}	One day	Limit value, 50 µg/m³	Not to be exceeded on more than 35 days per year.	50 µg/m³ (*)	99th percentile (3 days/year)
PM_{10}	Calendar year	Limit value, 40 µg/m³ (*)		20 µg/m³	
O_3	Maximum daily 8-hour mean	Target value, 120 µg/m³	Not to be exceeded on more than 25 days per year, averaged over three years	100 µg/m³	
NO_2	One hour	Limit value, 200 µg/m³ (*)	Not to be exceeded more than 18 times a calendar year	200 µg/m³ (*)	
NO_2	Calendar year	Limit value, 40 µg/m³		40 µg/m³	

Smart Retail

- **Recommendations**
  - adaptive user engagement, customer experience
  - Advanced user profiling, user behaviour analysis
  - IOT and instrumentation
  - Predictive models for engagement
  - Integrated in city customer experience

Techniques
- Multiple clustering
- Prediction models



- **Feedback:**
  - Flexible Advanced Engagement Exploiting User Profiles and Product/Production Knowledge
  - Keywords: retail, GDO, …



feedback

User Behaviour Analysis

- **Monitoring movements by traffic flow sensors**
  - Spires and virtual spires
- **Monitoring movements from Mobile Cells**
  - Unsuitable for precise tracking and OD production
- **Monitoring movements from Wi-Fi**
- **Monitoring movements** and much more from mobile Apps







People Flows

- **Prediction of people flows** on the basis of Wi-Fi data
- **Anomaly** detection
- **Resolute** H2020
- Classification of city areas





Predictive Maintenance

- **Predictive** Maintenance
  - LSTM
  - CNN-LSTM
- **Maintenance** Intelligence
- Explainable AI: SHAP, …



Layer (type)	Output Shape	Param #
conv1d (Conv1D)	(None, 20, 64)	8320
average_pooling1d (AveragePo	(None, 10, 64)	0
lstm (LSTM)	(None, 10, 200)	212000
lstm_1 (LSTM)	(None, 10, 200)	320800
lstm_2 (LSTM)	(None, 10, 200)	320800
lstm_3 (LSTM)	(None, 10, 200)	320800
lstm_4 (LSTM)	(None, 100)	120400
dropout (Dropout)	(None, 100)	0
dense (Dense)	(None, 1)	101

Total params: 1,303,221
Trainable params: 1,303,221
Non-trainable params: 0





Anomaly Detection

Reports and Dashboards





Anomaly detection Early Warning

Date and Time	Anomaly
2018-07-01 02:00:00	12
2018-07-01 04:00:00	0
2018-07-01 19:40:00	480
2018-07-01 19:50:00	408



SCALABLE SMART ANALYTIC APPLICATION BUILDER FOR SENTIENT CITIES

TOP

FIWARE & Snap4City

Powered by FIWARE

- Snap4City - Powered by FIWARE Solution & Platform:
  - https://marketplace.fiware.org/pages/solutions/b8905e91973b420189cce972
  - https://marketplace.fiware.org/pages/solutions/d68534ec827500f1bde8720f
  - NGSI V1, V2 The IOT Orion Broker
  - IOT Orion Broker can connect JSON, MQTT, Lightweight M2M, LoraWAN, OPC, SigFOX, etc. see FiWare Https://www.fiware.org
- Snap4City - FIWARE Training Services:
  - https://marketplace.fiware.org/pages/solutions/03bccd83a0e1b0398ba7a0bf
- Snap4City - FIWARE Consultancy Services:
  - https://marketplace.fiware.org/pages/solutions/907f5ecc63927f643dd8421b
- **Snap4City is compatible** with all the above protocols
  - via IOT Orion Broker,
  - via IOT Applications.
  - via direct connection on ETL processes on their corresponding IOT brokers, and/or
- **Snap4City is also compatible** with many other protocols, see the table reported in page: https://www.snap4city.org/65

Powered by FIWARE

Concept

BIM



KPI, POI, MyKPI, …

API, External Services

Web Scraping

WorkFlow





Node-RED





Data Analytics,
Artificial Intelligence



opernicus
Europe's eyes on Earth

IOT Brokers

IOT Broker

IOT Broker

IOT Apps

FIWARE

ckan



GIS

Big Data

KB

LD, LOD

Dashboards and Apps

FI-WARE

Functional: FIWARE ref arc wrt Snap4City solutions

	FIWARE ref arc smart city	Snap4City
Multiple Protocols: IoT, Databases, etc..	10 on IOT, Limited on databases, etc.	More than 200, very very wide
Large set of high level types: maps, trends, heatmaps, traffic, trajectories, scenarios,…	No	Yes:
Integration with workflows, BPM	Not Supported	Yes: bidirectional
Integration and Modeling Digital Twin BIM	Not Supported	Yes: bidirectional
Integration with GIS: WFS, WMS	Not fully supported	Yes: bidirectional
Integration with Heatmaps and Satellite	Partially, not caòibrated	Yes: fully; calibarate and multiple versions, animations
Integration with Satellite	not supported	Yes: fully
Smart City API	no	Yes
Open Data Management	Partial with CKAN	Yes, Fully automated with CKAN
Federation of platforms	Partial on brokers	Full on Brokers and Knowledge base and API
Semantic model and queries	No, probably with NGSI-LD in the future	Yes since 2013
Multiple kinds of IoT Brokers	No, only agents	Yes: NGSI, COAP, AMQP, MQTT, SigFOX, etc.

Interoperability
Openess

Functional: FIWARE ref.arc. wrt Snap4City solutions

	FIWARE ref arc smart city	Snap4City
Data Transformation	Coding	Yes: IOT App, Node.JS, Visual Programming, scalable
Data Analytics	No	Yes
on line development	No, limited	Yes: Rstudio, Python, Tensor Flow, MapReduce, etc.
Dashboard on data	Grafana no LDAP	Yes: Dashboard Builder, OpenSeachDash with GDPR, LDAP (Open Search)
Dashboard Widgets	Limited, no custom, coding needed	Yes: A wide range including custom widgets, secure compliant, animations, configuration, also open to new development
Real Time end-to-end from Dashboards to any other channel, event driven	No, very limited	Yes, fully supported
Multi Data Map	Limited with non OS	Very extensive, with multiple widgets and sync
MicroApplications	No	Yes
Auditing, Assessment, accounting	No, no, no	Yes, Yes, Yes
Multitenacy on data management	No only on broker	Yes: on Broker, on data management, on dashboards, etc..
Living Lab for creating/managing communities/groups	Not supported	Yes: provided in the open source
Report generation/management	No	Yes

Process Graphics Manag.

FIWARE Smart Data Model

- Include
  - JSON Schema (for verification and validation) and Specs
  - Examples in: NGSI V2, NGSI LD
- Domains

SMART CITIES	SMART AGRIFOOD	SMART WATER	SMART ENERGY
SMART ENVIRONMENT	SMART SENSORING	SMART AERONAUTICS	SMART DESTINATION
CROSS SECTOR	SMART ROBOTICS	SMART HEALTH	SMART MANUFACTURING

https://www.fiware.org/smart-data-models/

Exploiting FIWARE Smart Data Models

- **Smart Data Models** can be used into Snap4City:
  - as initial IoT Data Model without precise Variable Definitions
  - Attach automated rules to each specific Smart Data Model of a Broker for directly registration and management of IoT Device Messages
- **Exploitation** to simplify IoT Device Registration from Orion Brokers, for
  - External Brokers: automating Device Registration while Device Discovery
  - Internal Brokers: exploiting the Smart Data Model as a Template for Device Registration

Exploiting FIWARE Smart Data Models




FROM CITY DASHBOARD TO APPLICATIONS
DATA GATHERING AND CITY DATA KNOWLEDGE MANAGEMENT
FORGING & MANAGING OPEN AND FLEXIBLE WEB AND MOBILE APPS
IOT/IOE DEVICES AND NETWORKS
IOT APPLICATIONS VS IOT EDGE DEVICES
IOT APPLICATIONS, THE LOGIC AND THE SMARTNESS
ADVANCED SMART CITY API, MICROSERVICES, SNAP4CITY API
SNAP4CITY LIVING LAB FOR COLLABORATIVE WORK
SNAP4CITY FOR BEGINNERS
DATA ANALYTICS, BUSINESS INTELLIGENCE, WHAT-IF AND SIMULATION
SNAP4CITY ARCHITECTURE AND ECOSYSTEM. OPENED TO DEVELOPERS AND STAKEHOLDERS
DECISION SUPPORT SYSTEM AND CITY RESILIENCE
TWITTER VIGILANCE: SOCIAL MEDIA ANALYSIS
HOW TO ADOPT SNAP4CITY, AND OUR ROADMAP
SNAP4CITY AND KM4CITY PROJECTS
SNAP4CITY THE VIEW OF THE ADMINISTRATORS

References

2022 booklets

- Snap4City



https://www.snap4city.org/download/video/DPL_SNAP4CITY_2022-v02.pdf

- Snap4Industry

https://www.snap4city.org/download/video/DPL_SNAP4INDUSTRY_2022-v03.pdf

- Solutions
- Data Analytics

https://www.snap4city.org/download/video/DPL_SNAP4SOLU.pdf

Overview



Snap4City Platform

Technical Overview

From: DINFO dept of University of Florence, with its
DISIT Lab, Https://www.disit.org with its Snap4City solution

Snap4City:

- Web page: Https://www.snap4city.org
- https://twitter.com/snap4city
- https://www.facebook.com/snap4city

Contact Person: Paolo Nesi, Paolo.nesi@unifi.it

- Phone: +39-335-5668674
- Linkedin: https://www.linkedin.com/in/paolo-nesi-849ba51/
- Twitter: https://twitter.com/paolonesi
- FaceBook: https://www.facebook.com/paolo.nesi2

Access Level: Public.

Date: 05-04-2021

Version: 5.3

1

- https://www.snap4city.org/drupal/sites/default/files/files/Snap4City-PlatformOverview.pdf

Development



Powered by SNAP4Tech

Development Life-Cycle

https://www.snap4city.org/download/video/Snap4Tech-Development-Life-Cycle-v1-1.pdf

From Snap4City:

- **We suggest you to read the TECHNICAL OVERVIEW:**
  - https://www.snap4city.org/download/video/Snap4City-PlatformOverview.pdf
- https://www.snap4city.org
- https://www.snap4solutions.org
- https://www.snap4industry.org
- https://twitter.com/snap4city
- https://www.facebook.com/snap4city
- https://www.youtube.com/channel/UC3tAO09EbNba8f2-u4vandg

Coordinator: Paolo Nesi, Paolo.nesi@unifi.it

DISIT Lab, https://www.disit.org
DINFO dept of University of Florence,
Via S. Marta 3, 50139, Firenze, Italy
Phone: +39-335-5668674

Access Level: public

Date: 21-10-2022

Version: 1.4

1

https://www.snap4city.org/download/video/Snap4Tech-Development-Life-Cycle.pdf

Overview

- https://fiware-foundation.medium.com/snap4city-fiware-powered-smart-app-builder-for-sentient-cities-acfe24df49d5
- https://www.snap4city.org/drupal/sites/default/files/files/FF_ImpactStories_Snap4City.pdf

UNIVERSITÀ DEGLI STUDI FIRENZE | DINFO DIPARTIMENTO DI INGEGNERIA DELL'INFORMAZIONE | DISIT DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB

Main running instances (11/21)

- Sii-Mobility → mobility and transport, sustainability
- REPLICATE → ICT, smart City Control room, Energy, IOT
- RESOLUTE → Resilience, ICT, Big Data
- GHOST → Strategies, smart city
- TRAFAIR → Environment & transport
- MOSAIC → mobility and transport
- WEEE Life → Smart waste, environment
- Smart Garda Lake → Castelnuovo del Garda, SMARTEA
- 5G → Industry 4.0 vs SmartCity
- Green Impact → Industry 4.0, Chemical Plant, control and plan
- SmartBed (Laid) → smart health
- Green Field Peas (Soda) → Industry 4.0, Chemical plant
- MobiMart and PISA Agreement → data aggregation, mobility and transport, Living Lab
- Lonato del Garda → smart parking, environment
- Herit Data → tourism, culture and management
- ISPRA JRC → site management and services
- Capelon (Sweden) → smart light solutions
- PC4City → land slide monitoring and predictions
- Italmatic → industry 4.0 production control

Acknowledgements

- Thanks to the European Commission for founding. All slides reporting logo of **Snap4City** https://www.snap4city.org **of Select4Cities H2020** are representing tools and research founded by European Commission for the **Select4Cities** project. **Select4Cities** has received funding from the European Research Council (ERC) under the European Union's Horizon 2020 research and innovation Programme (grant agreement n° 688196)
- **TRAFAIR is a CEF** project. All slides reporting logo of TRAFAIR project are representing tools and research founded by the EC on CEF programme http://trafair.eu/
- Thanks to the European Commission for founding. All slides reporting logo of **REPLICATE H2020** are representing tools and research founded by European Commission for the REPLICATE project. **REPLICATE** has received funding from the European Research Council (ERC) under the European Union's Horizon 2020 research and innovation Programme (grant agreement n° 691735).
- Thanks to the European Commission for founding. All slides reporting logo of **RESOLUTE H2020** are representing tools and research founded by European Commission for the RESOLUTE project. **RESOLUTE** has received funding from the European Research Council (ERC) under the European Union's Horizon 2020 research and innovation Programme (grant agreement n° 653460).
- Thanks to the MIUR for co-founding and to the University of Florence and companies involved. All slides reporting logo of **Sii-Mobility** are representing tools and research founded by MIUR for the Sii-Mobility SCN MIUR project.
- **Km4City** *is an open technology and research line of DISIT Lab exploited by a number of projects. Some of the innovative solutions and research issues developed into projects are also compliant and contributing to the Km4City approach and thus are released as open sources and are interoperable, scalable, modular, standard compliant, etc.*

SNAP4INDUSTRY

KM 4 CITY

100% OPEN SOURCE

Be smart in a SNAP!

SNAP4 Appliances and Dockers **Installations**

CONTACT

DISIT Lab, DINFO: Department of Information Engineering
Università degli Studi di Firenze - School of Engineering

Via S. Marta, 3 - 50139 Firenze, ITALY
https://www.disit.org

www.snap4city.org

Email: snap4city@disit.org

Office: +39-055-2758-515 / 517
Cell: +39-335-566-86-74
Fax.: +39-055-2758570

UNIVERSITÀ DEGLI STUDI FIRENZE | DINFO DIPARTIMENTO DI INGEGNERIA DELL'INFORMAZIONE | DISIT DISTRIBUTED SYSTEMS AND INTERNET TECHNOLOGIES LAB